

## ADS1284 高分辨率模数转换器

### 1 特性

- 可选择工作模式
- 低功耗模式：
  - 12mW (PGA = 1、2、4 和 8)
  - 127dB SNR (250 SPS, PGA = 1)
- 高分辨率模式：
  - 18mW (PGA = 1、2、4 和 8)
  - 130dB SNR (250 SPS, PGA = 1)
- THD: -122dB
- CMRR: 110dB
- 双通道多路复用器
- 固有稳定性调制器
- 快速响应超范围检测器
- 灵活的数字滤波器：
  - 正弦 + 有限脉冲响应 (FIR) + 无限脉冲响应 (IIR) (可选)
  - 线性或最小相位选项
  - 可编程高通滤波器
- 偏移和增益校准
- SYNC 输入
- 模拟电源: 5V 或  $\pm 2.5V$
- 数字电源: 1.8V 至 3.3V

### 2 应用

- 能量勘探
- 地震监测
- 高精度仪器

### 3 说明

ADS1284 是一款高性能、单芯片模数转换器 (ADC)。该器件包括一个低噪声可编程增益放大器 (PGA)、 $\Delta$ - $\Sigma$  调制器和数字滤波器。该 ADC 支持两种运行模式，可在功耗与分辨率之间实现最佳平衡。

双通道多路复用器具有用于信号测量和 ADC 信号测试的输入。具有使输入电路短路和测试内部噪声的模式。PGA 具有高输入阻抗和低噪声，可与地震检波器和水听器传感器直接连接。

四阶固有稳定性调制器可提供出色的低噪声和线性性能。调制器输出由片上数字滤波器进行过滤和抽取，以生成 ADC 转换结果。

数字滤波器提供 250 至 4000 SPS 的数据速率。高通滤波器 (HPF) 具有可编程转角频率。片上增益和偏移调节寄存器支持系统校准。

同步输入控制 ADC 转换的时序。关断输入使 ADC 进入关断模式。


ADS1284 采用紧凑的 24 引线 5mm x 4mm VQFN 封装，完整额定工作温度为  $-40^{\circ}\text{C}$  至  $+85^{\circ}\text{C}$ ，最大工作温度范围为  $-50^{\circ}\text{C}$  至  $+125^{\circ}\text{C}$ 。

#### 器件信息

器件型号	封装	封装尺寸 (标称值)
ADS1284	VQFN (24)	5.00mm x 4.00mm

(1) 要了解所有可用封装，请参阅数据表末尾的封装选项附录。

简化原理图



## 目录

<b>1</b>	<b>特性</b>	<b>1</b>	<b>8.1</b>	<b>Overview</b>	<b>17</b>
<b>2</b>	<b>应用</b>	<b>1</b>	<b>8.2</b>	<b>Functional Block Diagram</b>	<b>18</b>
<b>3</b>	<b>说明</b>	<b>1</b>	<b>8.3</b>	<b>Feature Description</b>	<b>18</b>
<b>4</b>	<b>修订历史记录</b>	<b>2</b>	<b>8.4</b>	<b>Device Functional Modes</b>	<b>33</b>
<b>5</b>	<b>Pin Configuration and Functions</b>	<b>3</b>	<b>8.5</b>	<b>Programming</b>	<b>45</b>
<b>6</b>	<b>Specifications</b>	<b>4</b>	<b>8.6</b>	<b>Register Maps</b>	<b>49</b>
6.1	Absolute Maximum Ratings	4	<b>9</b>	<b>Application and Implementation</b>	<b>53</b>
6.2	ESD Ratings	4	9.1	Application Information	53
6.3	Recommended Operating Conditions	4	9.2	Typical Applications	53
6.4	Thermal Information	5	9.3	Initialization Set Up	56
6.5	Electrical Characteristics	5	<b>10</b>	<b>器件和文档支持</b>	<b>57</b>
6.6	Timing Requirements	8	10.1	接收文档更新通知	57
6.7	Switching Characteristics	8	10.2	社区资源	57
6.8	Typical Characteristics	9	10.3	商标	57
<b>7</b>	<b>Parameter Measurement Information</b>	<b>15</b>	10.4	静电放电警告	57
7.1	Noise Performance	15	10.5	Glossary	57
<b>8</b>	<b>Detailed Description</b>	<b>17</b>	<b>11</b>	<b>机械、封装和可订购信息</b>	<b>58</b>


## 4 修订历史记录

### Changes from Original (September 2018) to Revision A

### Page

• 已更改 将文档更改为面向 Web 的完整发布版	1
---------------------------	---

## 5 Pin Configuration and Functions



### Pin Functions

PIN		I/O	DESCRIPTION
NAME	NO.		
AINN1	13	Analog input	Negative analog input 1
AINN2	11	Analog input	Negative analog input 2
AINP1	12	Analog input	Positive analog input 1
AINP2	10	Analog input	Positive analog input 2
AVDD	14	Analog supply	Positive analog power supply
AVSS	15	Analog supply	Negative analog power supply
BYPAS	22	Analog	1.8-V sub-regulator output: connect 1-μF capacitor to DGND
CAPN	8	Analog	PGA output: connect 10-nF capacitor from CAPP to CAPN
CAPP	9	Analog	PGA output: connect 10-nF capacitor from CAPP to CAPN
CLK	23	Digital input	Master clock input (4.096 MHz)
CS	4	Digital input	Serial interface chip select, active low
DGND	7	Ground	Digital ground (tie to digital ground plane)
DGND	21	Ground	Digital ground (tie to digital ground plane)
DIN	3	Digital input	Serial interface data input
DOUT	2	Digital output	Serial Interface data output
DRDY	1	Digital output	Data ready output: active low
DVDD	20	Digital supply	Digital power supply. If DVDD < 2.25 V, connect DVDD and BYPAS pins together.
MFLAG	6	Digital output	Modulator overrange flag: 0 = normal, 1 = modulator overrange
PWDN	18	Digital input	Power-down input, active low
RESET	19	Digital input	Reset input, active low
SCLK	24	Digital input	Serial interface shift clock input
SYNC	5	Digital input	Synchronize input, rising edge active
VREFN	16	Analog input	Negative reference input
VREFP	17	Analog input	Positive reference input
Thermal pad			Do not electrically connect the thermal pad. The thermal pad must be soldered to PCB. Thermal pad vias are optional and can be removed.

## 6 Specifications

### 6.1 Absolute Maximum Ratings<sup>(1)</sup>

Over operating free-air temperature range (unless otherwise noted).

	MIN	MAX	UNIT
AVDD to AVSS	−0.3	5.5	V
AVSS to DGND	−2.8	0.3	V
DVDD to DGND	−0.3	3.9	V
Analog input voltage	AVSS − 0.3	AVDD + 0.3	V
Digital input voltage to DGND	−0.3	DVDD + 0.3	V
Input current, continuous	−10	10	mA
Operating temperature	−50	125	°C
Junction temperature		150	°C
Storage temperature, T <sub>stg</sub>	−60	150	°C

- (1) Stresses above these ratings may cause permanent damage. Exposure to absolute maximum conditions for extended periods may degrade device reliability. These are stress ratings only, and functional operation of the device at these or any other conditions beyond those specified is not implied.

### 6.2 ESD Ratings

			VALUE	UNIT
V <sub>(ESD)</sub>	Electrostatic discharge	Human-body model (HBM), per ANSI/ESDA/JEDEC JS-001 <sup>(1)</sup>	±2000	V
		Charged-device model (CDM), per JEDEC specification JESD22-C101 <sup>(2)</sup>	±500	

- (1) JEDEC document JEP155 states that 500-V HBM allows safe manufacturing with a standard ESD control process.

- (2) JEDEC document JEP157 states that 250-V CDM allows safe manufacturing with a standard ESD control process.

### 6.3 Recommended Operating Conditions

		MIN	NOM	MAX	UNIT
<b>POWER SUPPLY</b>					
AVSS	Negative analog supply (relative to DGND)	−2.6		0	V
AVDD	Positive analog supply (relative to AVSS)	AVSS + 4.75		AVSS + 5.25	V
DVDD	Digital supply (relative to DGND)	1.65		3.6	V
<b>ANALOG INPUTS</b>					
FSR	Full-scale input voltage range (V <sub>IN</sub> = AINP − AINN)	±V <sub>REF</sub> / (2 × PGA)			V
	Calibration margin <sup>(1)</sup>			106	%FSR
AINP or AINN	Absolute input voltage range	AVSS + 0.7		AVDD − 1.25	V
<b>VOLTAGE REFERENCE INPUTS</b>					
	Reference input voltage (V <sub>REF</sub> = VREFP − VREFN)	1	5	AVDD − AVSS + 0.2	V
VREFN	Negative reference input	AVSS − 0.1		VREFP − 1	V
VREFP	Positive reference input	VREFN + 1		AVDD + 0.1	V
<b>DIGITAL INPUTS</b>					
V <sub>IH</sub>	High-level input voltage	0.8 × DVDD		DVDD	V
V <sub>IL</sub>	Low-level input voltage	DGND		0.2 × DVDD	V
f <sub>CLK</sub>	Clock input	1		4.096	MHz
f <sub>SCLK</sub>	Serial clock rate			f <sub>CLK</sub> / 2	MHz
<b>TEMPERATURE</b>					
	Specified temperature	−40		85	°C

- (1) Calibration margin is the maximum allowable input voltage after user calibration of offset and gain errors.

## 6.4 Thermal Information

THERMAL METRIC <sup>(1)</sup>		ADS1284	UNIT
		RHF (VQFN)	
		24 PINS	
R <sub>θJA</sub>	Junction-to-ambient thermal resistance	30.2	°C/W
R <sub>θJC(top)</sub>	Junction-to-case (top) thermal resistance	27.5	°C/W
R <sub>θJB</sub>	Junction-to-board thermal resistance	8.5	°C/W
ψ <sub>JT</sub>	Junction-to-top characterization parameter	0.3	°C/W
ψ <sub>JB</sub>	Junction-to-board characterization parameter	8.6	°C/W
R <sub>θJC(bot)</sub>	Junction-to-case (bottom) thermal resistance	1.7	°C/W

(1) For more information about traditional and new thermal metrics, see the [Semiconductor and IC Package Thermal Metrics application report](#).

## 6.5 Electrical Characteristics

maximum and minimum specifications over –40°C to +85°C; typical specifications at 25°C, AVDD = 2.5 V, AVSS = –2.5 V, f<sub>CLK</sub> = 4.096 MHz, VREFP = 2.5 V, VREFN = –2.5 V, DVDD = 3.3 V, PGA = 1, High-Resolution and Low-Power modes, Offset enabled (75 mV), Chop enable, and f<sub>DATA</sub> = 1000 SPS (unless otherwise noted)

PARAMETER		TEST CONDITIONS	MIN	TYP	MAX	UNIT
ANALOG INPUTS						
	PGA input voltage noise density	Low-power mode	7.5		nV/√Hz	
		High-resolution mode	5			
	Differential input impedance <sup>(1)</sup>	CHOP enabled	1		GΩ	
		CHOP disabled	100			
	Common-mode input impedance		1		GΩ	
I <sub>IB</sub>	Input bias current		1		nA	
	Crosstalk	f = 31.25 Hz	−135		dB	
	Mux switch on-resistance	Each switch	30		Ω	
PGA OUTPUT (CAPP, CAPN)						
	Absolute output range		AVSS + 0.4	AVDD − 0.4	V	
	PGA output impedance	Differential	600		Ω	
	Output impedance tolerance		±10%			
	External bypass capacitance		10	100	nF	
	Modulator input impedance	Low-power mode	110		kΩ	
		High-resolution mode	55			
AC PERFORMANCE						
SNR	Signal-to-noise ratio <sup>(2)</sup>	Low-power mode	117	121	dB	
		High-resolution mode	120	124		
THD	Total harmonic distortion <sup>(3)</sup>	Low-power mode				dB
		PGA = 1, 2, 4, 8, 16	−122	−114		
		PGA = 32	−117	−108		
		PGA = 64	−114			
		High-resolution mode				dB
		PGA = 1, 2, 4, 8, 16	−122	−114		
		PGA = 32	−117	−110		
		PGA = 64	−114			
SFDR	Spurious-free dynamic range		123		dB	

(1) PGA chop mode is controlled by register setting.

(2) Inputs shorted; see [Table 1](#) through [Table 4](#) for more details.

(3) Input signal = 31.25 Hz, –0.5 dBFS.

## Electrical Characteristics (continued)

maximum and minimum specifications over  $-40^{\circ}\text{C}$  to  $+85^{\circ}\text{C}$ ; typical specifications at  $25^{\circ}\text{C}$ ,  $\text{AVDD} = 2.5\text{ V}$ ,  $\text{AVSS} = -2.5\text{ V}$ ,  $f_{\text{CLK}} = 4.096\text{ MHz}$ ,  $\text{VREFP} = 2.5\text{ V}$ ,  $\text{VREFN} = -2.5\text{ V}$ ,  $\text{DVDD} = 3.3\text{ V}$ ,  $\text{PGA} = 1$ , High-Resolution and Low-Power modes, Offset enabled (75 mV), Chop enable, and  $f_{\text{DATA}} = 1000\text{ SPS}$  (unless otherwise noted)

PARAMETER		TEST CONDITIONS		MIN	TYP	MAX	UNIT
DC PERFORMANCE							
	Resolution			31			Bits
f <sub>DATA</sub>	Data rate	FIR filter mode		250		4000	SPS
		Sinc filter mode		8000		128,000	
	Offset <sup>(4)</sup>	Offset disabled		±50		±200	µV
		Offset and Chop disabled		300			
		75 mV offset		70 / PGA	75 / PGA	80 / PGA	mV
		100 mV offset		95 / PGA	100 / PGA	105 / PGA	
	Offset after calibration <sup>(5)</sup>			1			µV
	Offset drift			0.03			µV/°C
		CHOP disabled		0.5			
	Gain error <sup>(6)</sup>	Low-power mode		-1%	-0.5%	0%	
		High-resolution mode		-1.5%	-1.0%	-0.5%	
	Gain error after calibration <sup>(5)</sup>			0.0002%			
	Gain drift	PGA = 1		2			ppm/°C
		PGA = 16		9			
	Gain matching <sup>(7)</sup>			0.3%		0.8%	
CMR	Common-mode rejection	f <sub>CM</sub> = 60 Hz, 1.25 V <sub>PP</sub> <sup>(8)</sup>		95	110		dB
PSR	Power-supply rejection	f <sub>PS</sub> = 60 Hz, 100 mV <sub>PP</sub> <sup>(8)</sup>	AVDD, AVSS	80	90		dB
			DVDD	90	115		
VOLTAGE REFERENCE INPUTS							
	Reference input impedance	Low-power mode		170			kΩ
		High -resolution mode		85			
DIGITAL FILTER RESPONSE							
	Pass-band ripple			±0.003			dB
	Pass band (−0.01dB)			0.375 × f <sub>DATA</sub>			Hz
	Bandwidth (−3dB)			0.413 × f <sub>DATA</sub>			Hz
	High-pass filter corner			0.1		10	Hz
	Stop band attenuation <sup>(9)</sup>			135			dB
	Stop band			0.500 × f <sub>DATA</sub>			Hz
	Group delay	Minimum phase filter <sup>(10)</sup>		5 / f <sub>DATA</sub>			s
		Linear phase filter		31 / f <sub>DATA</sub>			
	Settling time (latency)	Minimum phase filter		62 / f <sub>DATA</sub>			s
		Linear phase filter		62 / f <sub>DATA</sub>			

(4) Offset specification is input referred. The offset scales by the reference voltage ( $V_{\text{REF}}$ ).

(5) Calibration accuracy is on the level of noise reduced by four (calibration averages 16 readings).

(6) The PGA output impedance and the modulator input impedance results in systematic gain error.

(7) Gain match relative to gain = 1.

(8)  $f_{\text{CM}}$  is the input common-mode frequency.  $f_{\text{PS}}$  is the power-supply frequency.

(9) Input frequencies in the range of  $N \cdot f_{\text{CLK}} / 1024 \pm f_{\text{DATA}} / 2$  (where  $N = 1, 2, 3, \dots$ ) can intermodulate with the modulator chopper clock (and  $N$  multiples). At these frequencies, intermodulation =  $-120\text{ dB}$ , typ.

(10) At dc; see Figure 50.

## Electrical Characteristics (continued)

maximum and minimum specifications over  $-40^{\circ}\text{C}$  to  $+85^{\circ}\text{C}$ ; typical specifications at  $25^{\circ}\text{C}$ ,  $\text{AVDD} = 2.5\text{ V}$ ,  $\text{AVSS} = -2.5\text{ V}$ ,  $f_{\text{CLK}} = 4.096\text{ MHz}$ ,  $\text{VREFP} = 2.5\text{ V}$ ,  $\text{VREFN} = -2.5\text{ V}$ ,  $\text{DVDD} = 3.3\text{ V}$ ,  $\text{PGA} = 1$ , High-Resolution and Low-Power modes, Offset enabled (75 mV), Chop enable, and  $f_{\text{DATA}} = 1000\text{ SPS}$  (unless otherwise noted)

PARAMETER		TEST CONDITIONS	MIN	TYP	MAX	UNIT
<b>DIGITAL INPUTS/OUTPUTS</b>						
$V_{\text{OH}}$	High-level output voltage	$I_{\text{OH}} = 1\text{ mA}$	$0.8 \times \text{DVDD}$			V
$V_{\text{OL}}$	Low-level output voltage	$I_{\text{OL}} = 1\text{ mA}$		$0.2 \times \text{DVDD}$		V
$I_{\text{IKG}}$	Input leakage	$0 < V_{\text{DIGITAL IN}} < \text{DVDD}$			$\pm 10$	$\mu\text{A}$
<b>POWER SUPPLY</b>						
$I_{\text{AVDD}}$ $I_{\text{AVSS}}$	Analog supply current	Low-power mode				
		$\text{PGA} = 1, 2, 4, 8$		2	3.4	mA
		$\text{PGA} = 16, 32, 64$		2.5	3.8	
		High-resolution mode				
		$\text{PGA} = 1, 2, 4, 8$		3.2	5.5	mA
		$\text{PGA} = 16, 32, 64$		4	6	
		Standby mode		1	15	$\mu\text{A}$
		Power-down mode		1	15	
$I_{\text{DVDD}}$	Digital supply current	Low-power mode		0.5	0.7	mA
		High-resolution mode		0.6	0.8	
		Standby mode		25	50	$\mu\text{A}$
		Power-down mode <sup>(11)</sup>		1	15	
$P_{\text{D}}$	Power dissipation	Low-power mode				
		$\text{PGA} = 1, 2, 4, 8$		12	20	mW
		$\text{PGA} = 16, 32, 64$		14	22	
		High-resolution mode				
		$\text{PGA} = 1, 2, 4, 8$		18	30	mW
		$\text{PGA} = 16, 32, 64$		22	33	
		Standby mode		90	250	$\mu\text{W}$
		Power-down mode		10	125	

(11) CLK input stopped.

## 6.6 Timing Requirements

at  $T_A = -40^{\circ}\text{C}$  to  $+85^{\circ}\text{C}$  and  $\text{DVDD} = 1.65\text{ V}$  to  $3.6\text{ V}$  (unless otherwise noted)


		MIN	MAX	UNIT
$t_{\text{CSSC}}$	$\overline{\text{CS}}$ low to SCLK high: setup time	40		ns
$t_{\text{SCLK}}$	SCLK period	2	16	$1 / f_{\text{CLK}}$
$t_{\text{SPWH, L}}$	SCLK pulse duration, high and low <sup>(1)</sup>	0.8	10	$1 / f_{\text{CLK}}$
$t_{\text{DIST}}$	DIN valid to SCLK high: setup time	50		ns
$t_{\text{DIHD}}$	Valid DIN to SCLK high: hold time	50		ns
$t_{\text{CSH}}$	$\overline{\text{CS}}$ high pulse	100		ns
$t_{\text{SCCS}}$	SCLK high to $\overline{\text{CS}}$ high	24		$1/f_{\text{CLK}}$

(1) Holding SCLK low for 64  $\overline{\text{DRDY}}$  falling edges resets the serial interface.

## 6.7 Switching Characteristics

over operating free-air temperature range (unless otherwise noted)

PARAMETER	TEST CONDITIONS	MIN	TYP	MAX	UNIT
$t_{\text{CSDOD}}$	$\overline{\text{CS}}$ low to DOUT driven: propagation delay			60	ns
$t_{\text{DOPD}}$	SCLK low to valid new DOUT: propagation delay			100	ns
$t_{\text{DOHD}}$	SCLK low to DOUT invalid: hold time	0			ns
$t_{\text{CSDOZ}}$	$\overline{\text{CS}}$ high to DOUT tristate			40	ns



**Figure 1. Serial Interface Timing Diagram**



## 6.8 Typical Characteristics

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK} = 4.096$  MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, High-Resolution Mode, OFFSET enabled, CHOP enabled, and  $f_{DATA} = 1000$  SPS (unless otherwise noted).




Figure 2. Output Spectrum




Figure 3. Output Spectrum (Low-Power mode)




Figure 4. Output Spectrum




Figure 5. Output Spectrum (Low-Power Mode)




Figure 6. Output Spectrum






Figure 7. Output Spectrum (Low-Power Mode)

## Typical Characteristics (continued)


At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, High-Resolution Mode, OFFSET enabled, CHOP enabled, and  $f_{DATA}$  = 1000 SPS (unless otherwise noted).




**Figure 8. Output Spectrum**




**Figure 9. Output Spectrum (Low-Power Mode)**




**Figure 10. Output Spectrum**



**Figure 11. Output Spectrum (Low-Power Mode)**



**Figure 12. Output Spectrum**



**Figure 13. Output Spectrum (Low-Power Mode)**

## Typical Characteristics (continued)

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, High-Resolution Mode, OFFSET enabled, CHOP enabled, and  $f_{DATA}$  = 1000 SPS (unless otherwise noted).




Figure 14. Output Spectrum




Figure 15. Output Spectrum




Figure 16. THD vs Temperature




Figure 17. THD vs Temperature (Low-Power Mode)




Figure 18. THD vs Signal Frequency




Figure 19. CMR vs Common-Mode Frequency

## Typical Characteristics (continued)

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, High-Resolution Mode, OFFSET enabled, CHOP enabled, and  $f_{DATA}$  = 1000 SPS (unless otherwise noted).




Figure 20. PSR vs Power-Supply Frequency




Figure 21. Offset-Voltage Histogram




Figure 22. Offset-Voltage Drift Histogram




Figure 23. Gain-Error Histogram




Figure 24. Gain-Error Drift Histogram






Figure 25. Gain-Match Histogram

## Typical Characteristics (continued)


At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, High-Resolution Mode, OFFSET enabled, CHOP enabled, and  $f_{DATA}$  = 1000 SPS (unless otherwise noted).




**Figure 26. SNR vs Temperature**




**Figure 27. SNR vs Temperature (Low-Power Mode)**




**Figure 28. Crosstalk Output Spectrum**



**Figure 29. Power vs Temperature**



**Figure 30. Input Bias Current vs Input Voltage**



**Figure 31. Input Bias Current vs Input Voltage**

## Typical Characteristics (continued)

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, High-Resolution Mode, OFFSET enabled, CHOP enabled, and  $f_{DATA}$  = 1000 SPS (unless otherwise noted).




Figure 32. Reference Input Impedance vs Temperature

## 7 Parameter Measurement Information

### 7.1 Noise Performance

The ADS1284 offers outstanding signal-to-noise ratio (SNR). SNR depends on data rate, gain and mode of operation (high resolution or low power). As the bandwidth is reduced by decreasing the data rate, SNR improves correspondingly. Similarly, as gain is increased, the input-referred noise decreases. The low power mode decreases the oversampling ratio of the modulator and reduces the bias current of the PGA. As a consequence, low-power mode reduces the operating power but also results in increased conversion noise. The ADC incorporates a chop mode to remove 1/f noise from the PGA. Chop mode results in increased input current and as a result, chop mode may not be compatible with certain types of hydrophone sensors.

Input-referred noise is related to SNR by [Equation 1](#):

$$\text{SNR} = 20 \log \frac{\text{FSR}_{\text{RMS}}}{\text{N}_{\text{RMS}}}$$

where

- $\text{FSR}_{\text{RMS}}$  = Full-scale range RMS =  $V_{\text{REF}} / (2 \times \sqrt{2} \times \text{PGA})$
- $\text{N}_{\text{RMS}}$  = Noise (RMS, input-referred) (1)

[Table 1](#) summarizes SNR and input-referred noise performance in low-power mode (chop enabled). [Table 2](#) summarizes SNR and input-referred noise performance in low-power mode (chop disabled).

**Table 1. Low-Power Mode SNR (dB) and Input Referred Noise ( $\mu\text{V}_{\text{RMS}}$ ), Chop Enabled**

DATA RATE (SPS)	PGA (SNR, dB) <sup>(1)</sup>							PGA (Input-Referred Noise, $\mu\text{V RMS}$ )						
	1	2	4	8	16	32	64	1	2	4	8	16	32	64
250	127	127	126	124	122	116	111	0.79	0.41	0.22	0.14	0.09	0.09	0.08
500	124	124	123	121	119	113	108	1.13	0.58	0.31	0.19	0.13	0.12	0.11
1000	121	121	120	118	116	110	105	1.60	0.82	0.44	0.27	0.18	0.17	0.16
2000	118	118	117	115	113	107	102	2.27	1.16	0.63	0.39	0.26	0.24	0.22
4000	115	114	114	112	110	104	99	3.27	1.68	0.90	0.56	0.37	0.34	0.32

(1) Typical values at  $T_A = 25^\circ\text{C}$ . SNR data rounded to the nearest dB. Measurement bandwidth: 0.1 Hz to  $0.413 \times$  data rate.

**Table 2. Low-Power Mode SNR (dB) and Input Referred Noise ( $\mu\text{V}_{\text{RMS}}$ ), Chop Disabled**

DATA RATE (SPS)	PGA (SNR, dB) <sup>(1)</sup>							PGA (Input-Referred Noise, $\mu\text{V RMS}$ )						
	1	2	4	8	16	32	64	1	2	4	8	16	32	64
250	127	126	122	119	114	107	102	0.82	0.47	0.34	0.25	0.22	0.24	0.23
500	124	123	121	117	113	107	101	1.16	0.63	0.38	0.30	0.25	0.25	0.25
1000	121	120	119	116	112	106	100	1.61	0.85	0.50	0.37	0.29	0.29	0.27
2000	118	118	116	114	110	104	99	2.28	1.19	0.68	0.47	0.35	0.35	0.32
4000	115	114	114	111	108	102	97	3.29	1.70	0.94	0.62	0.43	0.43	0.40

(1) Typical values at  $T_A = 25^\circ\text{C}$ . SNR data rounded to the nearest dB. Measurement bandwidth: 0.1 Hz to  $0.413 \times$  data rate.

Table 3 summarizes SNR and input-referred noise performance in high-resolution mode (chop enabled). Table 4 summarizes SNR and input-referred noise performance in high-resolution mode (chop disabled).

**Table 3. High-Resolution Mode SNR (dB) and Input Referred Noise ( $\mu\text{V}_{\text{RMS}}$ ), Chop Enabled**

DATA RATE (SPS)	PGA (SNR, dB) <sup>(1)</sup>							PGA (Input-Referred Noise, $\mu\text{V}_{\text{RMS}}$ )						
	1	2	4	8	16	32	64	1	2	4	8	16	32	64
250	130	129	129	127	125	119	114	0.59	0.30	0.16	0.10	0.07	0.06	0.06
500	127	126	126	124	122	116	111	0.84	0.43	0.23	0.14	0.09	0.09	0.08
1000	124	123	123	121	119	113	108	1.19	0.60	0.32	0.20	0.13	0.12	0.11
2000	121	120	120	118	116	110	105	1.68	0.86	0.46	0.28	0.18	0.17	0.16
4000	117	117	117	115	113	107	102	2.40	1.22	0.66	0.40	0.26	0.25	0.23

(1) Typical values at  $T_A = 25^\circ\text{C}$ . SNR data rounded to the nearest dB. Measurement bandwidth: 0.1 Hz to  $0.413 \times$  data rate.

**Table 4. High-Resolution Mode SNR (dB) and Input Noise ( $\mu\text{V}_{\text{RMS}}$ ), Chop Disabled**

DATA RATE (SPS)	PGA (SNR, dB) <sup>(1)</sup>							PGA (Input-Referred Noise, $\mu\text{V}_{\text{RMS}}$ )						
	1	2	4	8	16	32	64	1	2	4	8	16	32	64
250	129	128	125	120	116	110	104	0.63	0.37	0.26	0.21	0.18	0.17	0.18
500	126	125	123	119	114	108	103	0.87	0.47	0.31	0.25	0.21	0.21	0.20
1000	123	123	121	117	114	108	102	1.20	0.65	0.39	0.30	0.22	0.22	0.22
2000	120	120	119	116	112	107	101	1.69	0.91	0.51	0.37	0.26	0.25	0.25
4000	117	117	116	114	111	105	99	2.41	1.24	0.70	0.46	0.33	0.31	0.30

(1) Typical values at  $T_A = 25^\circ\text{C}$ . SNR data rounded to the nearest dB. Measurement bandwidth: 0.1 Hz to  $0.413 \times$  data rate.



## 8 Detailed Description

### 8.1 Overview

The ADS1284 is a high-performance analog-to-digital converter (ADC) designed for energy exploration, seismic monitoring, laboratory instrumentation, and other exacting performance applications. The converter provides 31-bit resolution in data rates from 250 SPS to 4000 SPS. See the [Functional Block Diagram](#) section for a block diagram of the ADS1284.

The ADS1284 provides two modes of operation, high resolution and low power. The modes offer a tradeoff between power consumption and SNR performance. For most ADC configurations, low-power mode reduces power consumption 6 mW but results in an average 3 dB decrease of SNR. The operating mode is programmed by the MODE register bit (see [Figure 71](#)).

The two-channel, differential-input multiplexer allows several measurement configurations:

1. Input 1 (AINP1 - AINN1)
2. Input 2 (AINP2 - AINN2)
3. All inputs disconnected. PGA internally shorted to  $V_{COM}$  via 400- $\Omega$  resistors for ADC noise test.
4. Input 1 and input 2 connected together to the PGA for measurement
5. PGA inputs connected to AINN2 for common-mode test.

The input multiplexer is followed by a continuous-time PGA featuring very low noise. The gain of the PGA is programmed by register settings (gains 1 to 64). A external 10-nF C0G capacitor connected to CAPP and CAPN provides the ADC antialias filter.

The inherently-stable, fourth-order, delta-sigma modulator measures the differential input signal ( $V_{IN} = AINP - AINN$ ) against the differential reference ( $V_{REF} = (VREFP - VREFN) / 2$ ) to yield differential input voltage range =  $\pm 2.5$  V (PGA = 1). A digital output (MFLAG) indicates the modulator is in overload as a result of an overdrive condition. The modulator digital output data is routed to the digital filter to provide the conversion output data.

The digital filter consists of a variable decimation rate, fifth-order sinc filter, followed by a variable phase, fixed-decimation, finite-impulse response (FIR) low-pass filter with programmable phase. The last filter stage is an adjustable high-pass filter for dc and low frequency signal removal. The output of the digital filter can be taken from the sinc or the FIR filter stages, with the option of the FIR plus high-pass filter stages.

Gain and offset registers scale the output of the digital filter to produce the final output conversion data. The scaling feature can be used for calibration and sensor gain matching.

The SYNC input resets the operation of both the digital filter and the modulator, synchronizing the conversions of multiple ADCs to an external timing event. The SYNC input supports a continuous input mode that accepts an external data frame clock that is locked to the conversion rate. Automatic synchronization occurs when the periods are mismatched.

The  $\overline{RESET}$  input resets the register settings and also restarts the conversion process.


The  $\overline{PWDN}$  input sets the device into power down. Note that register settings are not retained in  $\overline{PWDN}$  mode. Use the STANDBY command for software power down (the quiescent current in standby mode is slightly higher).

Noise-immune Schmitt-trigger and clock-qualified inputs ( $\overline{RESET}$  and SYNC) increase reliability in high-noise environments. The SPI™-compatible serial interface is used to read conversion data, in addition to reading from and writing to the configuration registers.

The device supports either unipolar (+5 V) or bipolar ( $\pm 2.5$  V) supply operation. The digital supply range 1.8 V to 3.3 V.

An internal subregulator powers the digital core from the DVDD supply. BYPAS (pin 28), is the subregulator output and requires a 1- $\mu$ F capacitor for noise reduction. Note that the regulated output voltage on BYPAS is not available to drive external circuitry.


## 8.2 Functional Block Diagram



## 8.3 Feature Description

### 8.3.1 Analog Inputs and Multiplexer

A diagram of the input multiplexer is shown in [Figure 33](#).



**Figure 33. Analog Inputs and Multiplexer**

ESD diodes protect the multiplexer inputs. If either input is taken below  $AVSS - 0.3\text{ V}$ , or above  $AVDD + 0.3\text{ V}$ , the ESD protection diodes can turn on. If these conditions are possible, use external clamp diodes, series resistors, or both to limit the input current to safe values (see the [Absolute Maximum Ratings](#) table).

## Feature Description (continued)

Overdriving one unused input can affect the conversions of the other input. If an overdriven input interacts with the measured input, clamp the overdriven signal with external Schottky diodes.

The specified input operating range of the PGA is shown in Equation 2:

$$AVSS + 0.7V < (AINN \text{ or } AINP) < AVDD - 1.25V \quad (2)$$


For best operation, maintain absolute input levels (input signal level and common-mode level) within these limits.

The multiplexer connects one of the two external differential inputs to the preamplifier inputs, in addition to internal connections for various self-test modes. Table 5 summarizes the multiplexer configurations for Figure 33.


**Table 5. Multiplexer Modes**

MUX[2:0]	SWITCHES	DESCRIPTION
000	S <sub>1</sub> , S <sub>5</sub>	AINP1 and AINN1 connected to preamplifier
001	S <sub>2</sub> , S <sub>6</sub>	AINP2 and AINN2 connected to preamplifier
010	S <sub>3</sub> , S <sub>4</sub>	Preamplifier inputs shorted together through 400-Ω internal resistors
011	S <sub>1</sub> , S <sub>5</sub> , S <sub>2</sub> , S <sub>6</sub>	AINP1, AINN1 and AINP2, AINN2 connected together and to the preamplifier
100	S <sub>6</sub> , S <sub>7</sub>	External short, preamplifier inputs shorted to AINN2 (common-mode test)

The typical value of multiplexer on-resistance is 30 Ω (each switch). When the multiplexer is used to drive an external load connected to one channel by a signal generator connected to the other channel, on-resistance and on-resistance variation can lead to measurement errors. Figure 34 shows THD versus load resistance and amplitude (PGA gain). In this configuration, THD performance improves when used with high-impedance loads and low amplitude drive signals. The data are measured with the circuit from Figure 35 with the channel connected to each other for measurement (MUX[2:0] = 011).



**Figure 34. THD vs External Load and Signal Magnitude (PGA); See Figure 35**




**Figure 35. Driving an External Load Through the Multiplexer**

### 8.3.2 Programmable Gain Amplifier (PGA)

The PGA of the ADS1284 is a low-noise, continuous-time, differential-in and differential-out CMOS amplifier. The gain is set by register bits PGA[2:0], programmable from 1 to 64. The PGA differentially drives the modulator of the ADC through 300-Ω internal resistors. The effect of the internal resistors and the modulator input impedance results in gain error that changes with operating mode (see [Electrical Characteristics](#)). A PGA output filter capacitor (10-nF C0G or film dielectric) must be connected to CAPP and CAPN in order to filter modulator sampling glitches. The external capacitor also serves as the antialias filter. The corner frequency of the filter is given in [Equation 3](#):


$$f_p = \frac{1}{6.3 \times 600 \times C} \quad (3)$$

The PGA incorporates chopper stabilization. As shown in [Figure 36](#), amplifiers A<sub>1</sub> and A<sub>2</sub> are chopper stabilized to remove the offset, offset drift, and 1/f noise. Chopper stabilization (or chopping) moves the offset and noise to f<sub>CLK</sub> / 1024 (4 kHz, f<sub>CLK</sub> = 4.096 MHz), which is located safely out of the pass-band frequency range. Chopping can be disabled by setting the CHOP bit = 0. When chopping is disabled, the PGA input impedance increases (see *Differential Input Impedance* parameter in the [Electrical Characteristics](#)). As shown in [Figure 37](#), chopper stabilization provides flat noise density, leaving the noise spectrum white. However, if chopper stabilization is disabled, the PGA input noise results in a rising 1/f noise profile. The effect of 1/f noise to the conversion data is most noticeable at high PGA gain setting.



- (1) Modulator impedance depends on operating mode. High-resolution mode modulator impedance is 55 kΩ. Low-power mode modulator impedance is 110 kΩ.

**Figure 36. PGA Block Diagram**



**Figure 37. PGA Noise (High-resolution Mode)**

As a result of charges stored on stray capacitance of the input chopping switches, low-level transient currents flow through the inputs when chopper stabilization is enabled. The average value of the transient currents results in an effective input impedance. The effective input impedance depends on the PGA gain, as shown in [Table 6](#). Despite the relatively high input impedance, evaluate applications that use high-impedance sensors or high-impedance termination resistors. In some cases, ADC performance may be improved by disabling chopper stabilization. [Table 6](#) shows the PGA differential input impedance with chopper stabilization enabled.

**Table 6. Differential Input Impedance (CHOP Enabled)**

PGA	DIFFERENTIAL INPUT IMPEDANCE (GΩ)
1	7
2	7
4	4
8	3
16	2
32	1
64	0.5

The PGA provides programmable gains from 1 to 64. [Table 7](#) shows the register bit setting for the PGA and resulting full-scale differential range.

**Table 7. PGA Gain Settings**

PGA[2:0]	GAIN	DIFFERENTIAL INPUT RANGE (V) <sup>(1)</sup>
000	1	±2.5
001	2	±1.25
010	4	±0.625
011	8	±0.312
100	16	±0.156
101	32	±0.078
110	64	±0.039

(1)  $V_{REF} = 5\text{ V}$ . The input range scales with  $V_{REF}$ .

The specified range of the PGA output is shown in [Equation 4](#):

$$AVSS + 0.4\text{V} < (\text{CAPN or CAPP}) < AVDD - 0.4\text{V} \quad (4)$$


For best performance, maintain PGA output levels (signal plus common mode voltage) within these limits.

### 8.3.3 Analog-to-Digital Converter (ADC)

The ADC of the ADS1284 consists of two sections to yield the conversion data result: a low-noise modulator and a programmable digital filter.


#### 8.3.3.1 Modulator

The low-noise modulator is an inherently-stable, fourth-order,  $\Delta\Sigma$ , 2 + 2 pipelined structure, as Figure 38 shows. The modulator shifts the quantization noise to a higher frequency (out of the passband), where the noise is removed by the digital filter. The modulator data can either be completely filtered by the on-chip digital filter or partially filtered by use of the sinc filter section alone. Partial filtering provided by the sinc filter section is intended for use with an external FIR filter.



**Figure 38. ADS1284 Fourth-Order Modulator**

Modulator performance is optimized for input signal frequencies over the range dc to 2 kHz. As Figure 39 shows, the effect of PGA and modulator chop result in spectral artifacts occurring at the chop frequency (4 kHz) and harmonics related of the chop frequency. When using the sinc filter output in conjunction with an external post-decimation filter, design the external filter to suppress the modulator chopping artifacts.



**Figure 39. Sinc Output FFT (64 kSPS)**

##### 8.3.3.1.1 Modulator Overrange

The modulator is inherently stable, and therefore, has predictable recovery behavior resulting from an input overdrive condition. The modulator does not exhibit self-reset cycles, which often results in an unstable output data stream. The ADS1284 modulator outputs a data stream with 90% duty cycle of ones-to-zeroes density with the positive full-scale input signal applied (10% duty cycle with the negative full-scale signal). If the input is overdriven to exceed 10% or 90% modulation, but not saturated, the modulator remains stable and continues to output the 1s density data stream. The digital filter may or may not clip the output codes to +FS or -FS, depending on the duration of the overdrive. When the input returns to the normal range from a long-duration overdrive (worst case), the modulator returns immediately to the normal range, but the group delay of the digital filter delays the return of the conversion data to within the linear range (31 readings for linear phase FIR). An additional 31 readings (62 total) are required for completely settled data.

If the inputs are overdriven sufficiently to drive the modulator to full duty cycle (that is, all 1s or all 0s), the modulator is saturated. The digital output code may clip to +FS or –FS, again depending on the duration of the overdrive. A small-duration overdrive may not always clip the output code. When the input returns to the normal range, the modulator requires up to 12 modulator clock cycles ( $f_{MOD}$ ) to exit saturation and return to linear operation. The digital filter requires an additional 62 conversions for fully-settled data (linear-phase FIR).

In the extreme case of input overrange (where either overdriven input exceeds the voltage of the analog supply voltage plus the input protection diode drop), the protection diodes begin to conduct, thus clipping the input signal. When the input overdrive is removed, the diodes recover quickly. Make sure to limit the input current to 10 mA (continuous duty) if an overvoltage input signals are possible.

### 8.3.3.1.2 Modulator Input Impedance

The modulator samples the buffered input voltage through an internal capacitor to perform the ADC conversion. The charging of the input sampling capacitor draws a transient current from the PGA output. Use the average value of the current to calculate an effective input impedance, as shown in Equation 5:

$$R_{EFF} = 1 / (f_{MOD} \times C_S)$$

where

- $f_{MOD}$  = Modulator sample frequency = CLK / 4 ( CLK / 8 for low-power mode)
- $C_S$  = Input sampling capacitor = 17 pF (typ)

The resulting modulator input impedance is 55 k $\Omega$  (110 k $\Omega$  low-power mode). The modulator input impedance and the PGA output resistors result in systematic gain errors. The modulator sampling capacitor and PGA output resistors can each vary up to  $\pm 20\%$  over production lots, affecting the nominal gain error.

### 8.3.3.1.3 Modulator Overrange Detection (MFLAG)

The ADS1284 has a fast-responding, overrange detection that indicates when the differential input exceeds 100% or –100% full-scale. The threshold tolerance is  $\pm 2.5\%$ . The MFLAG output pin asserts high when in an overrange condition. As Figure 40 and Figure 41 illustrate, the absolute differential input is compared to 100% of range. The output of the comparator is sampled at the rate of  $f_{MOD} / 2$ , yielding the MFLAG output. The minimum detectable MFLAG pulse duration is  $f_{MOD} / 2$ .




Figure 40. Modulator Overrange Block Diagram




Figure 41. Modulator Overrange Flag Operation

### 8.3.3.1.4 Offset

The modulator can produce low-level idle tones that appear in the conversion data when there is no signal input or when low-level signal inputs are present to the ADC. The ADC provides an optional dc offset voltage designed to shift the idle tones to the stop band of digital filter response, where the idle tones are reduced. The internal offset is applied at the modulator input; therefore, the offset voltage is independent of PGA gain. Two offset voltage options are provided, 75 mV and 100 mV. The 75-mV offset is more effective to reduce idle tones under various gain, data rate, and chop mode settings.

The offset is enabled by the OFFSET1 and OFFSET0 bits (default is off). The offset voltage reduces the total available input range 4% (3% for the 75 mV value) before the onset of clipped conversion results. To restore the full range of the ADC, calibrate the offset voltage by the digital offset calibration register (OFC[2:0]). See [Offset and Full-Scale Calibration Registers](#) and [Calibration Commands \(OFSCAL and GANCAL\)](#) sections for details.

### 8.3.3.1.5 Voltage Reference Inputs (VREFP, VREFN)


The voltage reference of the ADS1284 is the differential voltage applied between pins VREFP and VREFN:

$$V_{REF} = V_{REFP} - V_{REFN} \quad (6)$$

The reference inputs use a structure similar to that of the analog inputs with the circuitry of the reference inputs shown in [Figure 42](#). The average load presented by the switched-capacitor reference input can be modeled with an effective differential impedance of:

$$R_{EFF} = t_{SAMPLE} / C_{IN} \quad (t_{SAMPLE} = 1 / f_{MOD}). \quad (7)$$

Note that the effective impedance of the reference inputs loads the external reference.



$R_{EFF}$  shown for high-resolution mode operation.  $R_{EFF}$  for low-power mode operation is 170 k $\Omega$

**Figure 42. Simplified Reference Input Circuit**

Place a 0.1- $\mu$ F ceramic capacitor directly between the ADC VREFP and VREFN pins. Multiple ADC applications can share a single voltage reference, but must have individual capacitors placed at each ADC.

The ADS1284 reference inputs are protected by ESD diodes. In order to prevent these diodes from turning on, the voltage on either input must stay within the range shown in [Equation 8](#):

$$AVSS - 300\text{mV} < (V_{REFP} \text{ or } V_{REFN}) < AVDD + 300\text{mV} \quad (8)$$

The minimum operational input range for VREFN is  $AVSS - 0.1 \text{ V}$ , and the maximum operational range for VREFP is  $AVDD + 0.1 \text{ V}$ .

To achieve the best ADC performance, use a low-noise 5-V voltage reference. A 4.096-V or 4.5-V reference voltage can be used; however, these lower reference voltages reduce the signal input range and corresponding decrease SNR. Noise and drift on the reference degrade overall system performance. To achieve optimum performance, give attention to the circuitry providing the reference voltage including possible use of noise filtering. See the [Application Information](#) section for reference recommendations.



### 8.3.3.2 Digital Filter

The digital filter receives the modulator output data stream and decimates and filters the data. By adjusting the amount of filtering, tradeoffs can be made between resolution and data rate: filter more for higher resolution, filter less for higher data rate.

The digital filter is comprised of three filter sections: a variable-decimation, fifth-order sinc filter; a fixed-decimation FIR, low-pass filter (LPF) with selectable phase; and a programmable, first-order, high-pass filter (HPF), as shown in Figure 43.




Figure 43. Digital Filter and Output Code Processing

The output can be taken from one of the three filter sections, as Figure 43 shows. For partial filtering of the conversion data, select the sinc filter mode. The sinc filter mode is intended for use in conjunction with an external FIR filter. For complete on-chip filtering, select the sinc + FIR mode. With sinc + FIR filter mode active, the HPF can be included to remove dc and low frequencies from the data. Table 8 shows the filter mode options.

Table 8. Digital Filter Selection

FILTR[1:0] BITS	DIGITAL FILTER MODE
00	Reserved (not used)
01	Sinc
10	Sinc + FIR
11	Sinc + FIR + HPF

#### 8.3.3.2.1 Sinc Filter Section (sinc / x)

The sinc filter is a variable decimation rate, fifth-order, low-pass filter. Data are supplied to this section of the filter from the modulator at the rate of  $f_{MOD} = f_{CLK} / 4$  (high-resolution mode) or  $f_{MOD} = f_{CLK} / 8$  (low-power mode). The sinc filter attenuates high-frequency noise produced by the modulator and also reduces the data rate (decimation ratio) in proportion to the amount of filtering. The decimation ratio of the sinc filter effects the overall data rate of the converter. The sinc and sinc + FIR filter mode data rates are programmed by the DR[2:0] register bits. The sinc filter mode data rates are shown in Table 9.

Table 9. Sinc Filter Mode Data Rates

DR[2:0] REGISTER	DECIMATION RATIO (N)		DATA RATE (SPS)
	HIGH-RESOLUTION MODE	LOW-POWER MODE	
000	128	64	8,000
001	64	32	16,000
010	32	16	32,000
011	16	8	64,000
100	8	4	128,000

Equation 9 shows the scaled Z-domain transfer function of the sinc filter.

$$H(Z) = \left[ \frac{1 - Z^{-N}}{N(1 - Z^{-1})} \right]^5$$

where

- N = decimation ratio

(9)

Equation 10 shows the frequency domain transfer function of the sinc filter.



$$|H(f)| = \left| \frac{\sin \left[ \frac{\pi N \times f}{f_{\text{MOD}}} \right]}{N \sin \left[ \frac{\pi \times f}{f_{\text{MOD}}} \right]} \right|^5$$

where

- N = decimation ratio (see Table 9)
- $f_{\text{MOD}} = f_{\text{CLK}} / 4$  (high-resolution mode) or  $f_{\text{CLK}} / 8$  (low-power mode)


(10)

The sinc filter has notches (or zeros) that occur at the output data rate and multiples thereof. At these frequencies, the filter has zero gain. Figure 44 shows the frequency response of the sinc filter and Figure 45 shows the roll-off of the sinc filter.



### 8.3.3.2.2 FIR Section

The second section of the digital filter is an FIR low-pass filter. Data are supplied to this section from the sinc filter. The FIR stage is segmented into four subsections, as shown in Figure 46.



**Figure 46. FIR Filter**

The first two subsections are half-band filters with fixed decimation ratios of two. The third subsection of the FIR filter decimates by four (fixed), and the fourth subsection decimates by two (fixed). The overall decimation ratio of the entire FIR section is 32. Two coefficient sets are used for the third and fourth subsections, sets for linear phase mode and minimum phase mode (programmable). [Table 10](#) lists the data rate programming and overall decimation ratio of the FIR stage. See [Table 11](#) for the FIR filter coefficients.

**Table 10. FIR Filter Data Rates**

DR[2:0] REGISTER	OVERALL DECIMATION RATIO (COMBINED SINC + FIR)		FIR DATA RATE (SPS)
	HIGH-RESOLUTION MODE	LOW-POWER MODE	
000	4096	2048	250
001	2048	1024	500
010	1024	512	1000
011	512	256	2000
100	256	128	4000

**Table 11. FIR Stage Coefficients**

COEFFICIENT	SECTION 1	SECTION 2	SECTION 3		SECTION 4	
	LINEAR PHASE SCALING = 1 / 512	LINEAR PHASE SCALING = 1 / 8388608	SCALING = 1 / 134217728		SCALING = 1 / 134217728	
			LINEAR PHASE	MINIMUM PHASE	LINEAR PHASE	MINIMUM PHASE
b <sub>0</sub>	3	–10944	0	819	–132	11767
b <sub>1</sub>	0	0	0	8211	–432	133882
b <sub>2</sub>	–25	103807	–73	44880	–75	769961
b <sub>3</sub>	0	0	–874	174712	2481	2940447
b <sub>4</sub>	150	–507903	–4648	536821	6692	8262605
b <sub>5</sub>	256	0	–16147	1372637	7419	17902757
b <sub>6</sub>	150	2512192	–41280	3012996	–266	30428735
b <sub>7</sub>	0	4194304	–80934	5788605	–10663	40215494
b <sub>8</sub>	–25	2512192	–120064	9852286	–8280	39260213
b <sub>9</sub>	0	0	–118690	14957445	10620	23325925
b <sub>10</sub>	3	–507903	–18203	20301435	22008	–1757787
b <sub>11</sub>		0	224751	24569234	348	–21028126
b <sub>12</sub>		103807	580196	26260385	–34123	–21293602
b <sub>13</sub>		0	893263	24247577	–25549	–3886901
b <sub>14</sub>		–10944	891396	18356231	33460	14396783
b <sub>15</sub>			293598	9668991	61387	16314388
b <sub>16</sub>			–987253	327749	–7546	1518875
b <sub>17</sub>			–2635779	–7171917	–94192	–12979500
b <sub>18</sub>			–3860322	–10926627	–50629	–11506007
b <sub>19</sub>			–3572512	–10379094	101135	2769794
b <sub>20</sub>			–822573	–6505618	134826	12195551
b <sub>21</sub>			4669054	–1333678	–56626	6103823
b <sub>22</sub>			12153698	2972773	–220104	–6709466
b <sub>23</sub>			19911100	5006366	–56082	–9882714
b <sub>24</sub>			25779390	4566808	263758	–353347
b <sub>25</sub>			27966862	2505652	231231	8629331
b <sub>26</sub>			25779390	126331	–215231	5597927
b <sub>27</sub>			19911100	–1496514	–430178	–4389168
b <sub>28</sub>			12153698	–1933830	34715	–7594158
b <sub>29</sub>			4669054	–1410695	580424	–428064



**Table 11. FIR Stage Coefficients (continued)**

COEFFICIENT	SECTION 1	SECTION 2	SECTION 3		SECTION 4	
	LINEAR PHASE SCALING = 1 / 512	LINEAR PHASE SCALING = 1 / 8388608	SCALING = 1 / 134217728		SCALING = 1 / 134217728	
			LINEAR PHASE	MINIMUM PHASE	LINEAR PHASE	MINIMUM PHASE
b <sub>30</sub>			–822573	–502731	283878	6566217
b <sub>31</sub>			–3572512	245330	–588382	4024593
b <sub>32</sub>			–3860322	565174	–693209	–3679749
b <sub>33</sub>			–2635779	492084	366118	–5572954
b <sub>34</sub>			–987253	231656	1084786	332589
b <sub>35</sub>			293598	–9196	132893	5136333
b <sub>36</sub>			891396	–125456	–1300087	2351253
b <sub>37</sub>			893263	–122207	–878642	–3357202
b <sub>38</sub>			580196	–61813	1162189	–3767666
b <sub>39</sub>			224751	–4445	1741565	1087392
b <sub>40</sub>			–18203	22484	–522533	3847821
b <sub>41</sub>			–118690	22245	–2490395	919792
b <sub>42</sub>			–120064	10775	–688945	–2918303
b <sub>43</sub>			–80934	940	2811738	–2193542
b <sub>44</sub>			–41280	–2953	2425494	1493873
b <sub>45</sub>			–16147	–2599	–2338095	2595051
b <sub>46</sub>			–4648	–1052	–4511116	–79991
b <sub>47</sub>			–874	–43	641555	–2260106
b <sub>48</sub>			–73	214	6661730	–963855
b <sub>49</sub>			0	132	2950811	1482337
b <sub>50</sub>			0	33	–8538057	1480417
b <sub>51</sub>			0	0	–10537298	–586408
b <sub>52</sub>					9818477	–1497356
b <sub>53</sub>					41426374	–168417
b <sub>54</sub>					56835776	1166800
b <sub>55</sub>					41426374	644405
b <sub>56</sub>					9818477	–675082
b <sub>57</sub>					–10537298	–806095
b <sub>58</sub>					–8538057	211391
b <sub>59</sub>					2950811	740896
b <sub>60</sub>					6661730	141976
b <sub>61</sub>					641555	–527673
b <sub>62</sub>					–4511116	–327618
b <sub>63</sub>					–2338095	278227
b <sub>64</sub>					2425494	363809
b <sub>65</sub>					2811738	–70646
b <sub>66</sub>					–688945	–304819
b <sub>67</sub>					–2490395	–63159
b <sub>68</sub>					–522533	205798
b <sub>69</sub>					1741565	124363
b <sub>70</sub>					1162189	–107173
b <sub>71</sub>					–878642	–131357
b <sub>72</sub>					–1300087	31104
b <sub>73</sub>					132893	107182
b <sub>74</sub>					1084786	15644

**Table 11. FIR Stage Coefficients (continued)**

COEFFICIENT	SECTION 1	SECTION 2	SECTION 3		SECTION 4	
	LINEAR PHASE SCALING = 1 / 512	LINEAR PHASE SCALING = 1 / 8388608	SCALING = 1 / 134217728		SCALING = 1 / 134217728	
			LINEAR PHASE	MINIMUM PHASE	LINEAR PHASE	MINIMUM PHASE
b <sub>75</sub>					366118	–71728
b <sub>76</sub>					–693209	–36319
b <sub>77</sub>					–588382	38331
b <sub>78</sub>					283878	38783
b <sub>79</sub>					580424	–13557
b <sub>80</sub>					34715	–31453
b <sub>81</sub>					–430178	–1230
b <sub>82</sub>					–215231	20983
b <sub>83</sub>					231231	7729
b <sub>84</sub>					263758	–11463
b <sub>85</sub>					–56082	–8791
b <sub>86</sub>					–220104	4659
b <sub>87</sub>					–56626	7126
b <sub>88</sub>					134826	–732
b <sub>89</sub>					101135	–4687
b <sub>90</sub>					–50629	–976
b <sub>91</sub>					–94192	2551
b <sub>92</sub>					–7546	1339
b <sub>93</sub>					61387	–1103
b <sub>94</sub>					33460	–1085
b <sub>95</sub>					–25549	314
b <sub>96</sub>					–34123	681
b <sub>97</sub>					348	16
b <sub>98</sub>					22008	–349
b <sub>99</sub>					10620	–96
b <sub>100</sub>					–8280	144
b <sub>101</sub>					–10663	78
b <sub>102</sub>					–266	–46
b <sub>103</sub>					7419	–42
b <sub>104</sub>					6692	9
b <sub>105</sub>					2481	16
b <sub>106</sub>					–75	0
b <sub>107</sub>					–432	–4
b <sub>108</sub>					–132	0
b <sub>109</sub>					0	0

As shown in [Figure 47](#), the frequency response of the FIR filter is minimum ripple, flat to 0.375 of the data rate ( $\pm 0.003$  dB pass-band ripple until  $0.375 \cdot f_{\text{DATA}}$ ) and is fully attenuated at the Nyquist frequency. [Figure 48](#) shows the transition from pass band to stop band.


**Figure 47. FIR Pass-Band Magnitude Response**

**Figure 48. FIR Transition Band Magnitude Response**


Although not shown in [Figure 48](#), the pass-band response repeats at multiples of the modulator frequency ( $N \cdot f_{\text{MOD}} - f_0$  and  $N \cdot f_{\text{MOD}} + f_0$ , where  $N = 1, 2$ , and so on, and  $f_0 = \text{pass band}$ ). These image frequencies, if present in the signal and not filtered before the analog-to-digital conversion process, fold back (or alias) into the pass band and cause errors. A low-pass signal filter reduces the amplitude of the aliasing frequencies. Often, the RC low-pass filter provided by the PGA output resistance and the external capacitor connected to CAPP and CAPN provide sufficient anti-alias attenuation.

### 8.3.3.2.3 Group Delay and Step Response

The FIR block is implemented as a multistage FIR structure with selectable linear or minimum phase response. The pass band, transition band, and stop band responses of the filters are nearly identical but differ in the respective phase responses.


#### 8.3.3.2.3.1 Linear Phase Response

Linear phase filters exhibit constant delay time versus input frequency (that is, constant group delay). Linear phase filters have the property that the time delay is constant from any instant of the input signal to the same instant of the output data, and is independent of the signal frequency. This filter behavior results in essentially zero phase error when analyzing multi-tone signals. However, the group delay is longer than the minimum phase filter, as shown in [Figure 49](#).


**Figure 49. FIR Step Response**

### 8.3.3.2.3.2 Minimum Phase Response

The minimum phase filter provides a short delay from the arrival of an input signal to the output of conversion data, but the phase relationship is not constant versus frequency, as shown in Figure 50. The filter phase is selected by the PHS bit, as Table 12 shows.



**Figure 50. FIR Group Delay ( $f_{\text{DATA}} = 500\text{Hz}$ )**

**Table 12. FIR Filter Phase Selection**

PHS BIT	FILTER PHASE
0	Linear
1	Minimum

### 8.3.3.2.4 HPF Section

The last section of the digital filter is a first-order HPF implemented as an IIR structure. This filter stage blocks dc signals, and rolls-off low frequency components below the cutoff frequency. The transfer function for the filter is shown in Equation 11:

$$\text{HPF}(Z) = \frac{2 - a}{2} \times \frac{1 - Z^{-1}}{1 - bZ^{-1}}$$

where

- $b$  is calculated as shown in Equation 12 (11)

$$b = \frac{1 + (1 - a)^2}{2} \quad (12)$$

The high-pass corner frequency is programmed by registers HPF[1:0], in hexadecimal. Equation 13 is used to set the high-pass corner frequency. Table 13 lists example values for the high-pass filter.

$$\text{HPF}[1:0] = 65,536 \left[ 1 - \sqrt{1 - 2 \frac{\cos \omega_N + \sin \omega_N - 1}{\cos \omega_N}} \right]$$


where

- HPF[1:0] = High-pass filter register value (converted to hexadecimal)
- $\omega_N = 2\pi f_{\text{HP}} / f_{\text{DATA}}$  (normalized frequency, radians)
- $f_{\text{HP}}$  = High-pass corner frequency (Hz)
- $f_{\text{DATA}}$  = Data rate (Hz) (13)

**Table 13. High-Pass Filter Value Examples**

$f_{HP}$ (Hz)	DATA RATE (SPS)	HPF[1:0]
0.5	250	0337h
1.0	500	0337h
1.0	1000	019Ah


The HPF causes a small gain error, in which case the magnitude of the error depends on the ratio of  $f_{HP} / f_{DATA}$ . For many common values of  $(f_{HP} / f_{DATA})$ , the gain error is negligible. [Figure 51](#) shows the gain error of the HPF.


**Figure 51. HPF Gain Error**

The gain error factor is calculated in [Equation 14](#):

$$\text{HPF Gain} = \frac{1 + \sqrt{1 - 2 \left[ \frac{\cos \omega_N + \sin \omega_N - 1}{\cos \omega_N} \right]}}{2 - \left[ \frac{\cos \omega_N + \sin \omega_N - 1}{\cos \omega_N} \right]} \quad (14)$$

[Figure 52](#) shows the first-order amplitude and phase response of the HPF. In the case of applying step inputs (changing gains or inputs) or synchronizing, make sure to take the settling time of the filter into account.


**Figure 52. HPF Amplitude and Phase Response**



## 8.4 Device Functional Modes

### 8.4.1 Synchronization (SYNC PIN and SYNC Command)

The ADS1284 can be synchronized to an external event, as well as synchronizing multiple ADS1284 devices together if the synchronization pulse is applied simultaneously.

The ADS1284 has two methods of synchronization: the SYNC input pin and the SYNC command. In addition, there are two synchronization modes: *pulse-sync* and *continuous-sync*. In pulse-sync mode, the ADS1284 synchronizes unconditionally at each synchronization event. In continuous-sync mode, the first synchronization is unconditional, thereafter the ADC re-synchronizes only when the next SYNC pin edge does not occur at an integer multiple of the data rate. Typically, a synchronization clock is applied to the SYNC pin with a period equal to an integer multiple of the data rate. When the periods of the SYNC input and the DRDY output do not match due to system glitch or clock noise event, the ADC re-synchronizes.

#### 8.4.1.1 Pulse-Sync Mode

In pulse-sync mode, the ADS1284 unconditionally synchronizes by stopping and restarting the conversion process. Synchronization is possible by pin or command in this mode. At synchronization, the device resets the internal filter memory, DRDY goes high, and after the digital filter has settled, new conversion data are available as shown in Figure 53 and Table 14 (Pulse-sync mode).




Figure 53. Pulse-Sync and Continuous-Sync Timing With Single Synchronization

Table 14. Pulse-Sync Timing for Figure 53 and Figure 54

PARAMETER		MIN	MAX	UNIT
$t_{CSDL}$	CLK rising edge to SYNC rising edge <sup>(1)</sup>	30	-30	ns
$t_{SYNC}$	SYNC clock period <sup>(2)</sup>	1	Infinite	$n / f_{DATA}$
$t_{SPWH, L}$	SYNC pulse width, high or low	2		$1 / f_{CLK}$
$t_{DR}$	Time for data ready (SINC filter)	See Table 15		
	Time for data ready (FIR filter)	$62.98046875 / f_{DATA} + 468 / f_{CLK}$		

(1) CLK rising edge to SYNC rising edge timing must not occur within the specified time window.

(2) Continuous-sync mode; a free-running clock applied to the SYNC input without causing resynchronization. See Figure 54

**Table 15.  $t_{DR}$  Time for Data Ready (Sinc Filter)**

$f_{DATA}$ (kSPS)	$f_{CLK}$ CYCLES <sup>(1)</sup>
128	440
64	616
32	968
16	1672
8	2824

(1) For SYNC and WAKEUP commands, number of  $f_{CLK}$  cycles from next rising CLK edge directly after eighth rising SCLK edge to  $\overline{DRDY}$  falling edge. For WAKEUP command only, subtract two  $f_{CLK}$  cycles.

Table 15 is referenced by Table 14 and Table 17.


Observe the timing restriction of SYNC rising edge to CLK rising edge as shown in Figure 53 and Table 14. Synchronization occurs on the next rising CLK edge after the rising edge of the SYNC, or after the eighth rising SCLK edge when synchronized by command. To synchronize multiple ADCs by the sync command, broadcast the command to the ADCs simultaneously.

#### 8.4.1.2 Continuous-Sync Mode

In continuous-sync mode, either a single synchronization pulse or a continuous synchronization clock may be applied. Use the SYNC pin in this mode. When a single sync pulse is applied (rising edge), the device resynchronizes the same way as pulse-sync mode. ADC re-synchronization occurs only when the time between SYNC rising edges is not an integer multiple of the conversion period. When resynchronization occurs,  $\overline{DRDY}$  continues to toggle at the period of the data rate, and the DOUT output is held low until data are ready (63  $\overline{DRDY}$  periods later). At the 63rd reading, conversion data are valid, as shown in Figure 53.

If an additional pulse is applied to the SYNC pin, the elapsed time from the previous pulse must be an integral multiple of the output data rate otherwise re-synchronization results.

If a synchronization clock is applied to the SYNC pin, the device resynchronizes only under the condition  $t_{SYNC} \neq N / f_{DATA}$ , where  $N = 1, 2, 3$ , and so on. When re-synchronized,  $\overline{DRDY}$  continues to strobe, but the data on DOUT is held low until new data are valid after filter reset. If the period of the synchronizing clock matches an integral multiple of the data rate, the ADC does not re-synchronize. Note that the phase of the applied clock and output data rate ( $\overline{DRDY}$ ) is not aligned because of the initial delay of  $\overline{DRDY}$  after the SYNC clock is first applied. Figure 54 shows the timing for continuous-sync mode.



**Figure 54. Continuous-Sync Timing With SYNC Clock**

Apply the synchronization clock after the continuous-sync mode is programmed. The first rising edge of SYNC then results in synchronization. Note that subsequent writes to any ADC register results in re-synchronization at the time of the register write operation. The re-synchronization leads to loss of the previous synchronization. Send the STANDBY command followed by the WAKEUP command to re-establish the previous synchronization. Re-synchronization occurs is valid as long as the time between the STANDBY and WAKEUP commands is not a multiple integer of the conversion period by at least one clock cycle.

### 8.4.2 Reset (RESET Pin and Reset Command)

Reset the ADC in three ways: cycle the power supplies, toggle the RESET pin low, or send a RESET command. When using the RESET pin, take it low and hold for at least  $2 / f_{CLK}$  to force a reset. The ADS1284 is held in reset until the pin is released. By reset command, reset takes effect on the next rising edge of  $f_{CLK}$  after the eighth rising edge of SCLK of the command. In order to make certain that the RESET command functions, the SPI interface may need to be reset; see the [Serial Interface](#) section.

When the ADS1284 is reset, registers are set to default and the conversions are synchronized on the next rising edge of CLK. New conversion data are available, as shown in [Figure 55](#) and [Table 16](#).



**Figure 55. Reset Timing**

**Table 16. Reset Timing for [Figure 55](#)**

PARAMETER		MIN	UNIT
t <sub>CRHD</sub>	CLK to RESET hold time	10	ns
t <sub>RCSU</sub>	RESET to CLK setup time	10	ns
t <sub>RST</sub>	RESET low	2	1 / f <sub>CLK</sub>
t <sub>DR</sub>	Time for data ready	62.98046875 / f <sub>DATA</sub> + 468 / f <sub>CLK</sub>	s

### 8.4.3 Master Clock Input (CLK)


The ADS1284 requires a clock for operation. The specified clock frequency is 4.096 MHz and is applied to the CLK pin. The ADC data rates scale with clock frequency, however there is no benefit in noise reduction by reducing clock frequency; select a slower data to reduce noise.

As with any high-speed data converter, a high-quality, low-jitter clock is essential for optimum performance. Crystal clock oscillators are the recommended clock source. Make sure to avoid excess ringing on the clock input; keep the clock trace as short as possible and use a 50-Ω series resistor close to the clock source.

#### 8.4.4 Power-Down ( $\overline{\text{PWDN}}$ Pin and STANDBY Command)

Power-down the ADS1284 in two ways: take the  $\overline{\text{PWDN}}$  pin low, or send a STANDBY command. When the  $\overline{\text{PWDN}}$  pin is pulled low, the internal circuitry is disabled to minimize power and the contents of the register settings are reset.

When in the power-down state, the device outputs remain active and the device inputs must not float. When the STANDBY command is sent, the SPI port and the configuration registers are kept active. Figure 56 and Table 17 show the timing. Standby mode is cancelled when  $\overline{\text{CS}}$  is taken high.



**Figure 56.  $\overline{\text{PWDN}}$  Pin and Wake-Up Command Timing**  
(Table 17 shows  $t_{\text{DR}}$ )

**Table 17. Power-On,  $\overline{\text{PWDN}}$  Pin, and Wake-Up Command Timing for New Data**


PARAMETER			FILTER MODE
$t_{\text{DR}}$	Time for data ready $2^{16}$ CLK cycles after power-on; and new data ready after $\overline{\text{PWDN}}$ pin or WAKEUP command	See Table 15	SINC <sup>(1)</sup>
		$62.98046875 / f_{\text{DATA}} + 468 / f_{\text{CLK}}$ (2)	FIR

(1) Supply power-on and  $\overline{\text{PWDN}}$  pin default is 1000 SPS FIR.

(2) Subtract two CLK cycles for the WAKEUP command. The WAKEUP command is timed from the next rising edge of CLK to after the eighth rising edge of SCLK during command to  $\overline{\text{DRDY}}$  falling.

#### 8.4.5 Power-On Sequence

The ADS1284 has three power supplies: AVDD, AVSS, and DVDD. Figure 57 shows the power-on sequence of the ADS1284. The power supplies can be sequenced in any order. The supplies [the difference of AVDD – AVSS, and DVDD] generate signals that are ANDed together to generate reset. After the supplies have crossed the power-on reset thresholds,  $2^{16} f_{\text{CLK}}$  cycles are counted before releasing the internal reset. After the internal reset is released, new conversion data are available, as shown in Figure 57 and Table 17.



**Figure 57. Power-On Sequence**

### 8.4.6 DVDD Power Supply

The DVDD supply operates over the range of 1.65 V to 3.6 V. If operating DVDD at less than 2.25 V, connect the DVDD pin directly to the BYPASS pin. Figure 58 shows the required connection if  $DVDD < 2.25$  V. Otherwise if operating  $DVDD > 2.25$  V, do not connect the pins together.




Figure 58. DVDD Power

### 8.4.7 Serial Interface

A serial interface is used to read both the conversion data and to access the configuration registers. The interface is SPI-compatible and consists of four signals:  $\overline{CS}$ , SCLK, DIN, and DOUT. Up to 15 ADCs converting at 4 kSPS can share a common serial bus when operating SCLK at 2.048 MHz.

#### 8.4.7.1 Chip Select ( $\overline{CS}$ )

Chip select ( $\overline{CS}$ ) is an active-low input that enables the ADC serial interface for data transfer.  $\overline{CS}$  low enables communication.  $\overline{CS}$  high disables communication. When communication is disabled, DOUT (output data pin) is high impedance (tristate mode). Additionally, SCLK activity is ignored, and data transfers or commands in progress are reset.  $\overline{CS}$  must remain low for the duration of the data transfer with the ADC.  $\overline{CS}$  can be tied low, which permanently enables the ADC serial interface. When  $\overline{CS}$  goes high, the ADC idle mode (STANDBY) and stop read data continuous (SDATAC) modes are cancelled. See the [SDATAC Requirements](#) section for more information about SDATAC mode.

#### 8.4.7.2 Serial Clock (SCLK)

The serial clock (SCLK) is a digital input that is used to clock data into (DIN) and out of (DOUT) the ADC. SCLK is a Schmitt-trigger input that has a high degree of noise immunity. However, keep the SCLK signal as clean as possible to prevent possible glitches from inadvertently shifting the data. Data are shifted into DIN on the rising edge of SCLK and data are shifted out of DOUT on the falling edge of SCLK. Keep SCLK low when not active. SCLK is ignored when  $\overline{CS}$  is high.

#### 8.4.7.3 Data Input (DIN)

The data input pin (DIN) is used to input register data and commands to the ADS1284. Keep DIN low when reading conversion data in the read-data-continuous mode (except when issuing a SDATAC command). Data on DIN are shifted into the converter on the rising edge of SCLK.

#### 8.4.7.4 Data Output (DOUT)


The data output pin (DOUT) is used to output data from the ADS1284. Data are shifted out on the falling edge of SCLK. When  $\overline{CS}$  is high, the DOUT pin is in tristate.

#### 8.4.7.5 Serial Port Auto Timeout

The serial interface is reset each time  $\overline{CS}$  is taken high. However, for applications that tie  $\overline{CS}$  low, the serial port cannot be reset by taking  $\overline{CS}$  high. The ADS1284 provides a feature that automatically recovers the interface when a transmission is stopped or interrupted, or if a noise glitch appears on SCLK. To reset the serial interface remotely, hold SCLK low for 64  $\overline{DRDY}$  cycles. The reset of the serial interface results in termination of data transfer or commands in progress. After serial interface reset occurs, the next SCLK pulse starts a new communication cycle. To prevent remote reset of the interface, pulse SCLK at least once for every 64  $\overline{DRDY}$  pulses.

#### 8.4.7.6 Data Ready ( $\overline{DRDY}$ )

$\overline{DRDY}$  is an output that is driven low when new conversion data are ready for retrieval, as shown in Figure 59. When reading data in continuous mode, the read operation must be completed before four CLK periods before the next falling  $\overline{DRDY}$  goes low again, or the data are overwritten with new conversion data. When reading data in command mode, the read operation can overlap the occurrence of the next  $\overline{DRDY}$  without data corruption.




**Figure 59.  $\overline{DRDY}$  With Data Retrieval**

$\overline{DRDY}$  resets high on the first falling edge of SCLK. Figure 59 and Figure 60 show the function of  $\overline{DRDY}$  with and without data readback, respectively.

If data are not retrieved (no SCLK provided),  $\overline{DRDY}$  pulses high for four  $f_{CLK}$  periods during the update time, as shown in Figure 60.

$\overline{DRDY}$  remains active when  $\overline{CS}$  is high.



**Figure 60.  $\overline{DRDY}$  With No Data Retrieval**

#### 8.4.8 Data Format

The ADS1284 output data is 32-bits in binary two's complement format, as shown in Table 18. The LSB of the data is a redundant sign bit: 0 for positive numbers and 1 for negative numbers. However, when the output is clipped to +FS, the LSB = 1, and when the output is clipped to –FS, the LSB = 0. If desired, the data readback can be stopped at 24 bits. Note that in sinc-filter mode, the output data are scaled by ½.

**Table 18. Ideal Output Code Versus Input Signal**

INPUT SIGNAL $V_{IN}$ ( $A_{INP} - A_{INN}$ )	32-BIT IDEAL OUTPUT CODE <sup>(1)</sup>	
	FIR FILTER	SINC FILTER <sup>(2)</sup>
$> \frac{V_{REF}}{2 \times PGA}$	7FFFFFFFh	See note <sup>(3)</sup>
$\frac{V_{REF}}{2 \times PGA}$	7FFFFFFEh	3FFFFFFFh
$\frac{V_{REF}}{2PGA \times (2^{30} - 1)}$	00000002h	00000001h
0	00000000h	00000000h
$\frac{-V_{REF}}{2PGA \times (2^{30} - 1)}$	FFFFFFFFh	FFFFFFFFh
$\frac{-V_{REF}}{2PGA} \times \frac{2^{30}}{2^{30} - 1}$	80000001h	C0000000h
$< \frac{-V_{REF}}{2PGA} \times \frac{2^{30}}{2^{30} - 1}$	80000000h	See note <sup>(3)</sup>

(1) Excludes effects of noise, linearity, offset, and gain errors.

(2) Due to the reduction in oversampling ratio (OSR) related to high data rates, full 32-bit resolution is not available in sinc filter mode.

(3) In sinc-filter mode, the output does not clip at corresponding positive or negative code when the full-scale range is exceeded.


## 8.4.9 Reading Data

The ADS1284 provides two modes to read conversion data: read-data-continuous mode and read-data-by-command mode.

### 8.4.9.1 Read-Data-Continuous Mode

In the read-data-continuous mode, conversion data are read from the ADC without need for the read command. This mode is the default mode at power-on. This mode is also enabled by the RDATA command. When  $\overline{\text{DRDY}}$  goes low, indicating that new data are available, the MSB of data is placed on DOUT, as shown in Figure 61. The data are read (latched) by the user on the rising edges of SCLK. At the first falling edge of SCLK,  $\overline{\text{DRDY}}$  returns high. After 32 bits of data have been read, further SCLK transitions cause DOUT to go low. If desired, the read operation may be stopped at 24 bits. The entire data shift operation must be completed within four CLK periods before  $\overline{\text{DRDY}}$  falls again or the data may be corrupted.

When a SDATAC command is issued, the  $\overline{\text{DRDY}}$  output is blocked but the ADS1284 continues conversions. In stop continuous mode, the data is read by command.



(1) DOUT is in tristate when  $\overline{\text{CS}}$  is high.  $\overline{\text{CS}}$  can be tied low. See Figure 1 for  $\overline{\text{CS}}$  low to valid DOUT propagation time.

**Figure 61. Read Data Continuous**


**Table 19. Timing Data for Figure 61**

PARAMETER	MIN	TYP	MAX	UNIT
$t_{\text{DDPD}}$			100	ns

(1) DOUT is in tristate when  $\overline{\text{CS}}$  is high. Load on DOUT = 20 pF || 100 kΩ.

### 8.4.9.2 Read-Data-By-Command Mode

Read-data-continuous mode is stopped by the SDATAC command and then places the ADC into read-data-by-command mode. In read-data-by-command mode, an RDATA command is sent to the device in order to read each new conversion data (as shown in Figure 62). When the read data command is received (on the eighth SCLK rising edge), data are available to read only when  $\overline{\text{DRDY}}$  subsequently goes low ( $t_{\text{DR}}$ ). When  $\overline{\text{DRDY}}$  goes low, conversion data appear on DOUT. The data may be read on the rising edge of SCLK.



(1) DOUT is in tristate when  $\overline{\text{CS}}$  is high.  $\overline{\text{CS}}$  can be tied low. See Figure 1 for  $\overline{\text{CS}}$  low to SCLK rising edge time.

**Figure 62. Read Data By Command, RDATA ( $t_{\text{DDPD}}$  timing is given in Table 19)**

**Table 20. Read Data Timing for Figure 62**


PARAMETER	MIN	TYP	MAX	UNIT
$t_{\text{DR}}$	0		1	$f_{\text{DATA}}$



### 8.4.10 One-Shot Operation

The ADS1284 can perform very power-efficient, one-shot conversions using the STANDBY command while under software control. Figure 63 shows this sequence. First, issue the STANDBY command to set the standby mode.

When ready to make a measurement, issue the WAKEUP command. When  $\overline{\text{DRDY}}$  goes low, the fully-settled conversion data are ready and can be read directly in read-data-continuous mode. Afterwards, issue another STANDBY command. When ready for the next measurement, repeat the cycle starting with another WAKEUP command.



See Figure 56 and Table 17 for time to new data.

Figure 63. One-Shot Conversions Using the STANDBY Command

### 8.4.11 Offset and Full-Scale Calibration Registers

The conversion data can be scaled for offset and gain before yielding the final output code. As shown in Figure 64, the output of the digital filter is first subtracted by the offset register (OFC) and then multiplied by the full-scale register (FSC). Equation 15 shows the scaling:

$$\text{Final Output Data} = (\text{Input} - \text{OFC}[2:0]) \times \frac{\text{FSC}[2:0]}{400000\text{h}} \quad (15)$$

The values of the offset and full-scale registers are set by writing to them directly, or they are set automatically by the calibration commands.

The offset and full-scale calibrations apply to specific PGA settings. When the PGA is changed, these registers generally require recalculation. Calibration is bypassed in the sinc filter mode.




Figure 64. Calibration Block Diagram

### 8.4.11.1 OFC[2:0] Registers

The 24-bit offset calibration word is composed of three 8-bit registers, as shown in Table 21. The offset register is left-justified to align with the 32 bits of conversion data. The offset is in two's complement format with a maximum positive value of 7FFFFFFh and a maximum negative value of 800000h. This value is subtracted from the conversion data. A register value of 000000h has no offset correction (default value).

**Table 21. Offset Calibration Word**

REGISTER	BYTE	BIT ORDER							
OFC0	LSB	B7	B6	B5	B4	B3	B2	B1	B0 (LSB)
OFC1	MID	B15	B14	B13	B12	B11	B10	B9	B8
OFC2	MSB	B23 (MSB)	B22	B21	B20	B19	B18	B17	B16

Although the offset calibration register value can correct offsets ranging from –FS to +FS (as shown in Table 22), in order to avoid input overload, do not exceed the maximum input voltage range of 106% FSR (including calibration).

**Table 22. Offset Calibration Values**

OFC REGISTER	FINAL OUTPUT CODE(1)
7FFFFFFh	80000000h
000001h	FFFFFF00h
000000h	00000000h
FFFFFFh	00000100h
800000h	7FFFFFF00h

(1) Full 32-bit final output code with zero code input.

### 8.4.11.2 FSC[2:0] Registers

The full-scale calibration is a 24-bit word, composed of three 8-bit registers, as shown in Table 23. The full-scale calibration value is 24-bit, straight offset binary, normalized to 1.0 at code 400000h.

**Table 23. Full-Scale Calibration Word**

REGISTER	BYTE	BIT ORDER							
FSC0	LSB	B7	B6	B5	B4	B3	B2	B1	B0 (LSB)
FSC1	MID	B15	B14	B13	B12	B11	B10	B9	B8
FSC2	MSB	B23 (MSB)	B22	B21	B20	B19	B18	B17	B16

Table 24 summarizes the scaling of the full-scale register. A register value of 400000h (default value) has no gain correction (gain = 1). Although the full-scale calibration register value corrects gain errors above one (gain correction < 1), the full-scale range of the analog inputs must not exceed 106% FSR (including calibration) in order to avoid input overload.

**Table 24. Full-Scale Calibration Register Values**

FSC REGISTER	GAIN CORRECTION
800000h	2.0
400000h	1.0
200000h	0.5
000000h	0

### 8.4.12 Calibration Commands (OFSCAL and GANCAL)

Use the calibration commands (OFSCAL or GANCAL) to calibrate the conversion data. The values of the offset and gain calibration registers are internally written to perform calibration. The appropriate input signals must be applied to the ADS1284 inputs before sending the commands. Use slower data rates to achieve more consistent calibration results; this effect is a byproduct of the lower noise that these data rates provide. Also, if calibrating at power-on, be sure the reference voltage is fully settled.

Figure 65 shows the calibration command sequence. After the analog input voltage (and reference) have stabilized, send the SDATAC command, followed by the SYNC and RDATAAC commands. DRDY goes low after 64 data periods. After DRDY goes low, send the SDATAC command, then the calibrate command (OFSCAL or GANCAL), followed by the RDATAAC command. After 16 data periods, calibration is complete and conversion data can be read at this time. The SYNC input must remain high during the calibration sequence.




Figure 65. Offset and Gain Calibration Timing

The calibration commands apply to specific PGA settings. If the PGA is changed, recalibration is necessary. Calibration is bypassed in the sinc filter mode.

#### 8.4.12.1 OFSCAL Command

The OFSCAL command performs an offset calibration. Before sending the OFSCAL command sequence (Figure 65), a zero input signal must be applied to the ADS1284 and the inputs allowed to stabilize. When the command sequence (Figure 65) is sent, the ADS1284 averages 16 readings, and then writes this value to the OFC register. The contents of the OFC register can be subsequently read or written. During offset calibration, the full-scale correction is bypassed. Use the OFSCAL command to calibrate the optional 100-mV offset.

#### 8.4.12.2 GANCAL Command

The GANCAL command performs a gain calibration. Before sending the GANCAL command sequence (Figure 65), a dc input must be applied (typically full-scale input, but not to exceed 106% full-scale). After the signal has stabilized, the command sequence can be sent. The ADS1284 averages 16 readings, then computes a gain value that scales the applied calibration voltage to full-scale. The gain value is written to the FSC register, where the contents are subsequently read or written.

### 8.4.13 User Calibration

System calibration of the ADS1284 can be performed without using the calibration commands. This procedure requires the calibration values to be externally calculated and then written to the calibration registers. The steps for this procedure are:

1. Set the OFSCAL[2:0] register = 0h, and GANCAL[2:0] = 400000h. These values set the offset and gain registers to 0 and 1, respectively.
2. Apply a zero differential input to the input of the system. Wait for the system to settle and then average the output readings. Higher numbers of averaged readings result in more consistent calibration. Write the averaged value to the OFC register.
3. Apply a differential dc signal, or an ac signal (typically full-scale, but do not exceed 106% FSR). Wait for the system to settle and then average the output readings.

The value written to the FSC registers is calculated by [Equation 16](#) or [Equation 17](#).

DC-signal calibration is shown in [Equation 16](#). The expected output code is based on 31-bit output data.

$$\text{FSC}[2:0] = 400000\text{h} \times \left[ \frac{\text{Expected Output Code}}{\text{Actual Output Code}} \right] \quad (16)$$

For ac-signal calibration, use an RMS value of collected data, as shown in [Equation 17](#):

$$\text{FSC}[2:0] = 400000\text{h} \times \frac{\text{Expected RMS Value}}{\text{Actual RMS Value}} \quad (17)$$

## 8.5 Programming

### 8.5.1 Commands

The commands listed in [Table 25](#) control the operation of the ADS1284. Most commands are stand-alone (that is, one byte in length); the register read and write commands are two bytes long in addition to the actual register data bytes.

**Table 25. Command Descriptions**

COMMAND	TYPE	DESCRIPTION	1st COMMAND BYTE <sup>(1)(2)</sup>	2nd COMMAND BYTE <sup>(3)</sup>
WAKEUP	Control	Wake-up from standby mode	0000 000X (00h or 01h)	
STANDBY	Control	Enter standby mode	0000 001X (02h or 03h)	
SYNC	Control	Synchronize the analog-to-digital conversion	0000 010X (04h or 5h)	
RESET	Control	Reset registers to default values	0000 011X (06h or 07h)	
RDATA	Control	Enter read data continuous mode	0001 0000 (10h)	
SDATAC	Control	Stop read data continuous mode	0001 0001 (11h)	
RDATA	Data	Read data by command <sup>(4)</sup>	0001 0010 (12h)	
RREG	Register	Read <i>nnnnn</i> register(s) at address <i>rrrrr</i> <sup>(4)</sup>	001 <i>r rrrr</i> (20h + 000 <i>r rrrr</i> )	000 <i>n nnnn</i> (00h + <i>n nnnn</i> )
WREG	Register	Write <i>nnnnn</i> register(s) at address <i>rrrrr</i>	010 <i>r rrrr</i> (40h + 000 <i>r rrrr</i> )	000 <i>n nnnn</i> (00h + <i>n nnnn</i> )
OFSCAL	Calibration	Offset calibration	0110 0000 (60h)	
GANCAL	Calibration	Gain calibration	0110 0001 (61h)	


(1) X = don't care.

(2) *rrrrr* = starting address for register read and write commands.

(3) *nnnnn* = number of registers to be read from or written to – 1. For example, to read from or write to three registers, set *nnnnn* = 2 (00010).

(4) Required to cancel read-data-continuous mode before sending a command.

$\overline{\text{CS}}$  must remain low for duration of the command-byte sequence. A delay of 24  $f_{\text{CLK}}$  cycles between commands and between bytes within a command is required, starting from the last SCLK rising edge of one command to the first SCLK rising edge of the following command. The required delay is shown in [Figure 66](#).



(1)  $t_{\text{SCLKDLY}} = 24 / f_{\text{CLK}}$  (min).

**Figure 66. Consecutive Commands**

#### 8.5.1.1 SDATAC Requirements


In read-data-continuous mode, the ADS1284 places conversion data on the DOUT pin as SCLK is applied. As a result of the potential conflict between conversion data and register data placed on DOUT resulting from a RREG or RDATA operation, it is necessary to send a stop-read-data-continuous (SDATAC) command before a RREG or RDATA command. The SDATAC command disables the direct output of conversion data on the DOUT pin.  $\text{CS} = 1$  cancels SDATAC mode; therefore, keep  $\text{CS}$  held low after sending the SDATAC command to the next RREG or RDATA command.

### 8.5.1.2 WAKEUP: Wake-Up From Standby Mode

The WAKEUP command is used to exit the standby mode. After sending this command, the time for the first data to be ready is illustrated in [Figure 56](#) and [Table 18](#). Sending this command during normal operation has no effect; for example, reading data by the read-data-continuous mode with DIN held low.

### 8.5.1.3 STANDBY: Standby Mode

The STANDBY command places the ADS1284 into standby mode. In standby, the device enters a reduced power state where a low quiescent current remains to keep the register settings and serial interface active. The ADC remains in standby mode until CS is taken high or the WAKEUP command is sent. For complete device shutdown, take the PWDN pin low (register settings are not saved). The operation of standby mode is shown in [Figure 67](#).



**Figure 67. STANDBY Command Sequence**

### 8.5.1.4 SYNC: Synchronize the Analog-to-Digital Conversion

The SYNC command synchronizes the analog-to-digital conversion. Upon receiving the command, the reading in progress is cancelled and the conversion process is restarted. In order to synchronize multiple ADS1284s, the command must be sent simultaneously to all devices. The SYNC pin must be held high during this command.

### 8.5.1.5 RESET: Reset the Device

The RESET command resets the registers to default values, enables read-data-continuous mode, and restarts the conversion process. The RESET command is functionally equivalent to taking the RESET pin low. See [Figure 55](#) for the RESET command timing.

### 8.5.1.6 RDATA: Read Data Continuous

The RDATA command enables read-data-continuous mode (default mode). In this mode, conversion data is read from the device directly without the need to supply a data read command. Each time DRDY falls low, new data are available to read. See the [Read-Data-Continuous Mode](#) section for more details.

### 8.5.1.7 SDATA: Stop Read Data Continuous

The SDATA command stops read-data-continuous mode. Exit read-data-continuous mode before sending register and data read commands. The SDATA command suppresses the DRDY output, but the ADS1284 continues conversions. Take CS high to cancel SDATA mode.

### 8.5.1.8 RDATA: Read Data by Command

The RDATA command reads the conversion data. See the [Read-Data-By-Command Mode](#) section for more details.

### 8.5.1.9 RREG: Read Register Data

The RREG command is used to read single- or multiple-register data. The command consists of a two-byte opcode argument, followed by the output of register data. The first byte of the opcode includes the starting address, and the second byte specifies the number of registers to read minus one.


First command byte: 001r *rrrr*, where *rrrr* is the starting address of the first register.

Second command byte: 000n *nnnn*, where *nnnn* is the number of registers to read minus one.

Starting with the 16th falling edge of SCLK, the register data appear on DOUT. Read the data on the 17th SCLK rising edge.

The RREG command is illustrated in [Figure 68](#).

A delay of 24  $f_{CLK}$  cycles is required between each byte transaction.



Example: Read six registers, starting at register 05h (OFC0)  
 Command Byte 1 = 0010 0101  
 Command Byte 2 = 0000 0101

(1) DOUT is in tristate when  $\overline{CS}$  is high.  $\overline{CS}$  can be tied low. See [Figure 1](#) for  $\overline{CS}$  low to SCLK rising edge time.

**Figure 68. Read Register Data (Table 26 shows  $t_{DLY}$ )**

**Table 26.  $t_{DRY}$  Value**

PARAMETER	MIN
$t_{DLY}$	24 / $f_{CLK}$

### 8.5.1.10 WREG: Write to Register

The WREG command writes single- or multiple-register data. The command consists of a two-byte op-code argument followed by the input of register data. The first byte of the op-code contains the starting address and the second byte specifies the number of registers to write minus one.


First command byte: 010r *rrrr*, where *rrrr* is the starting address of the first register.

Second command byte: 000n *nnnn*, where *nnnn* is the number of registers to write minus one.

Data byte(s): one or more register data bytes, depending on the number of registers specified.

Figure 69 illustrates the WREG command.

A delay of 24  $f_{CLK}$  cycles is required between each byte transaction.



(1)  $\overline{CS}$  can be tied low. See Figure 1 for  $\overline{CS}$  low to SCLK rising edge time.

**Figure 69. Write Register Data (Table 26 shows  $t_{DLY}$ )**

### 8.5.1.11 OFSCAL: Offset Calibration

The OFSCAL command performs an offset calibration. The inputs to the converter (or the inputs to the external preamplifier) should be zeroed and allowed to stabilize before sending this command. The offset calibration register updates after this operation. See the [Calibration Commands](#) section for more details.

### 8.5.1.12 GANCAL: Gain Calibration

The GANCAL command performs a gain calibration. The inputs to the converter should have a stable dc input (typically full-scale, but not to exceed 106% full-scale). The gain calibration register updates after this operation. See the [Calibration Commands](#) section for more details.



## 8.6 Register Maps

Collectively, the registers contain all the information needed to configure the device, such as data rate, filter selection, calibration, and more. The registers are accessed by the RREG and WREG commands. The registers can be accessed individually or as a block of registers by sending or receiving consecutive bytes. After a register write operation, the ADC resets, resulting in an interruption of 63 readings.

**Table 27. Register Map**

ADDRESS	REGISTER	RESET VALUE	BIT 7	BIT 6	BIT 5	BIT 4	BIT 3	BIT 2	BIT 1	BIT 0
00h	ID_CFG	X0h	ID3	ID2	ID1	ID0	0	0	OFFSET1	OFFSET0
01h	CONFIG0	52h	SYNC	MODE	DR2	DR1	DR0	PHASE	FILTR1	FILTR0
02h	CONFIG1	08h	0	MUX2	MUX1	MUX0	CHOP	PGA2	PGA1	PGA0
03h	HPF0	32h	HPF07	HPF06	HPF05	HPF04	HPF03	HPF02	HPF01	HPF00
04h	HPF1	03h	HPF15	HPF14	HPF13	HPF12	HPF11	HPF10	HPF09	HPF08
05h	OFC0	00h	OFC07	OFC06	OFC05	OFC04	OFC03	OFC02	OFC01	OFC00
06h	OFC1	00h	OFC15	OFC14	OFC13	OFC12	OFC11	OFC10	OFC09	OFC08
07h	OFC2	00h	OFC23	OFC22	OFC21	OFC20	OFC19	OFC18	OFC17	OFC16
08h	FSC0	00h	FSC07	FSC06	FSC05	FSC04	FSC03	FSC02	FSC01	FSC00
09h	FSC1	00h	FSC15	FSC14	FSC13	FSC12	FSC11	FSC10	FSC09	FSC08
0Ah	FSC2	40h	FSC23	FSC22	FSC21	FSC20	FSC19	FSC18	FSC17	FSC16

### 8.6.1 Register Descriptions

#### 8.6.1.1 ID\_CFG: ID\_Configuration Register (address = 00h) [reset = x0h]

**Figure 70. ID\_CFG Register**

7	6	5	4	3	2	1	0
ID3	ID2	ID1	ID0	0	0	OFFSET1	OFFSET0
R-xh	R-xh	R-xh	R-xh	R/W-0h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### Bit[7:4]

#### ID[3:0]

Factory-programmed identification bits (read-only). The ID bits are subject to change without notification.

#### Bit[3:2]

#### Reserved

Always write 00

#### Bit[1:0]

#### OFFSET[1:0] (see [Offset](#) section)

00: Offset disabled (default)

01: Reserved

10: Offset = 100/PGA mV

11: Offset = 75/PGA mV

**8.6.1.2 CONFIG0: Configuration Register 0 (address = 01h) [reset = 52h]**
**Figure 71. CONFIG0 Register**

7	6	5	4	3	2	1	0
SYNC	MODE	DR2	DR1	DR0	PHASE	FILTR1	FILTR0
R/W-0h	R/W-1h	R/W-0h	R/W-1h	R/W-0h	R/W-0h	R/W -1h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

<b>Bit[7]</b>	<b>SYNC</b> Synchronization mode bit. 0: Pulse-sync mode (default) 1: Continuous-sync mode
<b>Bit[6]</b>	<b>MODE</b> Mode Control 0: Low-power mode 1: High-resolution mode (default)
<b>Bit[5:3]</b>	<b>DR[2:0]</b> Data rate select bits. 000: 250 SPS 001: 500 SPS 010: 1000 SPS (default) 011: 2000 SPS 100: 4000 SPS
<b>Bit[2]</b>	<b>PHASE</b> FIR phase response bit. 0: Linear phase (default) 1: Minimum phase
<b>Bit[1:0]</b>	<b>FILTR[1:0]</b> Digital filter configuration bits. 00: Reserved 01: Sinc filter block only 10: Sinc + LPF filter blocks (default) 11: Sinc + LPF + HPF filter blocks

### 8.6.1.3 CONFIG1: Configuration Register 1 (address = 02h) [reset = 08h]

**Figure 72. CONFIG1 Register**

7	6	5	4	3	2	1	0
0	MUX2	MUX1	MUX0	CHOP	PGA2	PGA1	PGA0
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-1h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

**Bit[7]                      Reserved**

Always write 0

**Bit[6:4]                  MUX[2:0]**

MUX select bits.

000: AINP1 and AINN1 (default)

001: AINP2 and AINN2

010: Internal short through 400-Ω resistor

011: AINP1 and AINN1 connected to AINP2 and AINN2

100: External short to AINN2

**Bit[3]                      CHOP**

PGA chopping enable bit.

0: PGA chopping disabled

1: PGA chopping enabled (default)

**Bit[2:0]                  PGA[2:0]**

PGA gain select bits.

000: G = 1 (default)

001: G = 2

010: G = 4

011: G = 8

100: G = 16

101: G = 32

110: G = 64

### 8.6.1.4 HPF0 and HPF1 Registers

These two bytes (high-byte and low-byte, respectively) set the corner frequency of the high-pass filter.

#### 8.6.1.4.1 HPF0: High-Pass Filter Corner Frequency, Low Byte (address = 03h) [reset = 32h]

**Figure 73. HPF0 Register**

7	6	5	4	3	2	1	0
HPF07	HPF06	HPF05	HPF04	HPF03	HPF02	HPF01	HPF00
R/W-0h	R/W-0h	R/W-1h	R/W-1h	R/W-0h	R/W-0h	R/W-1h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### 8.6.1.4.2 HPF1: High-Pass Filter Corner Frequency, High Byte (address = 04h) [reset = 03h]

**Figure 74. HPF1 Register**

7	6	5	4	3	2	1	0
HPF15	HPF14	HPF13	HPF12	HPF11	HPF10	HPF09	HPF08
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-1h	1R/W-1h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

### 8.6.1.5 OFC0, OFC1, OFC2 Registers

These three bytes set the offset calibration value.

#### 8.6.1.5.1 OFC0: Offset Calibration, Low Byte (address = 05h) [reset = 00h]

**Figure 75. OFC0 Register**

7	6	5	4	3	2	1	0
OFC07	OFC06	OFC05	OFC04	OFC03	OFC02	OFC01	OFC00
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### 8.6.1.5.2 OFC1: Offset Calibration, Mid Byte (address = 06h) [reset = 00h]

**Figure 76. OFC1 Register**

7	6	5	4	3	2	1	0
OFC15	OFC14	OFC13	OFC12	OFC11	OFC10	OFC09	OFC08
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### 8.6.1.5.3 OFC2: Offset Calibration, High Byte (address = 07h) [reset = 00h]

**Figure 77. OFC2 Register**

7	6	5	4	3	2	1	0
OFC23	OFC22	OFC21	OFC20	OFC19	OFC18	OFC17	OFC16
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

### 8.6.1.6 FSC0, FSC1, FSC2 Registers

These three bytes set the full-scale calibration value.

#### 8.6.1.6.1 FSC0: Full-Scale Calibration, Low Byte (address = 08h) [reset = 00h]

**Figure 78. FSC0 Register**

7	6	5	4	3	2	1	0
FSC07	FSC06	FSC05	FSC04	FSC03	FSC02	FSC01	FSC00
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### 8.6.1.6.2 FSC1: Full-Scale Calibration, Mid Byte (address = 09h) [reset = 00h]

**Figure 79. FSC1 Register**

7	6	5	4	3	2	1	0
FSC15	FSC14	FSC13	FSC12	FSC11	FSC10	FSC09	FSC08
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### 8.6.1.6.3 FSC2: Full-Scale Calibration, High Byte (address = 0Ah) [reset = 40h]

**Figure 80. FSC2 Register**

7	6	5	4	3	2	1	0
FSC23	FSC22	FSC21	FSC20	FSC19	FSC18	FSC17	FSC16
R/W-0h	R/W-1h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

## 9 Application and Implementation

### NOTE

Information in the following applications sections is not part of the TI component specification, and TI does not warrant its accuracy or completeness. TI's customers are responsible for determining suitability of components for their purposes. Customers should validate and test their design implementation to confirm system functionality.


### 9.1 Application Information

The ADS1284 is a very high-resolution ADC with two modes of operation that provide tradeoffs between power consumption and SNR performance. Optimal performance requires giving special attention to the support circuitry and printed circuit board (PCB) design. Locate noisy digital components (such as microcontrollers, oscillators, and so on) in an area of the PCB away from the converter and front-end components. Keep the digital current path short and separate from sensitive analog components by placing the digital components close to the power-entry point.

### 9.2 Typical Applications

#### 9.2.1 Geophone Interface

A typical geophone front-end application is shown in Figure 81. The application diagram shows the ADS1284 operation with dual  $\pm 2.5\text{-V}$  analog supplies. The ADS1284 can also operate with a single 5-V analog supply.



- (1) Optional external diode clamps.
- (2) Optional reference noise filter.

Figure 81. Geophone Interface Application

## Typical Applications (continued)

The geophone input signal is filtered by both a differential filter (components  $C_4$  and  $R_1$  to  $R_4$ ) and by common-mode filters (components  $C_2$ ,  $C_3$  and  $R_1$ ,  $R_2$ ). The differential filter removes high-frequency normal-mode components from the input signal. The common-mode filters remove high-frequency components that are common to both input leads. The input filters are not required for all applications; check the system requirements for each application.

Resistors  $R_5$  and  $R_6$  bias the signal input to the midsupply point (ground). For single-supply operation, set the bias to a low impedance midsupply point ( $AVDD / 2 = 2.5\text{ V}$ ).

Optional diode clamps protect the ADS1284 inputs from high-level voltage transients and overloads. The diodes provide additional protection if possible high-level input transients and surges exceed the ADC internal ESD diode rating.

The REF5050 5-V reference provides the reference to the ADC. An optional filter network ( $R_7$  and  $C_5$ ) reduces the in-band reference noise for improved dynamic performance. However, the RC filter network increases the filter settling-time (from seconds to possibly minutes) depending on the dielectric absorption properties of capacitor  $C_5$ . Capacitor  $C_7$  is mandatory and provides high-frequency bypassing of the reference inputs; place  $C_7$  as close as possible to the ADS1284 pins. Resistor  $R_7$  (1 k $\Omega$ ) results in a 1% systematic gain error. Multiple ADCs can share a single reference, but if shared, use independent reference filters for each ADC.


As an alternative, the REF5045 (4.5 V) reference can be used. The REF5045 reference has the advantage of operating directly from the 5-V (total) power supply; however, the 4.5-V reference reduces signal range by 10% and results in a 1-dB loss of SNR.

Capacitor  $C_6$  (10 nF) filters the PGA output glitches caused by sampling of the modulator. This capacitor also forms an antialias filter with a low-pass cutoff frequency of 26 kHz.

## Typical Applications (continued)

### 9.2.2 Digital Interface

Figure 82 shows the digital connection to a controller (field programmable gate array or microcontroller). In this example, two ADCs are shown connected to one controller. The ADCs share the same serial interface (SCLK, DIN, and DOUT). The ADC is selected for communication by strobing each  $\overline{\text{CS}}$  low. The  $\overline{\text{DRDY}}$  output from both ADCs can be used; however, when the devices are synchronized, the  $\overline{\text{DRDY}}$  output from only one device is sufficient.



(1) For  $\text{DVDD} < 2.25 \text{ V}$ , tie DVDD and BYPASS together. see the [DVDD Power Supply](#) section.

**Figure 82. Controller Interface with Dual ADCs**

The modulator overrange flag (MFLAG) from each device ties to the controller input. For synchronization, connect all ADCs to the same SYNC signal. For reset, either connect all ADCs to the same RESET signal or connect the ADCs to individual RESET signals.

Avoid ringing on the digital inputs to the ADCs. Place 47-Ω resistors in series with the digital traces to help reduce ringing by controlling impedances. Place the resistors at the source (driver) end of the trace. Do not float unused digital inputs; tie them to DVDD or GND.

### 9.3 Initialization Set Up

After reset or power-on, configure the registers using the following procedure:

1. **Reset the serial interface.** Before using the serial interface, it may be necessary to recover the serial interface (undefined I/O power-up sequencing may cause a false SCLK to occur). To reset the interface, toggle the  $\overline{CS}$  pin high then low, or toggle the  $\overline{RESET}$  pin high then low, or when in read-data-continuous mode, hold SCLK low for 64  $\overline{DRDY}$  periods.
2. **Configure the registers.** The registers are configured by either writing to them individually or as a group, and can be configured in either mode. To cancel read-data-continuous mode, send the SDATAC command before register read and write operations .
3. **Verify register data.** For verification of device communications, read back the register.
4. **Set the data mode.** After register configuration, configure the device for read-data-continuous mode by executing the RDATA command, or configure for read-data-by-command mode (set in step 2, by the SDATAC command).
5. **Synchronize readings.** Whenever SYNC is high, the ADS1284 freely runs the data conversions. To resynchronize the conversions in pulse-sync mode, take SYNC low and then high. In continuous-sync mode, apply the synchronizing clock to the SYNC pin with a clock period equal to multiples of the ADC conversion period.
6. **Read data.** If read-data-continuous mode is active, the data are read directly after  $\overline{DRDY}$  falls by applying SCLK pulses. If the read-data-continuous mode is inactive, the data can only be read by executing the RDATA command. The RDATA command must be sent in this mode to read each conversion result.



## 10 器件和文档支持

### 10.1 接收文档更新通知

要接收文档更新通知，请导航至 [TI.com.cn](http://TI.com.cn) 上的器件产品文件夹。单击右上角的 [通知我](#) 进行注册，即可每周接收产品信息更改摘要。有关更改的详细信息，请查看任何已修订文档中包含的修订历史记录。

### 10.2 社区资源

The following links connect to TI community resources. Linked contents are provided "AS IS" by the respective contributors. They do not constitute TI specifications and do not necessarily reflect TI's views; see TI's [Terms of Use](#).

**TI E2E™ Online Community** *TI's Engineer-to-Engineer (E2E) Community*. Created to foster collaboration among engineers. At [e2e.ti.com](http://e2e.ti.com), you can ask questions, share knowledge, explore ideas and help solve problems with fellow engineers.

**Design Support** *TI's Design Support* Quickly find helpful E2E forums along with design support tools and contact information for technical support.

### 10.3 商标

E2E is a trademark of Texas Instruments.

SPI is a trademark of Motorola Inc.

All other trademarks are the property of their respective owners.

### 10.4 静电放电警告



ESD 可能会损坏该集成电路。德州仪器 (TI) 建议通过适当的预防措施处理所有集成电路。如果不遵守正确的处理措施和安装程序，可能会损坏集成电路。

ESD 的损坏小至导致微小的性能降级，大至整个器件故障。精密的集成电路可能更容易受到损坏，这是因为非常细微的参数更改都可能会导致器件与其发布的规格不相符。

### 10.5 Glossary

**SLYZ022** — *TI Glossary*.

This glossary lists and explains terms, acronyms, and definitions.


## 11 机械、封装和可订购信息

以下页面包含机械、封装和可订购信息。这些信息是指定器件的最新可用数据。数据如有变更，恕不另行通知，且不会对此文档进行修订。如需获取此数据表的浏览器版本，请查阅左侧的导航栏。

## MECHANICAL DATA

RHF (R–PVQFN–N24)

PLASTIC QUAD FLATPACK NO-LEAD



4204845–2/H 06/11

- NOTES:
- All linear dimensions are in millimeters. Dimensioning and tolerancing per ASME Y14.5M–1994.
  - This drawing is subject to change without notice.
  - QFN (Quad Flatpack No-Lead) Package configuration.
  - The package thermal pad must be soldered to the board for thermal and mechanical performance.
  - See the additional figure in the Product Data Sheet for details regarding the exposed thermal pad features and dimensions.
  - Falls within JEDEC MO–220.

## THERMAL PAD MECHANICAL DATA

RHF (R–PVQFN–N24)


PLASTIC QUAD FLATPACK NO-LEAD

### THERMAL INFORMATION

This package incorporates an exposed thermal pad that is designed to be attached directly to an external heatsink. The thermal pad must be soldered directly to the printed circuit board (PCB). After soldering, the PCB can be used as a heatsink. In addition, through the use of thermal vias, the thermal pad can be attached directly to the appropriate copper plane shown in the electrical schematic for the device, or alternatively, can be attached to a special heatsink structure designed into the PCB. This design optimizes the heat transfer from the integrated circuit (IC).

For information on the Quad Flatpack No-Lead (QFN) package and its advantages, refer to Application Report, QFN/SON PCB Attachment, Texas Instruments Literature No. SLUA271. This document is available at [www.ti.com](http://www.ti.com).

The exposed thermal pad dimensions for this package are shown in the following illustration.



Bottom View

Exposed Thermal Pad Dimensions


4206360–3/J 01/12

NOTE: All linear dimensions are in millimeters

## LAND PATTERN DATA

RHF (R-PVQFN-N24)

PLASTIC QUAD FLATPACK NO-LEAD



- NOTES:
- All linear dimensions are in millimeters.
  - This drawing is subject to change without notice.
  - Publication IPC-7351 is recommended for alternate designs.
  - This package is designed to be soldered to a thermal pad on the board. Refer to Application Note, Quad Flat-Pack Packages, Texas Instruments Literature No. SLUA271, and also the Product Data Sheets for specific thermal information, via requirements, and recommended board layout. These documents are available at [www.ti.com](http://www.ti.com) <<http://www.ti.com>>.
  - Laser cutting apertures with trapezoidal walls and also rounding corners will offer better paste release. Customers should contact their board assembly site for stencil design recommendations. Refer to IPC 7525 for stencil design considerations.
  - Customers should contact their board fabrication site for recommended solder mask tolerances and via tenting recommendations for vias placed in thermal pad.

## PACKAGING INFORMATION

Orderable part number	Status (1)	Material type (2)	Package   Pins	Package qty   Carrier	RoHS (3)	Lead finish/ Ball material (4)	MSL rating/ Peak reflow (5)	Op temp (°C)	Part marking (6)
<a href="#">ADS1284IRHFR</a>	Active	Production	VQFN (RHF)   24	3000   LARGE T&R	Yes	NIPDAU	Level-3-260C-168 HR	-40 to 85	ADS 1284
ADS1284IRHFR.B	Active	Production	VQFN (RHF)   24	3000   LARGE T&R	Yes	NIPDAU	Level-3-260C-168 HR	-40 to 85	ADS 1284
<a href="#">ADS1284IRHFT</a>	Active	Production	VQFN (RHF)   24	250   SMALL T&R	Yes	NIPDAU	Level-3-260C-168 HR	-40 to 85	ADS 1284
ADS1284IRHFT.B	Active	Production	VQFN (RHF)   24	250   SMALL T&R	Yes	NIPDAU	Level-3-260C-168 HR	-40 to 85	ADS 1284

<sup>(1)</sup> **Status:** For more details on status, see our [product life cycle](#).

<sup>(2)</sup> **Material type:** When designated, preproduction parts are prototypes/experimental devices, and are not yet approved or released for full production. Testing and final process, including without limitation quality assurance, reliability performance testing, and/or process qualification, may not yet be complete, and this item is subject to further changes or possible discontinuation. If available for ordering, purchases will be subject to an additional waiver at checkout, and are intended for early internal evaluation purposes only. These items are sold without warranties of any kind.

<sup>(3)</sup> **RoHS values:** Yes, No, RoHS Exempt. See the [TI RoHS Statement](#) for additional information and value definition.

<sup>(4)</sup> **Lead finish/Ball material:** Parts may have multiple material finish options. Finish options are separated by a vertical ruled line. Lead finish/Ball material values may wrap to two lines if the finish value exceeds the maximum column width.

<sup>(5)</sup> **MSL rating/Peak reflow:** The moisture sensitivity level ratings and peak solder (reflow) temperatures. In the event that a part has multiple moisture sensitivity ratings, only the lowest level per JEDEC standards is shown. Refer to the shipping label for the actual reflow temperature that will be used to mount the part to the printed circuit board.

<sup>(6)</sup> **Part marking:** There may be an additional marking, which relates to the logo, the lot trace code information, or the environmental category of the part.

Multiple part markings will be inside parentheses. Only one part marking contained in parentheses and separated by a "~" will appear on a part. If a line is indented then it is a continuation of the previous line and the two combined represent the entire part marking for that device.

**Important Information and Disclaimer:** The information provided on this page represents TI's knowledge and belief as of the date that it is provided. TI bases its knowledge and belief on information provided by third parties, and makes no representation or warranty as to the accuracy of such information. Efforts are underway to better integrate information from third parties. TI has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers consider certain information to be proprietary, and thus CAS numbers and other limited information may not be available for release.

In no event shall TI's liability arising out of such information exceed the total purchase price of the TI part(s) at issue in this document sold by TI to Customer on an annual basis.








# EXAMPLE BOARD LAYOUT


RHF0024A

VQFN - 1 mm max height

PLASTIC QUAD FLATPACK - NO LEAD



LAND PATTERN EXAMPLE  
EXPOSED METAL SHOWN  
SCALE:18X



4219064 /A 04/2017

NOTES: (continued)


- This package is designed to be soldered to a thermal pad on the board. For more information, see Texas Instruments literature number SLUA271 ([www.ti.com/lit/sluea271](http://www.ti.com/lit/sluea271)).
- Vias are optional depending on application, refer to device data sheet. If any vias are implemented, refer to their locations shown on this view. It is recommended that vias under paste be filled, plugged or tented.

# EXAMPLE STENCIL DESIGN

RHF0024A

VQFN - 1 mm max height

PLASTIC QUAD FLATPACK - NO LEAD



**SOLDER PASTE EXAMPLE**  
BASED ON 0.125 mm THICK STENCIL

EXPOSED PAD 25  
75% PRINTED SOLDER COVERAGE BY AREA UNDER PACKAGE  
SCALE:20X

4219064 /A 04/2017

NOTES: (continued)

6. Laser cutting apertures with trapezoidal walls and rounded corners may offer better paste release. IPC-7525 may have alternate design recommendations.

## 重要通知和免责声明

TI“按原样”提供技术和可靠性数据（包括数据表）、设计资源（包括参考设计）、应用或其他设计建议、网络工具、安全信息和其他资源，不保证没有瑕疵且不做任何明示或暗示的担保，包括但不限于对适销性、某特定用途方面的适用性或不侵犯任何第三方知识产权的暗示担保。

这些资源可供使用 TI 产品进行设计的熟练开发人员使用。您将自行承担以下全部责任：(1) 针对您的应用选择合适的 TI 产品，(2) 设计、验证并测试您的应用，(3) 确保您的应用满足相应标准以及任何其他功能安全、信息安全、监管或其他要求。

这些资源如有变更，恕不另行通知。TI 授权您仅可将这些资源用于研发本资源所述的 TI 产品的相关应用。严禁以其他方式对这些资源进行复制或展示。您无权使用任何其他 TI 知识产权或任何第三方知识产权。您应全额赔偿因在这些资源的使用中对 TI 及其代表造成的任何索赔、损害、成本、损失和债务，TI 对此概不负责。

TI 提供的产品受 [TI 的销售条款](#) 或 [ti.com](#) 上其他适用条款/TI 产品随附的其他适用条款的约束。TI 提供这些资源并不会扩展或以其他方式更改 TI 针对 TI 产品发布的适用的担保或担保免责声明。

TI 反对并拒绝您可能提出的任何其他或不同的条款。

邮寄地址：Texas Instruments, Post Office Box 655303, Dallas, Texas 75265  
版权所有 © 2025，德州仪器 (TI) 公司