TMS320C6678 multicore DSP for multimedia infrastructure



Delivering high density, low power and cost efficiency

Texas Instruments' TMS320C6678 multicore DSP offers the high density, high quality features that customers require for applications such as multimedia gateways, IMS media servers, video conferencing servers and video broadcast equipment. This 10-GHz multicore processor is part of TI's extensive portfolio of programmable processors targeted for the telecom and video processing markets.

The C6678 is the industry's highest performing multimedia solution, featuring eight 1.25 GHz DSP cores and 320 GMACs and 160 GFLOPs of combined and fixed- and floating-point performance. These features enable users to save board space and cost, and reduce overall power consumption.

Multimedia Application	System Solution Density (# of channels)		
	PCIe card 8 C6678 DSP	ATCA card 20 C6678 DSP	
Mobile Voice Applications AMR Encode + Decode, 12.2Kbps	11,000	27,500	
Mobile Video Applications H.264 BP encode + decode, CIF, 30fps	240	600	
Content Delivery Network H.264 BP Encode + Decode, SD, 30fps	120	300	
HD Conferencing MCU, MRFP H.264 BP Encode + Decode, 1080p30	12	30	
HD Broadcast AVCIntra-100, 10-bit, 4:2:2, 60fps	5	12	

Accelerating multimedia designs

The C6678 is an ideal video infrastructure solution to keep pace with evolving standards, technologies and demands from today's "always connected" multimedia devices. The C6678 is a fully programmable and flexible solution allowing for rapid support of key features such as Motion Compensated Temporal Filtering (MCTF as part of the H.264/AVC standard) and Adaptive Bit Rate Encoding, essential for meeting the demand for high quality, non-buffering video for applications such as online gaming.

To ease application development, TI offers a extensive portfolio of video, audio and voice codecs that are available at no cost from TI. In addition, the low-cost TMS320C6678 "Lite" Evaluation Module, that includes TI's Multicore Software Developer's Kit and Code Composer Studio integrated development environment, allows programmers to quickly come up to speed on the C6678.

For more information, visit www.ti.com/c6678

Key features

- Eight, 1.25 GHz C6678 DSP cores with 320 GMACs/160 GFLOPs of fixed- and floating point performance
- Access to a full range of video, audio and voice codecs
- Multicore software developer's kit and C6678 evaluation module speed product development
- Extensive third party network and hardware/software support

Codec Support				
Video codecs	JPEG2000, AVC-INTRA 50/100, H.265, H.264 10bit 4:2:2, H.263, MPEG4, MPEG2 4:2:2, JPEG, VC1, SVC, Sorenson Spark encoders and decoders			
Audio codecs	AAC, AACv2, AC3,MP3, WMA8, WMA9 encoders and decoders			
Voice codecs	G711, G718, G722, G722.1, G723, G726, G728, G729AB, G729G, GSM-ARM w/EFR, GSM-FR, EVRC-B, WBAMR			



Important Notice: The products and services of Texas Instruments Incorporated and its subsidiaries described herein are sold subject to Tl's standard terms and conditions of sale. Customers are advised to obtain the most current and complete information about Tl products and services before placing orders. Tl assumes no liability for applications assistance, customer's applications or product designs, software performance, or infringement of patents. The publication of information regarding any other company's products or services does not constitute Tl's approval, warranty or endorsement thereof.

The platform bar is a trademark of Texas Instruments.

All other trademarks are the property of their respective owners.

B011012



IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

Applications

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products

OMAP Mobile Processors www.ti.com/omap

www.ti.com/wirelessconnectivity

Wireless Connectivity

		· · · p p · · · · · · · · · ·	
Audio	www.ti.com/audio	Automotive and Transportation	www.ti.com/automotive
Amplifiers	amplifier.ti.com	Communications and Telecom	www.ti.com/communications
Data Converters	dataconverter.ti.com	Computers and Peripherals	www.ti.com/computers
DLP® Products	www.dlp.com	Consumer Electronics	www.ti.com/consumer-apps
DSP	dsp.ti.com	Energy and Lighting	www.ti.com/energy
Clocks and Timers	www.ti.com/clocks	Industrial	www.ti.com/industrial
Interface	interface.ti.com	Medical	www.ti.com/medical
Logic	logic.ti.com	Security	www.ti.com/security
Power Mgmt	power.ti.com	Space, Avionics and Defense	www.ti.com/space-avionics-defense
Microcontrollers	microcontroller.ti.com	Video and Imaging	www.ti.com/video
RFID	www.ti-rfid.com		

TI E2E Community Home Page

e2e.ti.com