

Report

on the

Certificate Z10 088989 0022 Rev. 00

of the

Safety Component RADAR ASIC IWR1843, IWR2243, IWR6843

Applicant

Texas Instruments Incorporated 12500 TI Boulevard Dallas TX 75243-4136, USA

Report No.: TD98073C

Version 1.0 of 2022-01-18

Testing Laboratory for Safety Components

TÜV SÜD Rail GmbH

Rail Automation Barthstraße 16 D-80339 München

Certification Body

TÜV SÜD Product Service GmbH Ridlerstraße 65 D-80339 München

(Page 1 of 12)

This report may be represented only in full wording. The use for promotion needs written permission. This report contains the result of a unique investigation of the product being tested and places no generally valid judgment about characteristics out of the running fabrication. Official translations of this technical report are to be authorised by the test and certification body.



Ta	able	of Contents p	age
1	Targ	jet of Evaluation (ToE)	4
2	Scop	pe of Testing	4
	2.1 2.2	Test Specimen	43 5 5 5
3	Certi	ification Requirements	
	3.1	Certification Documentation	8
4	Stan	dards and Guidelines	9
	4.1 4.2	Functional Safety StandardsSafety Information in the Product Documentation (safety manual, operating instructions, labelling)	
	4.3	Quality Management System	
5	Resu	ults	11
	5.1	Functional Safety	11
6	Imple	ementation Conditions and Restrictions	11
7	Certi	ificate Number	12



List of 1	Tables Tables	page
Table 1:	Modification history	3
Table 2:	HW Identification of IWR1843	5
Table 3:	SW Identification of IWR1843	5
Table 4:	HW identification of IWR2243	5
Table 5:	SW identification of IWR2243	5
Table 6:	HW Identification of IWR6843	6
Table 7:	SW identification of IWR6843	6
Table 8:	Technical Reports and User Documents	8
Table 9:	Functional safety standards	9
Table 10:	Safety information standards	9
Table 11:	Quality Management System	10

Modification History

Rev.	Status	Date	Author	Modification / Description
1.0	Active	2022-01-18	Axel Köhnen	

Table 1: Modification history



1 Target of Evaluation (ToE)

In August 2018 Texas Instruments Incorporated requested TÜV SÜD Rail GmbH to test and certify the RADAR ASIC IWR1843, IWR2243, IWR6843 up to SIL2 according to IEC 61508:2010. Additionally, the systematic capability for SIL 3 according to IEC 61508:2010 was requested to be tested. The project number related to this Technical Report is 717518286. It covers the ASIC hardware as well as the software. The ToE is a product used in safety related applications. The following devices are covered:

- IWR1843
- IWR2243
- IWR6843

2 Scope of Testing

2.1 Test Specimen

The mission of the RADAR ASIC IWR1843, IWR2243, IWR6843 based application is to identify an object in a specified range. When used in conjunction with MCU/Processor that implements radar signal processing algorithms, Radar front end sensors are used to measure the object's

- 1. Range
- 2. Velocity (Relative)
- 3. Angle of Arrival

The above three information's about the object opens up scope for many industrial applications.



2.2 Nomenclature and Identification of RADAR ASIC IWR1843, IWR2243, IWR6843

2.2.1 Nomenclature and Identification of Single Chip Sensor IWR1843

The RADAR ASIC IWR1843, IWR2243, IWR6843 tested is identified by hardware and software version as follows:

Name	Silicon Rev.	Package	Datasheet
IWR1843ABGABL	2	FCBGA-161	SWRS228
IWR1843ABGABLR	2	FCDGA-101	3VVK3220

Table 2: HW Identification of IWR1843

Name	Date	sw	Remarks
RadarSS Firmware	2020-06-11	ROM: 2.0.0.1	Binary delivered as part of the Device Firmware Package, version 01.02.06.03
		PATCH: 1.2.6.11	I illiware r ackage, version 01.02.00.03
MSS Firmware	2020-06-11	ROM: 1.10.0.20	MD5 for DFP 01.02.06.03: ace1d018571487691e8bfbb255df4beb
		PATCH: 1.2.6.12	*mmwave_dfp_01_02_06_03_win32.exe

Table 3: SW Identification of IWR1843

2.2.2 Nomenclature and Identification of Front End Sensor IWR2243

Name	Silicon Rev.	Package	Datasheet
IWR2243APBGABL	2	FCBGA-161	SWRS289
IWR2243APBGABLR	2		

Table 4: HW identification of IWR2243

Name	Date	sw	Remarks
RadarSS Firmware	2021-05-21	ROM: 2.2.0.13	Binary delivered as part of the Device Firmware Package, version 02.02.03.01
		PATCH: 2.2.3.3	Timware Fackage, version ez.ez.ee.er
MSS Firmware	2021-05-21	ROM: 2.2.1.7	MD5 for DFP 02.02.03.01: 4085eed2f300ad8e1e33577985d64767
		PATCH: 2.2.2.0	*mmwave_dfp_02_02_03_01_win32.exe 31cedf3ec7b3f0a2e79978925ae1f52d *mmwave_dfp_02_02_03_01.zip

Table 5: SW identification of IWR2243

phone: +49 89 5791-3011, fax: +49 89 5791-2933



2.2.3 Nomenclature and Identification of Single Chip Sensor IWR6843

Name	Silicon Rev.	Package	Datasheet	
IWR6843ABGABL	2	FCBGA-161		
IWR6843ABGABLR			SIMPO040	
IWR6843ABSABL			SWRS219	
IWR6843ABSABLR				

Table 6: HW Identification of IWR6843

Name	Date	sw	Remarks
RadarSS Firmware	2020-09-02	RAM 6.3.2.6	Binary delivered as part of the Device Firmware Package, version 06.03.02.01 MD5 for DFP 06.03.02.01: 2a094955e9b96e516fb3e3aeb53d274d (Windows)
			4761f2e4e44c65feed58b7b0a8766e03 (Linux)
Bootloader	See device id	entification in Table 6	

Table 7: SW identification of IWR6843



3 Certification Requirements

The certification of the RADAR ASIC IWR1843, IWR2243, IWR6843 will be according to the regulations and standards listed in clause 4 of this document. This will certify the successful completion of the following test segments.

- I. Functional Safety including
 - Functional safety management (FSM) and safety lifecycle
 - Avoidance of systematic faults / Systematic capability
 - Hardware safety requirements (including assumptions of use)
 - Analysis of the device structure (IP/Element FMAs)
 - Software Safety Requirements
 - Analysis of the device structure (IP FMAs)
 - Dependent Failure Analysis (DFA)
 - Criteria for coexistence of elements
 - Quantitative analysis of the hardware (FMEDA)
 - Fault injection and simulation
 - Hardware functional test and design verification
 - Hardware qualification
 - Software functional test and design verification
 - Development tool qualification
- II. Safety information in the product documentation (safety manual, user manual, installation and operating instructions).
- III. Product-Related Quality Assurance in Manufacture and Product Development

Certification is dependent on successful completion of all above listed test segments. The testing follows the basic certification scheme for Safety Components of TÜV SÜD Rail GmbH.



3.1 Certification Documentation

The detailed technical evaluation is documented in the most recent version of the Technical Report:

Document No.	Description	Project No.	
TD97859T	Technical Report IWR1843 Hardware	717518286	
TD95756T	Technical Report DFP 01.02.06.03 Software	717518286	
TD97629T	Technical Report IWR2243 Hardware	717518286	
TD97177T	Technical Report DFP 02.02.03.01 Software	717518286	
TD96309T	Technical Report IWR6843 Hardware	717518286	
TD96416T	Technical Report DFP 06.03.02.01 Software	717518286	
Safety related requirements, conditions and restrictions can be found in the following user documentation			
-	xWR_Front_End_Sensor_Safety_Manual.pdf	717518286	
-	xWR_Single_Chip_Sensor_Safety_Manual.pdf	717518286	

Table 8: Technical Reports and User Documents

Based on the specified purpose of use of the RADAR ASIC IWR1843, IWR2243, IWR6843 in safety critical applications, the certification is based on the set of standards listed in clause 4 of this document. The issuance of the certificate states compliance with these references unless specifically noted otherwise.



4 Standards and Guidelines

The regulations and guidelines which form the basis of the type testing are listed below.

4.1 Functional Safety Standards

No.	Reference	Description
/N1/	IEC 61508-1:2010 (SIL 2, Systematic Capability 3)	Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements
/N2/	IEC 61508-2:2010 (SIL 2, Systematic Capability 3)	Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 2: Requirements for electrical/electronic/ programmable electronic safety-related systems
/N3/	IEC 61508-3:2010 (SIL 3)	Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 3: Software requirements

Table 9: Functional safety standards

4.2 Safety Information in the Product Documentation (safety manual, operating instructions, labelling)

No.	Reference	Description
/N4/	IEC 61508-2:2010	Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems

Table 10: Safety information standards



4.3 Quality Management System

No.	Reference	Description
[M1]	QMS	Quality Management System TÜV SÜD Rail GmbH
	TR_RA_P_04.50	Test Program Functional Safety
		TR_RA_P_04.51 Definition Scope of testing TR_RA_P_04.07 Product Modification TR_RA_P_04.52 Concept Phase & Safety Lifecycle TR_RA_P_04.53 Detail Phase Hardware TR_RA_P_04.54 Detail Phase Software TR_RA_P_04.55 Safety Manual TR_RA_P_04.56 Result of Testing
[M2]	D-IS-11190-01-00	DAkkS accreditation according to DIN EN ISO/IEC 17020:2012; inspection body type A
[M3]	D-PL-11190-08-00	DAkkS accreditation according to DIN EN ISO 17025:2018 / EN ISO/IEC 17025:2017

Table 11: Quality Management System

TD98073C / v1.0 TD98073C_v1.0.docx creator: Axel Köhnen 2022-01-18 page 10 of 12



5 Results

5.1 Functional Safety

The tests performed and quality assurance measures implemented by Texas Instruments Incorporated have shown that the RADAR ASIC IWR1843, IWR2243, IWR6843 complies with the tailored testing criteria specified in clause 4 subject to the conditions defined in clause 6.

The RADAR ASIC IWR1843, IWR2243, IWR6843 was proven to meet the systematic capability for SIL 3 according to IEC 61508. The RADAR ASIC IWR1843, IWR2243, IWR6843 provides safety mechanisms implemented on-chip and safety mechanisms to be implemented by the system integrator. By using the different safety mechanisms, the Safety MCUs can be used to support safety functions up to SIL 2 in accordance with IEC 61508:2010.

6 Implementation Conditions and Restrictions

The use of the RADAR ASIC IWR1843, IWR2243, IWR6843 in a safety related application shall comply with the safety manual, and the following implementation and installation requirements have to be followed if the RADAR ASIC IWR1843, IWR2243, IWR6843 is used in safety-related systems:

- The guidelines and requirements specified in the user documentation shall be followed.
 Especially the requirements of the system integration section of the safety manual have to be regarded.
- The impact on the overall safety concept and the safety function has to be well understood and analyzed if a safety mechanism described in the safety manual is not used.
- All safety mechanisms implemented by the system integrator have to be developed and verified according to the targeted safety standards.
- All specific characteristics and behaviors of the RADAR ASIC IWR1843, IWR2243, IWR6843
 required by the final safety function have to be developed and verified according to the
 targeted safety standards. This includes also timing aspects like reaction times, test intervals
 or test execution times.
- The system integrator has to understand the conditions and restrictions defined in the documentation of the RADAR ASIC IWR1843, IWR2243, IWR6843.



7 Certificate Number

This report specifies technical details and implementation conditions required for the application of RADAR ASIC IWR1843, IWR2243, IWR6843 to the certificate:

Z10 088989 0022 Rev. 00

Munich, 2022-01-18

Christian Dirmeier (Technical Certifier)

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATA SHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

TI objects to and rejects any additional or different terms you may have proposed.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2022, Texas Instruments Incorporated