


## LMK03200

Precision Clock Conditioner with Integrated VCO Evaluation Board Operating Instructions

6-16-2009



National Semiconductor Corporation Interface

2900 Semiconductor Dr. MS A2-600 Santa Clara, CA, 95052-8090



# TABLE OF CONTENTS

GENERAL DESCRIPTION	3
LOOP FILTER #1	3
READ FIRST, BASIC OPERATION	4
Engaging 0-Delay Mode	8
Step 1	8
Step 2	8
BOARD INFORMATION	10
OSCin	10
Fout	10
Loop Filter	10
Features of the board	11
Other Important Notes	11
RECOMMENDED EQUIPMENT	12
Phase Noise	13
Delays	15
CODELOADER SETTINGS	16
APPENDIX A: IMPACT OF REFERENCE ON PHASE NOISE	20
APPENDIX B: SCHEMATICS	
APPENDIX C: BILL OF MATERIALS	24




## **General Description**

The LMK03200 Evaluation Board simplifies evaluation of the LMK03200 Precision Clock Conditioner with Integrated VCO. The package consists of an evaluation board and CodeLoader software. The CodeLoader software will run on a Windows 2000 or Windows XP PC. The purpose of the CodeLoader software is to program the internal registers of the LMK03200 device through a  $MICROWIRE^{TM}$  interface.

CodeLoader 4 can be downloaded from: http://www.national.com/timing/software/

Loop Filter #1					
Phase Margin	82.2°	Кф	3200 uA		
Loop Bandwidth	57.7 kHz	f <sub>PD</sub>	9.72 MHz		
Crystal Frequency	19.44 MHz	Output Frequency	1185 to 1296 MHz		
Supply Voltage	3.3 Volts	VCO Gain	8 MHz/Volt		



Loop filter #1 is selected by placing a 0 ohm resistor on pad R69.

This loop filter has been designed for optimal RMS jitter using a low noise reference.



## **Read first, Basic Operation**

First install the CodeLoader 4 software. This can be downloaded from: http://www.national.com/timing/software/

For basic operation...

- 1. Connect a low noise 3.3 V power supply to the Vcc connector located at the top left of the board
- 2. Connect the CodeLoader cable to the **uWire** header located in the lower left.




Figure 1 - Basic power and communication connections




## **Read first, Basic Operation (Continued)**

#### 3. Connect...

PC directly to the evaluation board with the LPT to uWire cable, plugging the cable into an LPT port on the computer and then the 10 pin ribbon connector to the evaluation board. This setup is shown below. The cable can be removed after programming to minimize noise and EMI.

or

Available separately, the USB <--> uWire board to the PC with the USB cable and the USB <--> uWire board to the evaluation board with the 10 pin ribbon cable.



LPT Cable to PC **Figure 2 - Connecting communications to LPT port** 



## **Read first, Basic Operation (Continued)**

Start CodeLoader 4.




Figure 3 - Starting CodeLoader 4

5. Select the USB or LPT Communication Mode on the Port Setup tab as appropriate.

6. Select the default mode by clicking "Mode" → "19.44 MHz OSCin (default)" File Keyboard Controls Select Device Options Mode USB Help Registers Port Setup 10 MHz OSCin Select the Add Communication Mode default mode ☐ Clock C USB I PT Port Setup ■ LE (Latch Enable ) ■ Address Conflict € LPT1 C LPT2 C LPT3 C Other 378 Reload Every 10 sec 10/14 Pin Connector ( Top View ) Pin Configuration **Select Comms** C1 @ 2 C 3 C 4 C 5 C 6 C Mode C1 C2 C3 € 4 C5 C6 C7 C8 C 10 C 11 C C1 C2 C3 C4 C5 @6 C7 C8 C10 C11 C12 C14 @ 1 C 2 C 3 C 4 C 5 C 6 C 7 C 8 C 10 C 11 C 12 C 14 9099**9**000||||00 C 1 C 2 C 3 C 4 C 5 C 6 C 7 C 8 C 10 C 11 C 12 C 14 **DB 25 Connector** TRIGGER C 1 C 2 C 3 C 4 C 5 C 6 C 7 C 8 © 10 C 11 C 12 C 14 Pin Configuration should not be changed! COMM Mode: LPT Selected device: LMK03200

Figure 4 - Selecting default mode



### Read first, Basic Operation (Continued)

7. Enable output to be measured, any of CLKout(0-7) or EN\_Fout from either Clock Outputs or Bits/Pins tab.




Figure 5 - Enabling outputs

8. **Program** the part by clicking "Keyboard Controls" → "Load Device" or by pressing Ctrl+L



Figure 6 - Programming the device

9. Make measurements... After programming, the uWire cable can be unplugged from the evaluation board to minimize noise and EMI.



## **Engaging 0-Delay Mode**

To engage 0-Delay mode a two step programming sequence is followed as described in the datasheet. Following this document's "Read first, Basic Operation" section effectively completes step 1 with the exception of setting 0-delay options in the Bits/Pins tab. When Ctrl-L is pressed all the registers listed on the registers tab from R0 (INIT), R0 to R9, R11, R13 to R15 are programmed. Then step 2 is performed and the outputs will be in 0-delay mode. The CodeLoader software simplifies step 2 by only requiring the user to check the 0\_DELAY\_MODE checkbox on the Bits/Pins tab as the software automatically reprograms PLL N for the user. Clicking "Keyboard Controls" → "Load Device" is the same thing as pressing Ctrl-L.

The user must select a clock divide value which divides with no remainder into the PLL N value of step 1 so that when 0 DELAY MODE is enabled, the CLKout divider evenly divides into the PLL N value. If this is not done, CodeLoader will program the PLL VCO to the closest frequency which may cause the device to loose lock. The two frequency loop equations which should result in the same VCO frequency are shown below:

```
OSCin Frequency / PLL R * PLL N = VCO Frequency
OSCin Frequency / PLL_R * PLL_N_New * CLKoutX_DIV = VCO Frequency
```

### Step 1

To summarize step 1

- Load a default Mode
- On the PLL tab setup OSCin frequency, PLL R, PLL N, VCO output frequency, etc. as desired.
- On the Clock Outputs tab setup the clock outputs as desired.
  - The lowest frequency must be feed back to PLL N, so CLKout5 or CLKout6 must be programmed with the lowest frequency. If external feedback is used, the clock which generates the signal for external feedback must be programmed with the lowest
- On the Bits/Pins tab, set the 0-delay options as desired, this includes FB MUX for selecting feedback channel, PLL MUX to set digital lock detect, and DLD MODE2 set for alternate digital lock detect mode. Ensure that 0\_DELAY\_MODE is unchecked. Ensure that OSCin FREQ is set to the nearest MHz value of the OSCin frequency.

Press Ctrl-L (same as "Keyboard Controls" → "Load Device").

Note, register words (like R0, R1, R15, etc.) are loaded to the device when changes are made to register bits (like PLL\_N, CLKout3\_EN, etc) assuming that the menu "Options" -> "AutoReload with Changes." is checked, which is its default setting. By pressing Ctrl-L manually, this ensures all registers are loaded and in the proper order.

#### Step 2

Now that the part is operating on frequency, the second step enables the 0-delay mode.

Check 0 DELAY MODE on Bits/Pins tab

When 0 DELAY MODE is checked, the software will attempt to automatically re-program PLL N with the appropriate value so that lock is achieved given the selected CLKout divide. The software will also attempt to warn the user of any errors. For example:

If 0\_DELAY\_MODE is enabled but the appropriate clock outputs are not enabled given FB\_MUX setting = CLKout5, the following warning will display:

Warning: EN\_CLKout5 and EN\_CLKout6 must be set for feedback path to be complete! This is currently not done! COMM Mode: LPT



FB\_MUX setting = CLKout6 and CLKout6 is not enabled, the following warning will display:

COMM Mode: LPT Warning: EN\_CLKout6 must be set for feedback path to be complete! This is currently not done!

FB\_MUX setting = FBCLKin and CLKout5 and 6 are not enabled, the following warning will display:

COMM Mode: LPT Warning: EN\_CLKout5 and EN\_CLKout6 must be set for FBCLKin feedback path to be complete! This is currently not done!

FB MUX setting = FBCLKin and CLKout5 and 6 are enabled, the following warning will display:

COMM Mode: LPT Warning: Enter feedback clock divide manually! The feedback clock must be Enabled. Connect feedback clock FBCLKin port for proper operation!

Since it is possible that external divides could be encountered when using the device with external feedback via FBCLKin the actual CLKoutX\_DIV \* External Divide value must be entered into the manual divide entry box as shown in Figure 7.




Figure 7 – Manual divide input is shown (circled in red) when CLKout5 & CLKout6 are enabled and FB\_MUX = FBCLKin.

Note that pressing Ctrl-L (same as Keyboard Controls → Load Device) when 0\_DELAY\_MODE is activated will prevent R0 (INIT) from being programmed.



## **Board Information**

#### **OSCin**

By default the board is configured to use the on-board crystal oscillator. It is also possible to use the board with a single ended or differential reference source at the OSCin port. Below are several possible configurations for driving OSCin.

OSCin using on board crystal oscillator [default]			
0 ohm	R4, R12, R14 [power to crystal oscillator], R15		
39 ohm	R3 [can also be 0 ohm – depends on oscillator output power, 39 ohms		
	to be a voltage divider]		
51 ohm	R22		
0.1 uF	C6, C10 (C9 is a 0.1 uF 0402 cap which may be moved to C10)		
Open	C9		
·	R6, R7, R8, R10, R11, R16, R19, R20, R21, R23, R25, R64		

Differential OSCin setup			
0 ohm	R15, R16, R20, R25		
100 ohm	R19		
0.1 uF	C6, C9 (C10 is a 0.1 uF 0402 cap which may be moved to C9)		
Open	C10		
	R10, R11, R12, R21, R22, R23		
	R14 [remove power from crystal oscillator for noise reasons]		

Single ended OSCin setup			
0 ohm	R15, R16		
51 ohm	R22		
0.1 uF	C6, C10 (C9 is a 0.1 uF 0402 cap which may be moved to C10)		
Open	C9		
	R10, R12, R19		
	R14 [remove power from crystal oscillator for noise reasons]		

#### **Fout**

Fout allows direct access to the internal VCO before the clock distribution section. The EN\_Fout bit must be selected to enable Fout. A 3 dB pad is placed on R49, R51, and R139.

## **Loop Filter**

R69 and R72 form a "resistor switch" which allows either one of two different loop filters to be selected. The second loop filter on the bottom of the board is unpopulated by factory.

Loop Filter	Resistor Switch	Loop Filter Components	Default Loop Bandwidth
Loop Filter #1 [default]	R69 Shorted	C1, C2, C2p, R2	57.7 kHz
Loop Filter #2	R72 Shorted	C1_AUX, C2_AUX, C2p_AUX, R2_AUX	N/A



#### Features of the board

- Either one of two loop filters can be selected by shorting either R69 or R72. More info about the loop filter can be found in the General Description. The second loop filter on the bottom of the board is unpopulated for customer use.
- Test points for each of the uWire lines are scattered in the lower left corner of the board and include: GOE TP, DATAuWire, CLKuWire, LEuWire, SYNC TP, and LD TP.
- Ground is located on the unstuffed 10 pin header on the left side of the board.
- Ground is located on the GND\_tp2 in the upper left corner of the board and GND\_tp1 located to the right of the Vcc SMA connector.
- **Ground** is located on the bottom side of the board on each pad of the unstuffed 10 pin header GND\_J2.
- Vcc is located on the unstuffed 10 pin header on the upper left side of the board.
- Vcc is located on VccPlane test point located to the right of the Vcc SMA.
- Vcc is located on the bottom side of the board on each pad of the unstuffed 10 pin header VCC\_J2

### **Other Important Notes**

- When changing the OSCin frequency, the OSCin frequency register needs to match.
- Toggle the SYNC\* pin to synchronize the clock outputs when in divided mode. If the SYNC\* pin is low, divided outputs will not oscillate but the bypassed outputs will continue to oscillate.
- For both loop filters, a helper silkscreen is offset from the loop filters to help identify the components according to National Semiconductor's traditional reference designators associated with loop filters.
- The silk screen Fin/Fin\* designates the FBCLKin/FBCLKin\* port.



## **Recommended Equipment**

#### Power Supply

The Power Supply should be a low noise power supply.

#### Phase Noise / Spectrum Analyzer

For measuring phase noise an Agilent E5052A is recommended. An Agilent E4445A PSA Spectrum Analyzer with the Phase Noise option is also usable although the architecture of the E5052A is superior for phase noise measurements. At frequencies less than 100 MHz the local oscillator noise of the PSA is too high and measurements will be of the local oscillator, not the device under test.

#### Oscilloscope


For measuring delay an Agilent Infiniium DSO81204A was used.

#### Reference Oscillator


The on board crystal oscillator will provide a low noise reference signal to the device at offsets greater than 1 kHz.

Note: The default loop filter has a loop bandwidth of ~60 kHz. Inside the loop bandwidth of a PLL the noise is greatly affected by any noise on the reference oscillator (OSCin). Therefore any noise on the oscillator less than 60 kHz will be passed through and seen on the outputs. For this reason the main output of a Signal Generator is not recommended for driving OSCin in this setup.









#### **Reference Oscillator Phase Noise note:**

The performance of the on-board crystal can be affected by noise from the power supply. Noise from the power supply can cause the phase noise of the C3391-19.440 crystal to increase between 10 Hz to 1 kHz.





These delay measurements illustrate how skew errors due to different length traces may be tuned out. The delay may be adjusted in steps of ~150 ps.




Figure 11 shows as delay is added, total delay increases linearly.

Note: a small delay is incurred by placing the device into the various delay and divide modes from the bypass mode. This delay is not shown here.

Figure 11 - Delays






Figure 12 shows that the step to step delay is not exactly 150 ps.

Note: a small delay is incurred by placing the device into the various delay and divide modes from the bypass mode. This delay is not shown here.

Figure 12 – Delays



## **CodeLoader Settings**




Figure 13 - Port Setup Tab & Selecting a Default Mode

The Port Setup tab tells CodeLoader what signals are assigned to which pins. If these settings are incorrect, the part will not program.

Part setup can be restored to the default state by clicking Mode → "19.44 MHz OSCin (default)." The default reference oscillator used for these instructions is 19.44 MHz and the restored mode expects a 19.44 MHz OSCin signal. For the loaded mode to take effect the device must be loaded by pressing Ctrl+L.



The Bits/Pins tab shows some of the internal registers which are not accessible from any of the other visual tabs like "PLL" and "Clock Outputs." Right click on any of the bits for description.




Figure 14 - Bits & Pins tab

Program Bits				
POWERDOWN	Powers the part down.			
EN_Fout	Turns on the Fout pin for measuring the internal VCO.			
OSCin_FREQ	Must be set to the OSCin frequency in MHz.			
PLL_MUX	Programmable to many different values to support Lock Detect or aid troubleshooting.			
DIV4	Shall be checked for OSCin frequencies greater than 20 MHz.			
RESET	The registers can be defaulted by checking and unchecking RESET. Software bits will not reflect this.			
Vboost	Increases Output Power on Clock Outputs			
VCO_R3_LF VCO_R4_LF VCO_C3_C4_LF	Internal loop filter values, also accessible from Clock Outputs tab.			
EN_CLKout07	Enable CLKout bits from CLKout0 to CLKout7. Also accessible from Clock Outputs tab.			
PLL_N_DLY PLL_R_DLY	Delays for PLL N and PLL R. Also on Clock Outputs Tab			
0_DELAY_MODE	Used to enable 0-Delay Mode, in the CodeLoader software, this will also cause PLL_N to be reprogrammed.			
DLD_MODE2  Select alternate Digital Calibration Routine Complete mode in place of Digital Lock Detect mode. To use select Digital Lock Detect on PLL_M				
FB_MUX	Feedback from which clock output.			
EN_CLKout_Global	Enable all clock outs. If unselected then the EN_CLKouts are overridden and the outputs are all disabled.			

Program Pins	
GOE	Set Global Output Enable to high or low logic level.
SYNC*	Set SYNC* pin to high or low logic level.
TRIGGER	Set auxiliary trigger pin to high or low logic level.



The Registers tab shows the raw bits which will be programmed when device is loaded by clicking Keyboard Controls → Load Device or Ctrl+L.




Figure 15 - Registers tab

The Clock Outputs tab allows the user to visualize the clock distribution portions of the device. From this tab the device's dividers, delays, clock output muxes, and output drivers can be programmed along with internal loop filter values. The PLL block shows the R and N divider values however to change these values either click on the PLL tab or the blue PLL box to access the PLL tab to make changes to the PLL.




Figure 16 - Clock Outputs tab



The PLL tab shows a conventional PLL diagram along with the VCO Divider. It is important to realize that the total effective N value is PLL N Counter \* VCO Divider. This means that the "channel spacing" is the Phase Detector Frequency \* VCO Divider. Depending on the situation, this may require the R Counter multiplied up by the value of the VCO Divider to achieve desired VCO output frequencies. When 0-delay mode is active, the total effective N value is PLL N Counter \* Clock Output Divider \* VCO Divider.




Figure 17 - PLL tab

Example: If the desired VCO output frequency was 1244.16 MHz, R would need to be increased to 2 before 1253.88 MHz could be programmed because the VCO Divider of 2 would only allow programming of 1244.16, 1263.6, 1283.04, etc. with a 9.72 MHz phase detector frequency. This is because changing the N counter from 64 to 65 changes to total N by two, 128 to 130!

When in 0-Delay Mode, then selected channel divider is added to the divide on the feedback path after VCO Divider. Refer to Figure 7 to see this illustrated.



## Appendix A: Impact of Reference on Phase Noise

Inside the loop bandwidth of a PLL the phase noise is set by the quality of the reference oscillator used. For this reason it is important to select a reference oscillator suitable for the application. Power supply noise can also impact the phase noise performance of the oscillator.

#### **Test Setup**

Using the same loop filter as described in the General Description and by driving the OSCin frequency with very low jitter 100 MHz Wenzel Crystal (501-04517D) and setting R = 10 to achieve a phase detector frequency of 10 MHz. A low integrated RMS jitter of 235 fs is measured vs. the 439 ps measured in the Phase Noise section with 19.44 MHz crystal in the bandwidth of 10 Hz to 20 MHz.




Figure 18 - Phase Noise with Clean Reference

10 Hz - 20 MHz integrated RMS jitter = 235 fs (shown)

100 Hz - 20 MHz integrated RMS jitter = 232 fs


12 kHz - 20 MHz integrated RMS jitter = 210 fs


#### **Conclusion**

This diagram illustrates how the phase noise inside the loop bandwidth is set by the quality of the reference oscillator used. Phase noise outside the loop bandwidth is set by the VCO noise level.




## **Appendix B: Schematics**










































**Appendix C: Bill of Materials** 

Part	Manufacturer	Part Number	Qnt	Identifier
Capacitors		•		
100 pF	Kemet	C0603C101J5GAC	2	C83, C99
12 nF	Kemet	C0603C123K1RACTU	1	C2
0.1 uF	Kemet	C0402C104J4RAC	20	C6, C10, C34, C40, C78, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98
0.1 uF	Kemet	C0603C104J3RAC	16	C8, C45, C47, C48, C50, C51, C53, C54, C59, C61, C62, C64, C65, C67, C69, C81
1 uF	Kemet	C0603C105K8VAC	16	C7, C46, C49, C52, C55, C56, C57, C58, C60, C63, C66, C68, C70, C71, C72, C73
10 uF	Kemet	C0805C106K9PAC	4	C14, C15, C17, C21
10 uF	Kemet	C0805C106K9PAC	1	C80
Resistors				
0 ohm	Vishay/Dale	CRCW06030000Z0EA	10	R4, R5, R12, R14, R24, R47, R48, R52, R69, R78
0 ohm	Vishay/Dale	CRCW08050000Z0EA	3	R15, R33, R46
0 ohm	Vishay/Dale	CRCW06030000Z0EA	4	R40, R41, R77, R108
18 ohm	Vishay/Dale	CRCW060318R0JNEA	1	R139
39 ohm	Vishay/Dale	CRCW060339R0JNEA	1	R3
51 ohm	Vishay/Dale	CRCW040251R0FKED	1	R22
100 ohm	Vishay/Dale	CRCW0603100RJNEA	1	R39
120 ohm	Vishay/Dale	CRCW0402120RJNED	10	R109, R110, R125, R126, R129, R130, R133, R134, R137, R138
180 ohm	Vishay/Dale	CRCW0603180RJNEA	2	R76, R82
270 ohm	Vishay/Dale	CRCW0603270RJNEA	2	R49, R51
1.8 k	Vishay/Dale	CRCW06031K80JNEA	1	R2
2.2 k	Vishay/Dale	CRCW06032K20JNEA	2	R71, R81
15 k	Vishay/Dale	CRCW060315K0JNEA	4	R55, R57, R59, R60
27 k	Vishay/Dale	CRCW060327K0JNEA	3	R54, R56, R58



Other			1	
3.3 V zener	Comchip	CZRU52C3V3	2	D1, D2
ADT2-1T	Minicircuits	ADT2-1T	1	B3
Frame	Printed Circuits Corp	PCB_LMK0200x, 8-22- 2007	1	F1
HEADER_2X5(POLARIZED)	FCI Electronics	52601-S10-8	1	uWire
LMK03200	National Semiconductor	LMK03200	1	U1
Crystek 3391-19.440	Crystek	C3391-19.440	1	Y2
SMA	Johnson Components	142-0701-851	13	CLKout0, CLKout0*, CLKout2*, CLKout4, CLKout4*, CLKout7, CLKout7*, Fin, Fin*, Fout, OSCin, OSCin*, Vcc
0.375" Standoffs	SPC Technology	SPCS-6	4	Standoffs in the four corners (insert from bottom) (default)
Open				
Open	-	402.0	39	C9, C13, C16, C18, C20, C22, C23, C25, C28, C29, C32, C33, C36, C38, C42, C43, C44, R10, R11, R23, R31, R32, R44, R45, R67, R93, R94, R95, R96, R97, R98, R101, R102, R105, R106, R121, R122, R123, R124
Open	-	603.0	51	C1, C2_AUX, C4, C5, C11, C12, C19, C26, C27, C30, C31, C39, C74, C75, C76, C77, C79, C82, R1, R2_AUX, R6, R7, R8, R9, R13, R16, R17, R18, R19, R20, R21, R26, R27, R28, R29, R30, R38, R50, R61, R63, R64, R66, R68, R70, R72, R73, R74, R79, R80, R83, R84
Open	-	603.0	40	C35, C37, C41, R34, R35, R36, R37, R42, R43, R62, R65, R85, R86, R87, R88, R89, R90, R91, R92, R99, R100, R103, R104,




				R107, R111, R112, R113, R114, R115, R116, R117, R118, R119, R120, R127,
				R128, R131, R132, R135, R136
Open	-	805.0	2	C1_AUX, C24
Open	-	Open	3	C2p, C2p_AUX, C3
Open	-	805.0	3	R25, R53, R75
Open	-	Open	1	B1
Open	-	Open	1	B2
Open	-	Open	4	GND_J1, GND_J2, VCC_J1, VCC_J2
Open	-	Open	13	CLKout1, CLKout1*, CLKout2, CLKout3, CLKout3*, CLKout5, CLKout5*, CLKout6, CLKout6*, GOE, LD, SYNC*, Vtune
Open	-	Open	2	OSC_Vcc, VCO_VCXO_Vcc
Open	-	Open	1	Y4
Open	-	Open	2	Y1, Y3

BOM Version v1.0, 03-24-2009



Appendix D: Build Diagram [] [C14 ] C55 C45 C47 C46] 80.7 C+88 C.€ 1.56 Ei⊔





#### IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

**Applications** 

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

**Products** 

Wireless Connectivity

#### Audio www.ti.com/audio Automotive and Transportation www.ti.com/automotive **Amplifiers** amplifier.ti.com Communications and Telecom www.ti.com/communications dataconverter.ti.com Computers and Peripherals www.ti.com/computers **Data Converters DLP® Products** www.dlp.com Consumer Electronics www.ti.com/consumer-apps DSP dsp.ti.com **Energy and Lighting** www.ti.com/energy Clocks and Timers www.ti.com/clocks Industrial www.ti.com/industrial Interface interface.ti.com Medical www.ti.com/medical Logic logic.ti.com Security www.ti.com/security Power Mgmt www.ti.com/space-avionics-defense power.ti.com Space, Avionics and Defense Microcontrollers Video and Imaging microcontroller.ti.com www.ti.com/video www.ti-rfid.com **OMAP Mobile Processors** www.ti.com/omap

TI E2E Community Home Page

www.ti.com/wirelessconnectivity

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2012, Texas Instruments Incorporated

e2e.ti.com