

TMS320VC5505/5504 DSP Real-Time Clock (RTC)

User's Guide



Literature Number: SPRUF07
September 2009

Preface	6
1 Introduction	8
1.1 Purpose of the peripheral	8
1.2 Features	8
1.3 Functional Block Diagram	9
2 Peripheral Architecture	9
2.1 Clock Control	9
2.2 Signal Descriptions	9
2.3 Using the Real-Time Clock Time and Calendar Registers	10
2.4 Using the Real-Time Clock Time and Calendar Alarms	11
2.5 Real-Time Clock Interrupt Requests	12
2.6 Reset Considerations	15
3 Registers	16
3.1 RTC Interrupt Enable Register (RTCINTEN)	17
3.2 RTC Update Register (RTCUPDATE)	17
3.3 Milliseconds Register (RTCMIL)	18
3.4 Milliseconds Alarm Register (RTCMILA)	18
3.5 Seconds Register (RTCSEC)	19
3.6 Seconds Alarm Register (RTCSECA)	19
3.7 Minutes Register (RTCMIN)	20
3.8 Minutes Alarm Register (RTCMINA)	20
3.9 Hours Register (RTCHOUR)	21
3.10 Hours Alarm Register (RTCHOURA)	21
3.11 Days Register (RTCDAY)	22
3.12 Days Alarm Register (RTCDAYA)	22
3.13 Months Register (RTCMONTH)	23
3.14 Months Alarm Register (RTCMONTHA)	23
3.15 Years Register (RTCYEAR)	24
3.16 Years Alarm Register (RTCYEARA)	24
3.17 RTC Interrupt Flag Register (RTCINTFL)	25
3.18 RTC Lost Power Status Register (RTCNOPWR)	26
3.19 RTC Interrupt Register (RTCINTREG)	27
3.20 RTC Compensation Register (RTCDRIFT)	28
3.21 RTC Oscillator Register (RTCOSC)	28
3.22 RTC Power Management Register (RTCPMGT)	29
3.23 RTC LSW Scratch Register 1 (RTCSCR1)	30
3.24 RTC MSW Scratch Register 2 (RTCSCR2)	30
3.25 RTC LSW Scratch Register 3 (RTCSCR3)	31
3.26 RTC MSW Scratch Register 4 (RTCSCR4)	31

List of Figures

1	Block Diagram	9
2	RTC Interrupt and Wakeup Logic	14
3	RTC Interrupt Enable Register (RTCINTEN)	17
4	RTC Update Register (RTCUPDATE)	17
5	Milliseconds Register (RTCMIL).....	18
6	Milliseconds Alarm Register (RTCMILA)	18
7	Seconds Register (RTCSEC).....	19
8	Seconds Alarm Register (RTCSECA)	19
9	Minutes Register (RTCMIN).....	20
10	Minutes Alarm Register (RTCMINA)	20
11	Hours Register (RTCHOUR).....	21
12	Hours Alarm Register (RTCHOURA)	21
13	Days Register (RTCDAY)	22
14	Days Alarm Register (RTCDAYA).....	22
15	Months Register (RTCMONTH)	23
16	Months Alarm Register (RTCMONTHA).....	23
17	Years Register (RTCYEAR).....	24
18	Years Alarm Register (RTCYEARA).....	24
19	RTC Interrupt Flag Register (RTCINTFL)	25
20	RTC Lost Power Status Register (RTCNOPWR)	26
21	RTC Interrupt Register (RTCINTREG)	27
22	RTC Compensation Register (RTCDRIFT)	28
23	RTC Oscillator Register (RTCOSC).....	28
24	RTC Power Management Register (RTCPMGT).....	29
25	RTC LSW Scratch Register 1 (RTCSCR1)	30
26	RTC MSW Scratch Register 2 (RTCSCR2).....	30
27	RTC LSW Scratch Register 3 (RTCSCR3)	31
28	RTC MSW Scratch Register 4 (RTCSCR4).....	31

List of Tables

1	Time/Calendar Registers	10
2	Time and Calendar Alarm Data	11
3	Time/Calendar Alarm Settings	12
4	Periodic Interrupts	15
5	Real Time Clock (RTC) Registers.....	16
6	RTC Interrupt Enable Register (RTCINTEN) Field Descriptions	17
7	RTC Update Register (RTCUPDATE) Field Descriptions.....	17
8	Milliseconds Register (RTCMIL) Field Descriptions	18
9	Milliseconds Alarm Register (RTCMILA) Field Descriptions	18
10	Seconds Register (RTCSEC) Field Descriptions.....	19
11	Seconds Alarm Register (RTCSECA) Field Descriptions	19
12	Minutes Register (RTCMIN) Field Descriptions	20
13	Minutes Alarm Register (RTCMINA) Field Descriptions.....	20
14	Hours Register (RTCHOUR) Field Descriptions.....	21
15	Hours Alarm Register (RTCHOURA) Field Descriptions	21
16	Days Register (RTCDAY) Field Descriptions	22
17	Days Alarm Register (RTCDAYA) Field Descriptions	22
18	Months Register (RTCMONTH) Field Descriptions	23
19	Months Alarm Register (RTCMONTHA) Field Descriptions	23
20	Years Register (RTCYEAR) Field Descriptions	24
21	Years Alarm Register (RTCYEARA) Field Descriptions.....	24
22	RTC Interrupt Flag Register (RTCINTFL) Field Descriptions.....	25
23	RTC Lost Power Status Register (RTCNOPWR) Field Descriptions	26
24	RTC Interrupt Register (RTCINTREG) Field Descriptions	27
25	RTC Compensation Register (RTCDRIFT) Field Descriptions	28
26	RTC Oscillator Register (RTCOS) Field Descriptions	28
27	RTC Power Management Register (RTCPMGT) Field Descriptions	29
28	RTC LSW Scratch Register 1 (RTCSCR1) Field Descriptions	30
29	RTC MSW Scratch Register 2 (RTCSCR2) Field Descriptions	30
30	RTC LSW Scratch Register 3 (RTCSCR3) Field Descriptions	31
31	RTC MSW Scratch Register 4 (RTCSCR4) Field Descriptions	31

Read This First

This document describes the features and operation of the real-time clock (RTC) that is on the TMS320VC5505/5504 Digital Signal Processor (DSP).

Notational Conventions

This document uses the following conventions.

- Hexadecimal numbers are shown with the suffix h. For example, the following number is 40 hexadecimal (decimal 64): 40h.
- Registers in this document are shown in figures and described in tables.
 - Each register figure shows a rectangle divided into fields that represent the fields of the register. Each field is labeled with its bit name, its beginning and ending bit numbers above, and its read/write properties below. A legend explains the notation used for the properties.
 - Reserved bits in a register figure designate a bit that is used for future device expansion.

Related Documentation From Texas Instruments

The following documents describe the TMS320VC5505/5504 Digital Signal Processor (DSP). Copies of these documents are available on the internet at www.ti.com.

SWPU073 — TMS320C55x 3.0 CPU Reference Guide. This manual describes the architecture, registers, and operation of the fixed-point TMS320C55x digital signal processor (DSP) CPU.

SPRU652 — TMS320C55x DSP CPU Programmer's Reference Supplement. This document describes functional exceptions to the CPU behavior.

SPRUFO0 — TMS320VC5505/5504 Digital Signal Processor (DSP) Universal Serial Bus 2.0 (USB) User's Guide. This document describes the universal serial bus 2.0 (USB) in the TMS320VC5505/5504 Digital Signal Processor (DSP). The USB controller supports data throughput rates up to 480 Mbps. It provides a mechanism for data transfer between USB devices.

SPRUFO1 — TMS320VC5505/5504 Digital Signal Processor (DSP) Inter-Integrated Circuit (I2C) Peripheral User's Guide. This document describes the inter-integrated circuit (I2C) peripheral in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The I2C peripheral provides an interface between the device and other devices compliant with Phillips Semiconductors Inter-IC bus (I2C-bus) specification version 2.1 and connected by way of an I2C-bus. This document assumes the reader is familiar with the I2C-bus specification.

SPRUFO2 — TMS320VC5505/5504 Digital Signal Processor (DSP) Timer/Watchdog Timer User's Guide. This document provides an overview of the three 32-bit timers in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The 32-bit timers of the device are software programmable timers that can be configured as general-purpose (GP) timers. Timer 2 can be configured as a GP, a Watchdog (WD), or both simultaneously.

SPRUFO3 — TMS320VC5505/5504 Digital Signal Processor (DSP) Serial Peripheral Interface (SPI) User's Guide. This document describes the serial peripheral interface (SPI) in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The SPI is a high-speed synchronous serial input/output port that allows a serial bit stream of programmed length (1 to 32 bits) to be shifted into and out of the device at a programmed bit-transfer rate. The SPI supports multi-chip operation of up to four SPI slave devices. The SPI can operate as a master device only.

- [SPRUFO4](#) — TMS320VC5505/5504 Digital Signal Processor (DSP) General-Purpose Input/Output (GPIO) User's Guide.** This document describes the general-purpose input/output (GPIO) on the TMS320VC5505/5504 digital signal processor (DSP). The GPIO peripheral provides dedicated general-purpose pins that can be configured as either inputs or outputs. When configured as an input, you can detect the state of an internal register. When configured as an output you can write to an internal register to control the state driven on the output pin.
- [SPRUFO5](#) — TMS320VC5505/5504 Digital Signal Processor (DSP) Universal Asynchronous Receiver/Transmitter (UART) User's Guide.** This document describes the universal asynchronous receiver/transmitter (UART) peripheral in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The UART performs serial-to-parallel conversions on data received from a peripheral device and parallel-to-serial conversion on data received from the CPU.
- [SPRUFO7](#) — TMS320VC5505/5504 Digital Signal Processor (DSP) Real-Time Clock (RTC) User's Guide.** This document describes the operation of the Real-Time Clock (RTC) module in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The RTC also has the capability to wake-up the power management and apply power to the rest of the device through an alarm, periodic interrupt, or external WAKEUP signal.
- [SPRUFO8](#) — TMS320VC5505/5504 Digital Signal Processor (DSP) External Memory Interface (EMIF) User's Guide.** This document describes the operation of the external memory interface (EMIF) in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The purpose of the EMIF is to provide a means to connect to a variety of external devices.
- [SPRUFO9](#) — TMS320VC5505/5504 Digital Signal Processor (DSP) Direct Memory Access (DMA) Controller User's Guide.** This document describes the features and operation of the DMA controller that is available on the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The DMA controller is used to move data among internal memory, external memory, and peripherals without intervention from the CPU and in the background of CPU operation.
- [SPRUFP0](#) — TMS320VC5505 Digital Signal Processor (DSP) System User's Guide.** This document describes various aspects of the TMS320VC5505/5504 digital signal processor (DSP) including: system memory, device clocking options and operation of the DSP clock generator, power management features, interrupts, and system control.
- [SPRUGL6](#) — TMS320VC5504 Digital Signal Processor (DSP) System User's Guide.** This document describes various aspects of the TMS320VC5505/5504 digital signal processor (DSP) including: system memory, device clocking options and operation of the DSP clock generator, power management features, interrupts, and system control.
- [SPRUFP1](#) — TMS320VC5505 Digital Signal Processor (DSP) Successive Approximation (SAR) Analog to Digital Converter (ADC) User's Guide.** This document provides an overview of the Successive Approximation (SAR) Analog to Digital Converter (ADC) on the TMS320VC5505/5504 Digital Signal Processor (DSP). The SAR is a 10-bit ADC using a switched capacitor architecture which converts an analog input signal to a digital value.
- [SPRUFP3](#) — TMS320VC5505 Digital Signal Processor (DSP) Liquid Crystal Display Controller (LDCD) User's Guide.** This document describes the liquid crystal display controller (LDCD) in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. The LCD controller includes a LCD Interface Display Driver (LIDD) controller.
- [SPRUFP4](#) — TMS320VC5505/5504 Digital Signal Processor (DSP) Inter-IC Sound (I2S) Bus User's Guide.** This document describes the features and operation of Inter-IC Sound (I2S) Bus in the TMS320VC5505/5504 Digital Signal Processor (DSP) device. This peripheral allows serial transfer of full duplex streaming data, usually streaming audio, between DSP and an external I2S peripheral device such as an audio codec.

Real-Time Clock (RTC)

1 Introduction

This document describes features and operation of the real-time clock (RTC) on the TMS320VC5505/5504 Digital Signal Processor (DSP).

1.1 Purpose of the peripheral

The device includes a real time clock (RTC) that provides a time reference to an application executing on the DSP. The RTC has its own crystal input, clock domain, and core and I/O power supplies . The separate clock domain allows the RTC to run while the rest of the device is is clock gated . All RTC registers are preserved and the counter continues to operate when the host CPU is clock gated . The RTC has the capability to wake-up the rest of the device through an alarm interrupt, periodic interrupt, or external WAKEUP signal.

1.2 Features

The real-time clock (RTC) provides the following features:

- 100-year calendar up to year 2099.
- Counts milliseconds, seconds, minutes, hours, and date (including day, month, and year with leap year compensation).
- Millisecond time correction.
- Binary-coded-decimal (BCD) representation of time, calendar, and alarm.
- 24-hour clock mode.
- Alarm interrupt for specific millisecond, second, minute, hour, day, month, and year.
- Periodic interrupt: every millisecond, second, minute, hour, or day.
- Single interrupt to the DSP CPU.
- 32.768kHz oscillator with frequency calibration.

The current date and time is tracked in a set of counter registers that update once per millisecond. The time is represented in 24-hour mode. For information on how to set the time and date, see [Section 2.3](#).


Alarms can be set to interrupt the DSP CPU at a particular time, or at periodic time intervals, such as once per minute or once per day. For information on how to set and use alarms, see [Section 2.4](#).

The clock reference for the RTC is an external 32.768kHz crystal (connected between signals RTC_XI and RTC_XO). The RTC also has separate core and I/O power supplies that are isolated from the rest of the DSP.

1.3 Functional Block Diagram

Figure 1 shows a block diagram of the RTC.

Figure 1. Block Diagram



2 Peripheral Architecture

This section describes the Real-Time Clock (RTC) Peripheral.

NOTE: If the RTC is not used, CV_{DDRTC} and DV_{DDRTC} must still be supplied because internal signals from the RTC are required for operation of the DSP's Power On Reset circuitry. In addition, the RTC_XI pin must be tied to CV_{DDRTC} and the RTC_XO pin must be tied to VSS. If the RTC_XI and RTC_XO pins are tied off, then the RTC registers are not accessible.

2.1 Clock Control

The RTC oscillator is driven by an external 32.768 KHz crystal connected between RTC_XI and RTC_XO

2.2 Signal Descriptions

As shown in Figure 1, the WAKEUP pin is a bidirectional pin that can be used as an input to wake-up the DSP clock domains or it can be used as an open-drain output to wake-up an external device. At power up the WAKEUP pin is configured as an input. This signal can be used to trigger the RTC interrupt to the CPU and to wake-up gated clocks regardless of whether the clocks were gated by the master clock gate or whether they were gated by the DSP's idle instruction.

When the WAKEUP pin is configured as an input ($RTCPMGT:WU_DIR = 0$), the RTC interrupt is enabled ($RTCINTEN: 0 = 1$) and the External Event Interrupt in $RTCINTREG$ is enabled ($RTCINTREG: EXTINTEN = 1$), a 0 to 1 transition on the WAKEUP pin will trigger the RTC interrupt. Additionally, when WAKEUP is high, then the Master Clock Gater for the whole digital core is forced into the un-gated state (clocks on). Note that the interrupt generation is edge sensitive while the clocks on condition is level sensitive. Please see Section 2.5 for Interrupt support.

2.3 Using the Real-Time Clock Time and Calendar Registers

The current time and date are maintained in the RTC time and calendar registers. Information about how to use these registers is in the sections that follow.

2.3.1 Time/Calendar Data Format

The time and calendar data in the RTC is stored as binary-coded decimal (BCD) format. In BCD format, the decimal numbers 0 through 9 are encoded with their binary equivalent. Although most of the time/calendar registers have 4 bits assigned to each BCD digit, some of the register fields are shorter since the range of valid numbers may be limited. For example, only 3 bits are required to represent the first digit (most significant digit) of the “seconds” because only 0 through 5 are required.

The summary of the time/calendar registers is shown in [Table 1](#). The alarm registers are interleaved with the time/calendar registers and are not shown in this table. The alarm registers are shown in [Table 2](#). A complete description all RTC registers is available in [Section 3](#).

Table 1. Time/Calendar Registers

Address (Hex)	Name	Function	Decimal Range	BCD Format
1904h	RTCMIL	Milliseconds	0-1023	0000-1023
1908h	RTCSEC	Seconds	0-59	00-59
190Ch	RTCMIN	Minutes	0-59	00-59
1910h	RTCHOUR	Hours (24)	0-23	00-23
1914h	RTCDAY	Days	1-31	01-31
1918h	RTCMONTH	Months (January = 01)	1-12	01-12
191Ch	RTCYEAR	Years	0-99	00-99

- The RTC Milliseconds Register (RTCMIL) stores the milliseconds value of the current time. After the milliseconds count reaches 1023 then the seconds register is updated by one. The reason for the rollover occurring at 1024, rather than 1000, is due to the crystal's oscillation frequency being a power of two, 32.768kHz. $32768 / 1024 = 32$ clocks per 'millisecond'. Thus, calling this register a 'milliseconds' register is a bit of a misnomer. The milliseconds digit 3 is 1 bit and the milliseconds digits 2:0 are 4 bits; digits 3:0 are encoded BCD values 0000 (0b 0000b 0000b 0000b) through 1023 (1b 0000b 0010b 0011b).
- The RTC Seconds Register (RTCSEC) stores the seconds value of the current time. The seconds digit 1 is 3 bits and the seconds digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 00 (000b 0000b) through 59 (101b 1001b).
- The RTC Minutes Register (RTCMIN) stores the minutes value of the current time. The minutes digit 1 is 3 bits and the minutes digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 00 (000b 0000b) through 59 (101b 1001b).
- The RTC Hours Register (RTCHOUR) stores the hours value of the current time. The hours digit 1 is 2 bits and the hours digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 01 (00b 0001b) through 23 (10b 0011b).
- The RTC Days Register (RTCDAY) stores the day of the month for the current date. The days digit 1 is 2 bits and the days digit 0 is 4 bits; digits 1 and 0 are encoded BCD 01 (00b 0001b) through 31 (11b 0001b).
- The RTC Months Register (RTCMONTH) stores the month for the current date. The months digit 1 is 1 bit and the months digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 01 (0b 0000b) through 12 (1b 0010b).
- The RTC Years Register (RTCYEAR) stores the year for the current date. The years digit 1 is 4 bits and the years digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 00 (0000b 0000b) through 99 (1001b 1001b).

2.3.2 Setting the Time/Calendar Register

The time/calendar registers are set or initialized by writing to the appropriate register bytes. To set date and time, write all the time and date registers. When written to, the data is stored to a buffer. Next, set the TIMEUPDT bit in the RTC Update Register (RTCUPDATE). Setting this bit causes the time/calendar values in the buffer to be loaded into the RTC simultaneously. All values should be encoded as BCD values.

2.3.3 Reading the Time/Calendar Registers

The time/calendar registers are updated every millisecond as the time changes. To get the most accurate time reading you should start with reading the Millisecond register (RTCMIL) and then the Second register (RTCSEC) followed by the remaining time/calendar register values (RTCMIN, RTCHOUR, RTCDAY, RTCMONTH, and RTCYEAR). Read the RTCMIL again and compare to the previous value. If both values are the same, an RTC update did not occur while the other registers were being read and all the values read represent the current time. If the Milliseconds have changed, this indicates that an RTC update occurred while the registers were being read and the process should be repeated. Results are unpredictable if values are written out of the register's normal range.

2.4 Using the Real-Time Clock Time and Calendar Alarms

Alarms can be configured to interrupt the CPU at a specific time, i.e., at specific values for the following:

- Milliseconds
- Seconds
- Minutes
- Hours
- Days of the month
- Months
- On specific Years

The time/calendar alarm registers control the setting of alarms. Information about how to use these registers can be found in the following sections. The alarms can be configured to generate an interrupt to the CPU or to wake-up the clocks. The operation of the alarm interrupt is described in [Section 2.5.4](#).

2.4.1 Time/Calendar Alarm Data Format

The time and calendar alarm data in the RTC is stored as binary-coded decimal (BCD) format. In BCD format, the decimal numbers 0 through 9 are encoded with their binary equivalent. Although most of the time/calendar alarm registers have 4 bits assigned to each BCD digit, some of the register field lengths may differ to accommodate the desired function.

The summary of the time/calendar alarm registers is shown in [Table 2](#). The time/calendar registers are interleaved with the alarm registers and are not shown in this table. The time/calendar registers are shown in [Table 1](#). A complete description of all RTC registers is available in [Section 3](#).

Table 2. Time and Calendar Alarm Data

Address (Hex)	Name	Function	Decimal Range	BCD Format
1905h	RTCMILA	Milliseconds alarm	0-1023	0000-1023
1909h	RTCSECA	Seconds alarm	0-59	00-59
190Dh	RTCMINA	Minutes alarm	0-59	00-59
1911h	RTCHOURA	Hours (24) alarm	0-23	00-23
1915h	RTCDAYA	Days alarm	1-31	01-31
1919h	RTCMONTHA	Months (January = 01) alarm	1-12	01-12
191Dh	RTCYEARA	Years alarm	0-99	00-99

The RTC Milliseconds Alarm Register (RTCMILA) stores the milliseconds value of the desired alarm. The milliseconds alarm digit 3 is 1 bit and the milliseconds alarm digits 2:0 are 4; digits 3:0 are encoded BCD values 0000 (0b 0000b 0000b 0000b) through 1023 (1b 0000b 0010b 0011b). Values outside of the decimal range of 0 – 1023 will cause the alarm to never occur.

The RTC Seconds Alarm Register (RTCSECA) stores the seconds value of the desired alarm. The seconds alarm digit 1 is 3 bits and the seconds alarm digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 00 (000b 0000b) through 59 (101b 1001b). Values outside of the decimal range of 0 - 59 will cause the alarm to never occur.

The RTC Minutes Alarm Register (RTCMINA) stores the minute value of the desired alarm. The minutes alarm digit 1 is 3 bits and the minutes alarm digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 00 (000b 0000b) through 59 (101b 1001b). Values outside of the decimal range of 0 - 59 will cause the alarm to never occur.

The RTC Hours Alarm Register (RTCHOURA) stores the hour value of the desired alarm. The hours alarm digit 1 is 2 bits and the hours alarm digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 01 (00b 0001b) through 23 (10b 0011b). Values outside of the decimal range of 1 - 23 will cause the alarm to never occur.

The RTC Days Alarm Register (RTCDAYA) stores the day of the month value of the desired alarm. The days alarm digit 1 is 2 bits and the days alarm digit 0 is 4 bits; digits 1 and 0 are encoded BCD 01 (00b 0001b) through 31 (11b 0001b). Values outside of the decimal range of 1 - 31 will cause the alarm to never occur.

The RTC Months Alarm Register (RTCMONTHA) stores the month of the year value of the desired alarm. The months alarm digit 1 is 1 bit and the months alarm digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 01 (0b 0000b) through 12 (1b 0010b). Values outside the range 1 - 12 will cause the alarm to never occur.

The RTC Years Alarm Register (RTCYEARA) stores the year value of the desired alarm. The years alarm digit 1 is 4 bits and the years alarm digit 0 is 4 bits; digits 1 and 0 are encoded BCD values 00 (0000b 0000b) through 99 (1001b 1001b). Values outside the range 0 - 99 will cause the alarm to never occur.

2.4.2 Setting and reading the Time/Calendar Alarm Registers

The time/calendar alarm registers are set or initialized by writing to the appropriate register bytes. To set date and time, write all the time and date registers and then set the ALARMUPDT bit in the RTC Update Register (RTCUPDATE). This will simultaneously copy all the alarm register settings in one RTC cycle.

Time/calendar alarm registers can be read at any time and are not updated by the RTC.

2.4.3 Examples of Time/Calendar Alarm Settings

Some examples of various alarm settings are shown in [Table 3](#). A complete description of the RTC registers and their functions is provided in [Section 3](#).

Table 3. Time/Calendar Alarm Settings

Alarm Occurs...	RTCYEARA	RTCMONTHA	RTCDAYA	RTCHOURA	RTCMINA	RTCSECA	RTCMILA
May 7, 2010 @ 3:19:46 AM	10h	5h	7h	3h	19h	46h	0h
Dec 22, 2099 @ 5:50:15 and 300ms PM	99h	12h	22h	17h	50h	15h	300h

2.5 Real-Time Clock Interrupt Requests

The RTC provides the ability to interrupt the CPU based on three events: a periodic interrupt, an alarm interrupt, or an external "Wakeup" interrupt. Although three interrupt sources are available, the RTC makes a single interrupt request to the CPU. Specific information about using each of the interrupt types is in the sections that follow.

2.5.1 Interrupt Enable


The RTC has two registers for enabling interrupts. The RTC Interrupt Enable (RTCINTEN) enables the RTC interrupt to the CPU. This bit allows any interrupt that is triggered in the RTC to be sent to the CPU. The second register is the RTC Interrupt Register (RTSINTREG) is used to enable the different interrupt events that can be passed to the CPU. These include the following:

- Alarm Interrupt
- External “wakeup” Interrupt
- Periodic Day Interrupt
- Periodic Hour Interrupt
- Periodic Minute Interrupt
- Periodic Second Interrupt
- Periodic Millisecond Interrupt

NOTE: To use the external wakeup interrupt, you must set the WU_DIR bit in the RTCPMGT register to 0.

When a RTC interrupt is generated, the RTC’s interrupt is directed to two places (see [Figure 2](#)).

1. System Clock Wakeup Logic – the interrupt will cause the Master Clock Gater to enable the Master Clock.
2. The RTC interrupt can be directed to the CPU if RTCINTEN = 1. The CPU’s RTC interrupt must be unmasked for the CPU to respond to the interrupt.
 - If the CPU is idled, the interrupt will cause the CPU to exit idle. If interrupts are globally enabled, the CPU will execute the RTC ISR.
 - If the CPU is not idled and interrupts are globally enabled, the CPU will execute the RTC ISR.

Figure 2. RTC Interrupt and Wakeup Logic


2.5.2 Interrupt Flag Bits

When the interrupts are enabled in [Section 2.5.1](#) and the event occurs, the equivalent flag is set in the RTC Interrupt Flag Register (RTCINTFL). See [Section 3](#) for complete details of the RTC registers. The flagged event is cleared when the programmer writes a "1" to the flag bit.

There is also an RTC Lost Power Register (RTCNOPWR). If this flag is set the RTC has lost power and requires a software reset. NOTE: at least 3 RTC clock cycles must elapse after power-up in order to read valid data since the synchronization logic between the CPU and RTC consumes 3 RTC clock cycles.

If the RTC Interrupt enable bit is set and any of the active events occur then an RTC interrupt is sent to the CPU. The RTC interrupt is asserted as long as at least one of the interrupt flag bits are set. When an interrupt occurs from the RTC, the source of the interrupt can be determined by reading the flag bits in RTCINTFL.

2.5.3 Periodic Interrupt Request

Periodic Interrupts cause the RTC to make an interrupt request to the CPU periodically. The periodicity can be every millisecond, every second, every minute, hourly, or daily. The periodic interrupt rate is selected using the RTC Interrupts Register (RTCINTREG), see [Table 4](#). Writing a 1 to these bits enables the periodic interrupt. Writing a 0 disables the interrupt. Once the interrupt occurs it will remain active until the corresponding flag bit in the RTC Status Register is cleared.

NOTE: The interrupt occurs whenever that particular time value is incremented.

Table 4. Periodic Interrupts

RTCINTREG bits	Periodic interrupt rate
Bit 0	Every Millisecond
Bit 1	Every Second
Bit 2	Every Minute
Bit 3	Every Hour
Bit 4	Every Day

To use the RTC Periodic interrupt:

- Select the desired interrupt period by enabling the proper interrupt in the RTCINTREG
- Enable the RTC interrupt to the CPU by setting bit 0 of RTCINTEN

When the periodic interrupt occurs, the corresponding interrupt flag will be set in the RTC Interrupt Flag (RTCINTFL) register and the interrupt is sent to the CPU.

2.5.4 Alarm Interrupt Request

The RTC alarm interrupt can be used to generate an interrupt to the CPU at a specific time. The alarm interrupt occurs when the alarm time programmed in the RTC alarm registers match the current time. For information about programming an alarm time, see [Section 2.4](#).

To use the RTC alarm interrupt:

- Select the desired alarm time by configuring the RTC alarm registers.
- Enable the RTC alarm interrupt by setting bit 15 of the RTCINTREG.
- Enable the RTC interrupt to the CPU by setting bit 0 of RTCINTEN

When the alarm interrupt occurs, the Alarm Flag (bit 15) in the RTCINTFL register will be set and the RTC interrupt is sent to the CPU.

2.5.5 WAKEUP Interrupt Request

The external WAKEUP signal or RTC alarm trigger sends a WAKEUP event to the System Clock Wakeup Logic . This asynchronously clears the clock gate which gates the Master Clock, and enables the Master Clock.

When the DSP wakes up due to an RTC alarm, periodic interrupt, or by the external WAKEUP signal, the DSP latches the RTC interrupt. Because there is only one interrupt line for the RTC, the user must look at the RTC status register to determine which RTC event caused the wake-up.

2.6 Reset Considerations

The RTC can be reset by the RTCRESET bit located in the RTC oscillator register (RTCOSC). The RTC can also be reset by an internal POR circuit that monitors VDD_RTC. Neither the RESETN pin nor the DSP's POR can reset the RTC.

2.6.1 Software Reset Considerations

The DSP can cause a software reset of the RTC when the RTCRESET bit is set to 1. When this occurs, all RTC registers are reset to the default settings. The RTC will not be reset when the RESETN pin goes low. After a RTC software reset, do not access any RTC register for three 32.768kHz clock cycles after setting the software reset bit.

2.6.2 Hardware Reset Considerations

The RTC has a hardware reset that is tied to a POR circuit that monitors the VDD_RTC. The RTC is not reset with the RESETN pin or the DSP's POR.

3 Registers

This section describes the memory-mapped registers for the Real Time Clock (RTC).

Control of the RTC is maintained through a set of I/O memory mapped registers shown in [Table 5](#). The first two registers in Table 5, RTCINTEN and RTCUPDATE, are located in the DSP core power domain, while the remaining registers in Table 5 are located in the RTC power domain. Writes to registers in the RTC power domain are synchronized to the RTC 32.768 kHz clock and can therefore take many CPU clock cycles to complete. The CPU clock must run at least 3X faster than the RTC, and writes to registers in the RTC domain will not be evident for up to two 32.768kHz clock cycles. If the RTC Oscillator is disabled (RTC_XI and RTC_XO pins tied off), no RTC register in the RTC power domain can be written.

Table 5. Real Time Clock (RTC) Registers

CPU Word Address	Acronym	Register Description	Section
1900h	RTCINTEN	RTC Interrupt Enable Register	Section 3.1
1901h	RTCUPDATE	RTC Update Register	Section 3.2
1904h	RTCMIL	Milliseconds Register	Section 3.3
1905h	RTCMILA	Milliseconds Alarm Register	Section 3.4
1908h	RTCSEC	Seconds Register	Section 3.5
1909h	RTCSECA	Seconds Alarm Register	Section 3.6
190Ch	RTCMIN	Minutes Register	Section 3.7
190Dh	RTCMINA	Minutes Alarm Register	Section 3.8
1910h	RTCHOUR	Hours Register	Section 3.9
1911h	RTCHOURA	Hours Alarm Register	Section 3.10
1914h	RTCDAY	Days Register	Section 3.11
1915h	RTCDAYA	Days Alarm Register	Section 3.12
1918h	RTCMONTH	Months Register	Section 3.13
1919h	RTCMONTHA	Months Alarm Register	Section 3.14
191Ch	RTCYEAR	Years Register	Section 3.15
191Dh	RTCYEARA	Years Alarm Register	Section 3.16
1920h	RTCINTFL	RTC Interrupt Flag Register	Section 3.17
1921h	RTCNOPWR	RTC Lost Power Status Register	Section 3.18
1924h	RTCINTREG	RTC Interrupt Register	Section 3.19
1928h	RTCDRIFT	RTC Compensation Register	Section 3.20
192Ch	RTCOSC	RTC Oscillator Register	Section 3.21
1930h	RTCPMGT	RTC Power Management Register	Section 3.22
1960h	RTCSCR1	RTC LSW Scratch Register 1	Section 3.23
1961h	RTCSCR2	RTC MSW Scratch Register 2	Section 3.24
1964h	RTCSCR3	RTC LSW Scratch Register 3	Section 3.25
1965h	RTCSCR4	RTC MSW Scratch Register 4	Section 3.26

3.1 RTC Interrupt Enable Register (RTCINTEN)

The RTC interrupt enable register (RTCINTEN) is shown in [Figure 3](#) and described in [Table 6](#).

Figure 3. RTC Interrupt Enable Register (RTCINTEN)

15	1	0
Reserved		RTCINTEN
R-0		RW-0

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 6. RTC Interrupt Enable Register (RTCINTEN) Field Descriptions

Bit	Field	Value	Description
15-1	Reserved	0	Reserved.
0	RTCINTEN	0	RTC interrupt is disabled.
		1	RTC interrupt is enabled.

3.2 RTC Update Register (RTCUPDATE)

The RTC update register (RTCUPDATE) is shown in [Figure 4](#) and described in [Table 7](#).

Figure 4. RTC Update Register (RTCUPDATE)

15	14	13	0
TIMEUPDT	ALARMUPDT	Reserved	
RW-0	RW-0	R-0	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 7. RTC Update Register (RTCUPDATE) Field Descriptions

Bit	Field	Value	Description
15	TIMEUPDT	0	Initiates the Time updates. RTC time registers updated.
		1	Initiates the transfer of the time registers from the DSP to the RTC.
14	ALARMUPDT	0	Initiates the alarm updates. RTC alarm registers updated.
		1	Initiate update of the alarm registers.
13-0	Reserved	0	Reserved.

3.3 Milliseconds Register (RTCMIL)

The milliseconds register (RTCMIL) is shown in [Figure 5](#) and described in [Table 8](#).

Figure 5. Milliseconds Register (RTCMIL)

15	13	12	11	8	7	4	3	0
Reserved		MS3	MS2		MS1		MS0	
R-0		RW-0	RW-0		RW-0		RW-0	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 8. Milliseconds Register (RTCMIL) Field Descriptions

Bit	Field	Value	Description
15-13	Reserved	0	Reserved.
12	MS3	0	Digit 3 of Milliseconds in BCD format .
		0	Digit 3 of MS is 0.
		1	Digit 3 of MS is 1.
11-8	MS2	0-9	Digit 2 of Milliseconds in BCD format .
7-4	MS1	0-9	Digit 1 of Milliseconds in BCD format .
3-0	MS0	0-9	Digit 0 of Milliseconds in BCD format .

3.4 Milliseconds Alarm Register (RTCMILA)

The milliseconds alarm register (RTCMILA) is shown in [Figure 6](#) and described in [Table 9](#).

Figure 6. Milliseconds Alarm Register (RTCMILA)

15	13	12	11	8	7	4	3	0
Reserved		MSA3	MSA2		MSA1		MSA0	
R-0		RW-0	RW-0		RW-0		RW-0	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 9. Milliseconds Alarm Register (RTCMILA) Field Descriptions

Bit	Field	Value	Description
15-13	Reserved	0	Reserved.
12	MSA3	0	Digit 3 of Millisecond alarm in BCD format .
		0	Digit 3 of MS Alarm is 0.
		1	Digit 3 of MS Alarm is 1.
11-8	MSA2	0-9	Digit 2 of Millisecond alarm in BCD format .
7-4	MSA1	0-9	Digit 1 of Millisecond alarm in BCD format .
3-0	MSA0	0-9	Digit 0 of Millisecond alarm in BCD format .

3.5 Seconds Register (RTCSEC)

The seconds register (RTCSEC) is shown in [Figure 7](#) and described in [Table 10](#).

Figure 7. Seconds Register (RTCSEC)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 10. Seconds Register (RTCSEC) Field Descriptions

Bit	Field	Value	Description
15-7	Reserved	0	Reserved.
6-4	SEC1	0-5	Digit 1 of Seconds in BCD format .
3-0	SEC0	0-9	Digit 0 of Seconds in BCD format .

3.6 Seconds Alarm Register (RTCSECA)

The seconds alarm register (RTCSECA) is shown in [Figure 8](#) and described in [Table 11](#).

Figure 8. Seconds Alarm Register (RTCSECA)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 11. Seconds Alarm Register (RTCSECA) Field Descriptions

Bit	Field	Value	Description
15-7	Reserved	0	Reserved.
6-4	SECA1	0-5	Digit 1 of Seconds Alarm in BCD format .
3-0	SECA0	0-9	Digit 0 of Seconds Alarm in BCD format .

3.7 Minutes Register (RTCMIN)

The minutes register (RTCMIN) is shown in [Figure 9](#) and described in [Table 12](#).

Figure 9. Minutes Register (RTCMIN)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 12. Minutes Register (RTCMIN) Field Descriptions

Bit	Field	Value	Description
15-7	Reserved	0	Reserved.
6-4	MIN1	0-5	Digit 1 of Minutes in BCD format .
3-0	MIN0	0-9	Digit 0 of Minutes in BCD format .

3.8 Minutes Alarm Register (RTCMINA)

The minutes alarm register (RTCMINA) is shown in [Figure 10](#) and described in [Table 13](#).

Figure 10. Minutes Alarm Register (RTCMINA)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 13. Minutes Alarm Register (RTCMINA) Field Descriptions

Bit	Field	Value	Description
15-7	Reserved	0	Reserved.
6-4	MINA1	0-5	Digit 1 of Minutes Alarm in BCD format .
3-0	MINA0	0-9	Digit 0 of Minutes Alarm in BCD format .

3.9 Hours Register (RTCHOUR)

The hours register (RTCHOUR) is shown in [Figure 11](#) and described in [Table 14](#).

Figure 11. Hours Register (RTCHOUR)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 14. Hours Register (RTCHOUR) Field Descriptions

Bit	Field	Value	Description
15-6	Reserved	0	Reserved.
5-4	HOUR1	0-2	Digit 1 of Hours in BCD format .
3-0	HOUR0	0-9	Digit 0 of Hours in BCD format .

3.10 Hours Alarm Register (RTCHOURA)

The hours alarm register (RTCHOURA) is shown in [Figure 12](#) and described in [Table 15](#).

Figure 12. Hours Alarm Register (RTCHOURA)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 15. Hours Alarm Register (RTCHOURA) Field Descriptions

Bit	Field	Value	Description
15-6	Reserved	0	Reserved.
5-4	HOURA1	0-2	Digit 1 of Hours Alarm in BCD format .
3-0	HOURA0	0-9	Digit 0 of Hours Alarm in BCD format .

3.11 Days Register (RTCDAY)

The days register (RTCDAY) is shown in [Figure 13](#) and described in [Table 16](#).

Figure 13. Days Register (RTCDAY)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 16. Days Register (RTCDAY) Field Descriptions

Bit	Field	Value	Description
15-6	Reserved	0	Reserved.
5-4	DAY1	0-3	Digit 1 of Days in BCD format .
3-0	DAY0	0-9	Digit 0 of Days in BCD format .

3.12 Days Alarm Register (RTCDAYA)

The days alarm register (RTCDAYA) is shown in [Figure 14](#) and described in [Table 17](#).

Figure 14. Days Alarm Register (RTCDAYA)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 17. Days Alarm Register (RTCDAYA) Field Descriptions

Bit	Field	Value	Description
15-6	Reserved	0	Reserved.
5-4	DAYA1	0-3	Digit 1 of Days Alarm in BCD format .
3-0	DAYA0	0-9	Digit 0 of Days Alarm in BCD format .

3.13 Months Register (RTCMONTH)

The months register (RTCMONTH) is shown in [Figure 15](#) and described in [Table 18](#).

Figure 15. Months Register (RTCMONTH)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 18. Months Register (RTCMONTH) Field Descriptions

Bit	Field	Value	Description
15-5	Reserved	0	Reserved.
4	MONTH1	0-1	Digit 1 of Months in BCD format .
3-0	MONTH0	0-9	Digit 0 of Months in BCD format .

3.14 Months Alarm Register (RTCMONTHA)

The months alarm register (RTCMONTHA) is shown in [Figure 16](#) and described in [Table 19](#).

Figure 16. Months Alarm Register (RTCMONTHA)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 19. Months Alarm Register (RTCMONTHA) Field Descriptions

Bit	Field	Value	Description
15-5	Reserved	0	Reserved.
4	MONTHA1	0-1	Digit 1 of Months Alarm in BCD format .
3-0	MONTHA0	0-9	Digit 0 of Months Alarm in BCD format .

3.15 Years Register (RTCYEAR)

The years register (RTCYEAR) is shown in [Figure 17](#) and described in [Table 20](#).

Figure 17. Years Register (RTCYEAR)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 20. Years Register (RTCYEAR) Field Descriptions

Bit	Field	Value	Description
15-8	Reserved	0	Reserved.
7-4	YEAR1	0-9	Digit 1 of Year in BCD format (20XX) .
3-0	YEAR0	0-9	Digit 0 of Year in BCD format (20XX) .

3.16 Years Alarm Register (RTCYEARA)

The years alarm register (RTCYEARA) is shown in [Figure 18](#) and described in [Table 21](#).

Figure 18. Years Alarm Register (RTCYEARA)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 21. Years Alarm Register (RTCYEARA) Field Descriptions

Bit	Field	Value	Description
15-8	Reserved	0	Reserved.
7-4	YEARA1	0-9	Digit 1 of Year Alarm in BCD format (20XX) .
3-0	YEARA0	0-9	Digit 0 of Year Alarm in BCD format (20XX) .

3.17 RTC Interrupt Flag Register (RTCINTFL)

The RTC interrupt flag register (RTCINTFL) is shown in [Figure 19](#) and described in [Table 22](#).

Figure 19. RTC Interrupt Flag Register (RTCINTFL)

15	14						8
ALARMFL		Reserved					
R/W-0		R-0					
7	6	5	4	3	2	1	0
Reserved		EXTFL	DAYFL	HOURFL	MINFL	SECFL	MSFL
R-0		R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset


Table 22. RTC Interrupt Flag Register (RTCINTFL) Field Descriptions

Bit	Field	Value	Description
15	ALARMFL	0 1	Flag indicating whether an Alarm interrupt has occurred. Alarm interrupt did not occur. Alarm interrupt occurred (write 1 to clear).
14-6	Reserved	0	Reserved.
5	EXTFL	0 1	Flag indicating whether an external event interrupt (WAKEUP pin) has occurred. External event interrupt did not occur. External event interrupt occurred (write 1 to clear).
4	DAYFL	0 1	Flag indicating whether a periodic Day interrupt has occurred. Periodic Day interrupt did not occur. Periodic Day interrupt occurred (write 1 to clear).
3	HOURFL	0 1	Flag indicating whether a periodic Hour event interrupt has occurred. Periodic Hour interrupt did not occur. Periodic Hour interrupt occurred (write 1 to clear).
2	MINFL	0 1	Flag indicating whether a periodic Minute event interrupt has occurred. Periodic Minute interrupt did not occur. Periodic Minute interrupt occurred (write 1 to clear).
1	SECFL	0 1	Flag indicating whether a periodic Second event interrupt has occurred. Periodic Second interrupt did not occur. Periodic Second interrupt occurred (write 1 to clear).
0	MSFL	0 1	Flag indicating whether a periodic Millisecond event interrupt has occurred. Periodic Millisecond interrupt did not occur. Periodic Millisecond interrupt occurred (write 1 to clear).

3.18 RTC Lost Power Status Register (RTCNOPWR)

The RTC lost power status register (RTCNOPWR) is shown in [Figure 20](#) and described in [Table 23](#).

Figure 20. RTC Lost Power Status Register (RTCNOPWR)



LEGEND: R = Read only; -n = value after reset

Table 23. RTC Lost Power Status Register (RTCNOPWR) Field Descriptions

Bit	Field	Value	Description
15-1	Reserved	0	Reserved.
0	PWRUP	0	RTC has not lost power since software reset.
		1	RTC has lost power and requires a software reset and initialization of the time registers to the current time and date. PWRUP is cleared by a read of RTCINTFL or RTCNOPWR. Therefore, read RTCNOPWR before reading RTCINTFL to obtain the correct PWRUP value.

3.19 RTC Interrupt Register (RTCINTREG)

The RTC interrupt register (RTCINTREG) is shown in [Figure 21](#) and described in [Table 24](#).

Figure 21. RTC Interrupt Register (RTCINTREG)

15	14						8
ALARMINTEN		Reserved					
R/W-0		R-0					
7	6	5	4	3	2	1	0
Reserved		EXTINTEN	DAYINTEN	HOURINTEN	MININTEN	SECINTEN	MSINTEN
R-0		R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 24. RTC Interrupt Register (RTCINTREG) Field Descriptions

Bit	Field	Value	Description
15	ALARMINTEN	0 1	Alarm interrupt enable. Alarm interrupt not enabled. Alarm interrupt enabled.
14-6	Reserved	0	Reserved.
5	EXTINTEN	0 1	External event (WAKEUP pin) interrupt enable. External event interrupt not enabled. External event interrupt enabled.
4	DAYINTEN	0 1	Periodic Day interrupt enable. Periodic Day interrupt not enabled. Periodic Day interrupt enabled.
3	HOURINTEN	0 1	Periodic Hour interrupt enable. Periodic Hour interrupt not enabled. Periodic Hour interrupt enabled.
2	MININTEN	0 1	Periodic Minute interrupt enable. Periodic Minute interrupt not enabled. Periodic Minute interrupt enabled.
1	SECINTEN	0 1	Periodic Second interrupt enable. Periodic Second interrupt not enabled. Periodic Second interrupt enabled.
0	MSINTEN	0 1	Periodic Millisecond interrupt enable. Periodic Millisecond interrupt not enabled. Periodic Millisecond interrupt enabled.

3.20 RTC Compensation Register (RTCDRIFT)

Every hour on the hour, a positive or negative number of milliseconds is added to the milliseconds register to compensate for inaccuracy in the 32.768kHz crystal based on the value of COMP[3:0]. If this value is 0 then no compensation will be applied.

NOTE: Any positive compensation value must not be a multiple of 10.

The RTC compensation register (RTCDRIFT) is shown in [Figure 22](#) and described in [Table 25](#).

Figure 22. RTC Compensation Register (RTCDRIFT)

15	14	13	12	11	8	7	4	3	0
DRIFT	Reserved		COMP3	COMP2		COMP1		COMP0	
RW-0	R-0		RW-0	RW-0		RW-0		RW-0	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 25. RTC Compensation Register (RTCDRIFT) Field Descriptions

Bit	Field	Value	Description
15	DRIFT	0 1	Positive or Negative Compensation. Negative compensation. Positive compensation.
14-13	Reserved	0	Reserved.
12	COMP3	0 1	Digit 3 of Compensation in BCD format. Digit 3 of Compensation is 0. Digit 3 of Compensation is 1.
11-8	COMP2	0-9	Digit 2 of Compensation register in BCD format.
7-4	COMP1	0-9	Digit 1 of Compensation register in BCD format.
3-0	COMP0	0-9	Digit 0 of Compensation register in BCD format.

3.21 RTC Oscillator Register (RTCOSC)

The RTC oscillator register (RTCOSC) is shown in [Figure 23](#) and described in [Table 26](#).

Figure 23. RTC Oscillator Register (RTCOSC)

15	14	4	3	0
RTCRESET	Reserved			OSCRES
W-0	R-0			RW-1011b

LEGEND: R/W = Read/Write; R = Read only; W = Write only; n = value after reset

Table 26. RTC Oscillator Register (RTCOSC) Field Descriptions

Bit	Field	Value	Description
15	RTCRESET	0 1	RTC software reset. The RTC only resets when this bit is set. The RTC is not reset when RESTN goes low. Once set, this bit is cleared by the RTC. Do not access any RTC register for three 32.768kHz clock cycles after setting this bit. RTC not reset. RTC reset.
14-4	Reserved	0	Reserved.
3-0	OSCRES	0-Fh	Value of the oscillator cell's internal resistor. The default (reset state) is 1011b and this gives faster startup but higher power. Once the oscillator is running it can be changed to 1000b for lower power consumption.

3.22 RTC Power Management Register (RTCPMGT)

The RTC power management register (RTCPMGT) is shown in [Figure 24](#) and described in [Table 27](#).

Figure 24. RTC Power Management Register (RTCPMGT)

15	5	4	3	2	1	0
Reserved	WU_DOUT	WU_DIR	BG_PD	LDO_PD	RTCCLKOUTEN	
R-0	RW-1	RW-0	RW-0	RW-0	RW-0	RW-0

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 27. RTC Power Management Register (RTCPMGT) Field Descriptions

Bit	Field	Value	Description
15-5	Reserved	0	Reserved.
4	WU_DOUT	0	Wake-up output, active low/open-drain. WAKEUP pin driven low.
		1	WAKEUP pin is in high impedance.
3	WU_DIR	0	Wake-up pin direction control. WAKEUP pin is configured as input.
		1	WAKEUP pin is configured as output. Note: The WAKEUP pin, when configured as an input, is active high. When it is configured as an output, it is open-drain and thus it should have an external pullup and it is active low.
2	BG_PD	0	[Not supported on this device. Reserved for compatibility with future devices]. Bandgap power down. Normal.
		1	Reserved.
1	LDO_PD	0	[Not supported on this device. Reserved for compatibility with future devices]. LDO power down. Normal.
		1	Reserved.
0	RTCCLKOUTEN	0	Clockout output enable. RTC clock output disabled.
		1	RTC clock output enabled.

3.23 RTC LSW Scratch Register 1 (RTCSCR1)

The RTC Scratch Registers are general purpose memory that can be used to store a value that will be preserved even when the DSP power is off.

The RTC LSW scratch register 1 (RTCSCR1) is shown in [Figure 25](#) and described in [Table 28](#).

Figure 25. RTC LSW Scratch Register 1 (RTCSCR1)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 28. RTC LSW Scratch Register 1 (RTCSCR1) Field Descriptions

Bit	Field	Value	Description
15-0	SCRATCH0	0-FFFFh	Scratch registers, available to program.

3.24 RTC MSW Scratch Register 2 (RTCSCR2)

The RTC MSW scratch register 2 (RTCSCR2) is shown in [Figure 26](#) and described in [Table 29](#).

Figure 26. RTC MSW Scratch Register 2 (RTCSCR2)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 29. RTC MSW Scratch Register 2 (RTCSCR2) Field Descriptions

Bit	Field	Value	Description
15-0	SCRATCH2	0-FFFFh	Scratch registers, available to program.

3.25 RTC LSW Scratch Register 3 (RTCSCR3)

The RTC LSW scratch register 3 (RTCSCR3) is shown in [Figure 27](#) and described in [Table 30](#).

Figure 27. RTC LSW Scratch Register 3 (RTCSCR3)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 30. RTC LSW Scratch Register 3 (RTCSCR3) Field Descriptions

Bit	Field	Value	Description
15-0	SCRATCH3	0-FFFFh	Scratch registers, available to program.

3.26 RTC MSW Scratch Register 4 (RTCSCR4)

The RTC MSW scratch register 4 (RTCSCR4) is shown in [Figure 28](#) and described in [Table 31](#).

Figure 28. RTC MSW Scratch Register 4 (RTCSCR4)



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

Table 31. RTC MSW Scratch Register 4 (RTCSCR4) Field Descriptions

Bit	Field	Value	Description
15-0	SCRATCH4	0-FFFFh	Scratch registers, available to program.

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products

Amplifiers	amplifier.ti.com
Data Converters	dataconverter.ti.com
DLP® Products	www.dlp.com
DSP	dsp.ti.com
Clocks and Timers	www.ti.com/clocks
Interface	interface.ti.com
Logic	logic.ti.com
Power Mgmt	power.ti.com
Microcontrollers	microcontroller.ti.com
RFID	www.ti-rfid.com
RF/IF and ZigBee® Solutions	www.ti.com/lprf

Applications

Audio	www.ti.com/audio
Automotive	www.ti.com/automotive
Broadband	www.ti.com/broadband
Digital Control	www.ti.com/digitalcontrol
Medical	www.ti.com/medical
Military	www.ti.com/military
Optical Networking	www.ti.com/opticalnetwork
Security	www.ti.com/security
Telephony	www.ti.com/telephony
Video & Imaging	www.ti.com/video
Wireless	www.ti.com/wireless

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2009, Texas Instruments Incorporated